

FLORISTIC SURVEY AND RARE SPECIES ASSESSMENT OF THE PROPERTIES IN THE FLORIDA KEYS WILDLIFE & ENVIRONMENTAL AREA

THE INSTITUTE FOR REGIONAL CONSERVATION
22601 S.W. 152 AVE.
MIAMI, FLORIDA 33170

KEITH A. BRADLEY, STEVEN W. WOODMANSEE,
AND GEORGE D. GANN



Report submitted to the Florida Fish and Wildlife
Conservation Commission, Marathon, Florida

September 25, 2000

Table of Contents

Introduction	2
Study Design	2
Results	2
Citations	3

Tables:

Table 1: The Vascular Plants of Big Torch Hammocks	4
Table 2: The Vascular Plants of Blue Heron Hammock	9
Table 3: The Vascular Plants of Dove Creek Hammocks - Bayside	16
Table 4: The Vascular Plants of Dove Creek Hammocks - Oceanside	21
Table 5: The Vascular Plants of Lake San Pedro Hammocks	28
Table 6: The Vascular Plants of Little Torch Hammocks	33
Table 7: The Vascular Plants of Lower Sugarloaf Hammocks	38
Table 8: The Vascular Plants of Middle Torch Hammocks - 3063	44
Table 9: The Vascular Plants of Middle Torch Hammocks – 3112	48
Table 10: The Vascular Plants of Middle Torch Hammocks – Anderson	52
Table 11: The Vascular Plants of Middle Torch Hammocks - Lipchak	56
Table 12: The Vascular Plants of Ramrod Hammocks	60
Table 13: The Vascular Plants of Snake Creek Hammocks	66
Table 14: The Vascular Plants of Spoonbill Sound Hammocks	72
Table 15: The Vascular Plants of Upper Sugarloaf Hammocks	77
Table 16: The Vascular Plants of Wahoo Hammocks	82
Table 17: Rare Plants of Big Torch Hammocks	86
Table 18: Rare Plants of Blue Heron Hammock	87
Table 19: Rare Plants of Dove Creek Hammocks - Bayside	88
Table 20: Rare Plants of Dove Creek Hammocks - Oceanside	89
Table 21: Rare Plants of Lake San Pedro Hammocks	90
Table 22: Rare Plants of Little Torch Hammocks	91
Table 23: Rare Plants of Lower Sugarloaf Hammocks	92
Table 24: Rare Plants of Middle Torch Hammocks - 3063	93
Table 25: Rare Plants of Middle Torch Hammocks – 3112	94
Table 26: Rare Plants of Middle Torch Hammocks – Anderson	95
Table 27: Rare Plants of Middle Torch Hammocks - Lipchak	96
Table 28: Rare Plants of Ramrod Hammocks	97
Table 29: Rare Plants of Snake Creek Hammocks	98
Table 30: Rare Plants of Spoonbill Sound Hammocks	99
Table 31: Rare Plants of Upper Sugarloaf Hammocks	100
Table 32: Rare Plants of Wahoo Hammocks	101
Table 33: Floristic Summary of the FL Keys Wildlife & Environmental Area	102
Table 34: Comprehensive Plant List of the FL Keys Wildlife & Environmental Area	103
Table 35: Rare Plants of the FL Keys Wildlife & Environmental Area	112

Introduction:

The Florida Fish and Wildlife Conservation Commission (“Commission”) has acquired 16 properties from Key Largo to Lower Sugarloaf Keys in Monroe County, Florida. The Commission possessed very little floristic data on any of these properties, including floristic inventories, lists of rare plant species, lists of exotic species, or status of rare plant species on each site. The Institute for Regional Conservation (“IRC”) was contracted to provide this data to the commission on each of these properties.

Study Design:

Survey 16 Commission owned properties producing species lists for individual parcels and collecting occurrence data for non-federally listed rare species. Field biologists will walk transects across each property in order to fully cover all available habitat types on each property.

- a) Make list of all plant species on property.
- b) Estimate population sizes on a \log_{10} scale of all plant species that are federally listed, state listed, Florida Natural Areas Inventory tracked, and Institute for Regional Conservation ranked as imperiled or critically imperiled in southern Florida.
- c) Collect GPS coordinates for occurrences of rare plant species when they occupy small, discrete areas on each site.

Results:

Sixteen properties were surveyed during this study. A total of 397 native and naturalized plant species were recorded in our surveys. An additional 13 species were recorded that were cultivated on the sites but are not known to naturalize in southern Florida. Of these 284 (72%) are considered native to the Florida Keys and 113 (28%) are considered exotic. The number of plant species on each property ranged from 73-199 species, with an average of 129. The number of native plant species ranged from 149-70 species with an average of 111. The number of exotic plant species ranged from 3-50 with an average of 19.

No plant species listed by the U.S. Fish and Wildlife Service were recorded. Fifty-eight plant species listed by the State of Florida as Threatened or Endangered were recorded. Twenty-five plant species listed by the Florida Natural Areas Inventory (FNAI) as Critically Imperiled (S1) or Imperiled (S2) in Florida were recorded. Forty-six species considered Critically Imperiled (R1) or Imperiled (R2) in southern Florida by the Institute for Regional Conservation were recorded. Seventy-six rare plant species were recorded (Table 35), 19% of the native plant species recorded.

Three plant species being considered for listing by the U.S. Fish and Wildlife Service were found, Blodgett’s silverbush (*Argythamnia blodgettii*), Florida Keys indigo (*Indigofera mucronata* var. *keyensis*), and Sand flax (*Linum arenicola*) (Bradley & Gann 2000). A fourth species, Florida semaphore cactus (*Opuntia corallicola*) is also being considered for listing. It is

cultivated on three sites. Two of these represent experimental introductions. Blodgett's silverbush was found on three properties, Blue Heron Hammock, Dove Creek Hammocks – Bayside, and Snake Creek Hammocks. Florida Keys indigo was found at Snake Creek Hammock. Sand flax was found at Lower Sugarloaf Hammocks.

Plant inventories for each of the 16 properties surveyed are provided in Tables 1 – 16. Previous surveys, when available, were studied and incorporated into these tables. References are listed for each table if applicable. Lists of rare plant species on each property are provided in Tables 17 – 32. Species that occur only in cultivated on a site, such as Florida semaphore cactus (*Opuntia corallicola*), or species which are native to Florida but are escaping from cultivation outside of their natural ranges in Florida, such as West Indian mahogany (*Swietenia mahagoni*), are not included on rare plant tables. Population size estimates on a \log_{10} scale of each of these species are noted.

GPS coordinates of rare plant occurrences have not been included in this report. They have been provided to the Commission electronically and are also maintained by IRC.

Citations:

Bradley, K.A. & G.D. Gann. 1999. Status summaries of 12 rockland plant taxa in southern Florida. Unpublished report submitted to the U.S. Fish and Wildlife Service, Vero Beach, Florida.

Table 1:
The Vascular Plants of
Big Torch Hammocks - Parcels 879, 880, 881,
Florida Keys Wildlife & Environmental Area,
Big Torch Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
The Institute for Regional Conservation
Miami, Florida
On August 31, September 13 & 14, 2000

Dicots

Anacardiaceae

	<i>Metopium toxiferum</i>	Poisonwood, Florida poisontree
E	<i>Schinus terebinthifolius</i>	Brazilian-pepper
	<i>Toxicodendron radicans</i>	Eastern poison-ivy

Apocynaceae

	<i>Pentalinon luteum</i>	Wild-allamanda, Hammock viperstail
--	--------------------------	------------------------------------

Asclepiadaceae

	<i>Cynanchum angustifolium</i>	Vine milkweed, Gulf Coast swallowwort
--	--------------------------------	---------------------------------------

Asteraceae

	<i>Aster bracei</i>	Brace's aster
	<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, Beggarticks
	<i>Borrachia arborescens</i>	Green sea-oxeye-daisy, Tree seaside oxeye
	<i>Borrachia frutescens</i>	Silver sea-oxeye-daisy, Bushy seaside oxeye
	<i>Flaveria linearis</i>	Narrowleaf yellowtops
	<i>Flaveria trinervia</i>	Annual yellowtop, Clustered yellowtops
	<i>Mikania scandens</i>	Climbing hempweed, Climbing hempvine
	<i>Pectis glaucescens</i>	Tea-blinkum, Sanddune cinchweed

Avicenniaceae

	<i>Avicennia germinans</i>	Black mangrove
--	----------------------------	----------------

Bataceae

	<i>Batis maritima</i>	Saltwort, Turtleweed
--	-----------------------	----------------------

Boraginaceae

	<i>Bourreria succulenta</i>	Smooth strongback, Bahama strongbark
--	-----------------------------	--------------------------------------

Burseraceae

	<i>Bursera simaruba</i>	Gumbo-limbo
--	-------------------------	-------------

<u>Canellaceae</u>		
	<i>Canella winteriana</i>	Cinnamon bark, Pepper cinnamon
<u>Caricaceae</u>		
E	<i>Carica papaya</i>	Papaya
<u>Casuarinaceae</u>		
E	<i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
<u>Celastraceae</u>		
	<i>Crossopetalum rhacoma</i>	Rhacoma, Maidenberry
<u>Chenopodiaceae</u>		
	<i>Salicornia bigelovii</i>	Annual glasswort
	<i>Salicornia perennis</i>	Perennial glasswort
<u>Combretaceae</u>		
	<i>Conocarpus erectus</i>	Buttonwood
	<i>Laguncularia racemosa</i>	White mangrove
<u>Euphorbiaceae</u>		
	<i>Chamaesyce blodgettii</i>	Limestone sandmat
	<i>Chamaesyce mesembrianthemifolia</i>	Seaside spurge, Coastal beach sandmat
	<i>Drypetes diversifolia</i>	Milkbark, Whitewood
<u>Fabaceae</u>		
	<i>Acacia pinetorum</i>	Pineland acacia
	<i>Desmanthus virgatus</i>	Wild tantan
	<i>Galactia striata</i>	Florida Hammock milkpea
E	<i>Macroptilium lathyroides</i>	Wild-bean, Wild bushbean
	<i>Piscidia piscipula</i>	Jamaica-dogwood, Florida fishpoison tree
	<i>Pithecellobium keyense</i>	Florida Keys blackbead
	<i>Senna mexicana</i> var. <i>chapmanii</i>	Bahama senna, Chapman's wild sensitive plant
	<i>Sophora tomentosa</i> var. <i>truncata</i>	Yellow necklacepod
CE	<i>Tamarindus indica</i>	Tamarind
<u>Gentianaceae</u>		
	<i>Eustoma exaltatum</i>	Seaside gentian, Marshgentian
<u>Malpighiaceae</u>		
	<i>Byrsonima lucida</i>	Locustberry
<u>Moraceae</u>		
	<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
<u>Myrsinaceae</u>		
	<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>		
	<i>Calyptrotheces pallens</i>	Spicewood, Pale lidflower
	<i>Eugenia axillaris</i>	White stopper
	<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
	<i>Psidium longipes</i>	Longstalked-stopper
<u>Nyctaginaceae</u>		
	<i>Guapira discolor</i>	Blolly, Beeftree

<u>Olacaceae</u>		
	<i>Ximenia americana</i>	Hog-plum, Tallowwood
<u>Passifloraceae</u>		
	<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Polygalaceae</u>		
	<i>Polygala boykinii</i>	Boykin's milkwort
	<i>Polygala grandiflora</i>	Candyweed, Showy milkwort
<u>Polygonaceae</u>		
	<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue
	<i>Coccoloba uvifera</i>	Seagrape
<u>Primulaceae</u>		
	<i>Samolus ebracteatus</i>	Water pimpernel, Limewater brookweed
<u>Rhamnaceae</u>		
	<i>Krugiodendron ferreum</i>	Black ironwood, Leadwood
	<i>Reynosia septentrionalis</i>	Darlingplum
<u>Rhizophoraceae</u>		
	<i>Rhizophora mangle</i>	Red mangrove
<u>Rubiaceae</u>		
	<i>Chiococca parvifolia</i>	Pineland snowberry
	<i>Erythalis fruticosa</i>	Blacktorch
	<i>Ernodea littoralis</i>	Beach-creeper, Coughbush
	<i>Genipa clusiifolia</i>	Sevenyear-apple, Sevenyear apple
	<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
	<i>Randia aculeata</i>	White indigoberry
E	<i>Spermacoce verticillata</i>	Shrubby false buttonweed
<u>Rutaceae</u>		
	<i>Amyris elemifera</i>	Common torchwood, Sea torchwood
<u>Sapotaceae</u>		
	<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild dilly
E	<i>Manilkara zapota</i>	Sapodilla
	<i>Sideroxylon celastrinum</i>	Saffronplum
	<i>Sideroxylon salicifolium</i>	Willow-bustic, White bully
<u>Scrophulariaceae</u>		
	<i>Agalinis fasciculata</i>	Beach false foxglove
	<i>Agalinis maritima</i>	Saltmarsh false foxglove
	<i>Bacopa monnieri</i>	Water hyssop, Herb-of-grace
	<i>Buchnera americana</i>	American bluehearts
	<i>Capraria biflora</i>	Goatweed
<u>Simaroubaceae</u>		
	<i>Simarouba glauca</i>	Paradisetree
<u>Solanaceae</u>		
	<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn
	<i>Solanum verbascifolium</i>	Mullein nightshade

<u>Sterculiaceae</u>		
<i>Waltheria indica</i>	Sleepy morning	
<u>Suriaceae</u>		
<i>Suriana maritima</i>	Baycedar	
<u>Theophrastaceae</u>		
<i>Jacquinia keyensis</i>	Joewood	
<u>Verbenaceae</u>		
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed	
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee	

Monocots

<u>Agavaceae</u>		
CE <i>Dracaena marginata</i>		
E <i>Sansevieria hyacinthoides</i>	Bowstring-hemp, Mother-in-laws tongue	
<u>Arecaceae</u>		
<i>Coccothrinax argentata</i>	Florida silver palm	
CE <i>Livistona chinensis</i>	Chinese fan palm	
E <i>Phoenix</i>	Date palm	
<i>Serenoa repens</i>	Saw palmetto	
<i>Thrinax morrisii</i>	Silver thatch palm, Brittle thatch palm	
<i>Thrinax radiata</i>	Green thatch palm, Florida thatch palm	
<u>Bromeliaceae</u>		
<i>Tillandsia flexuosa</i>	Banded wild-pine, Twisted airplant	
<i>Tillandsia paucifolia</i>	Twisted wild-pine, Potbelly airplant	
<i>Tillandsia utriculata</i>	Giant wild-pine, Giant airplant	
<u>Cyperaceae</u>		
<i>Abildgaardia ovata</i>	Flatspike sedge	
<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass	
<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass	
<i>Fimbristylis spadicea</i>	Marsh fimbry	
<i>Rhynchospora colorata</i>	Starrush whitetop	
<u>Dioscoreaceae</u>		
E <i>Dioscorea bulbifera</i>	Common air-potato	
<u>Orchidaceae</u>		
E <i>Oeceoclades maculata</i>	African ground orchid, Monk orchid	
<u>Poaceae</u>		
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem	
<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn	
<i>Cenchrus incertus</i>	Coastal sandbur	
E <i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass	
<i>Digitaria ciliaris</i>	Southern crabgrass	
<i>Distichlis spicata</i>	Saltgrass	
<i>Eragrostis elliottii</i>	Elliott's lovegrass	
<i>Eriochloa michauxii</i> var. <i>michauxii</i>	Longleaf cupgrass, Michaux's cupgrass	

<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass
<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
<i>Panicum virgatum</i>	Switchgrass
<i>Paspalum caespitosum</i>	Blue paspalum, Blue crownglass
<i>Paspalum laxum</i>	Coconut paspalum
<i>Paspalum vaginatum</i>	Seashore paspalum
<i>Schizachyrium gracile</i>	Wire bluestem
<i>Schizachyrium sanguineum</i>	Crimson bluestem
<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
<i>Spartina patens</i>	Marshhay cordgrass, Saltmeadow cordgrass
<i>Spartina spartinae</i>	Gulf cordgrass
<i>Sporobolus domingensis</i>	Coral dropseed
<i>Sporobolus virginicus</i>	Seashore dropseed

CE = Exotic species only cultivated on the site

E = Not Native to the site

Table 2:
The Vascular Plants of
Blue Heron Hammock,
Florida Keys Wildlife & Environmental Area,
Vaca Key, Marathon

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On April 21, 2000

Dicots

Acanthaceae

- | | | |
|---|--------------------------------|-------------------------------------|
| E | <i>Blechum pyramidatum</i> | Green shrimpplant, Browne's blechum |
| | <i>Dicliptera sexangularis</i> | False-mint, Sixangle foldwing |

Aizoaceae

- | | | |
|--|----------------------------------|---|
| | <i>Sesuvium portulacastrum</i> | Perennial sea-purslane, Shoreline seapurslane |
| | <i>Trianthema portulacastrum</i> | Desert horsepurslane |

Amaranthaceae

- | | | |
|---|---------------------------------|----------------------|
| | <i>Alternanthera flavescens</i> | Yellow joyweed |
| E | <i>Amaranthus viridis</i> | Slender amaranth |
| | <i>Blutaparon vermiculare</i> | Samphire, Silverhead |

Anacardiaceae

- | | | |
|---|---------------------------------|--------------------------------|
| E | <i>Mangifera indica</i> | Mango |
| | <i>Metopium toxiferum</i> | Poisonwood, Florida poisontree |
| E | <i>Schinus terebinthifolius</i> | Brazilian-pepper |

Apocynaceae

- | | | |
|---|----------------------------|------------------------------------|
| E | <i>Catharanthus roseus</i> | Madagascar-periwinkle |
| | <i>Echites umbellata</i> | Devil's-potato, Rubbervine |
| | <i>Pentalinon luteum</i> | Wild-allamanda, Hammock viperstail |
| | <i>Rhabdadenia biflora</i> | Mangrove rubbervine, Mangrovevine |

Asclepiadaceae

- | | | |
|--|--------------------------------|---------------------------------------|
| | <i>Cynanchum angustifolium</i> | Vine milkweed, Gulf Coast swallowwort |
| | <i>Sarcostemma clausum</i> | Whitevine, White twinevine |

Asteraceae

- | | | |
|--|--|---|
| | <i>Bidens alba</i> var. <i>radiata</i> | Spanish-needles, Beggarticks |
| | <i>Borrichia arborescens</i> | Green sea-oxeye-daisy, Tree seaside oxeye |

<i>Borrichia frutescens</i>	Silver sea-oxeye-daisy, Bushy seaside oxeye
<i>Conyza canadensis</i> var. <i>pusilla</i>	Dwarf Canadian horseweed
<i>Flaveria linearis</i>	Narrowleaf yellowtops
<i>Melanthera nivea</i>	Snow squarestem
E <i>Tridax procumbens</i>	Brittleweed, Coatbuttons
 <u>Avicenniaceae</u>	
<i>Avicennia germinans</i>	Black mangrove
 <u>Bataceae</u>	
<i>Batis maritima</i>	Saltwort, Turtleweed
 <u>Boraginaceae</u>	
<i>Bourreria succulenta</i>	Smooth strongback, Bahama strongbark
<i>Cordia globosa</i>	Butterflybush, Curacao bush
E <i>Cordia sebestena</i>	Orange geigertree, Largeleaf geigertree
<i>Heliotropium angiospermum</i>	Scorpionstail
<i>Heliotropium curassavicum</i>	Seaside heliotrope, Salt heliotrope
 <u>Brassicaceae</u>	
<i>Lepidium virginicum</i>	Poor-man's-pepper, Virginia pepperweed
 <u>Buddlejaceae</u>	
<i>Polypremum procumbens</i>	Rustweed, Juniperleaf
 <u>Burseraceae</u>	
<i>Bursera simaruba</i>	Gumbo-limbo
 <u>Cactaceae</u>	
<i>Acanthocereus tetragonus</i>	Barbwire cactus, Dildoe cactus
E <i>Hylocereus undatus</i>	Nightblooming cereus
<i>Opuntia stricta</i>	Erect pricklypear
 <u>Capparaceae</u>	
<i>Capparis cynophallophora</i>	Jamaica caper-tree
<i>Capparis flexuosa</i>	Limber caper, Bayleaf capertree
 <u>Caricaceae</u>	
E <i>Carica papaya</i>	Papaya
 <u>Casuarinaceae</u>	
E <i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
 <u>Celastraceae</u>	
<i>Crossopetalum rhacoma</i>	Rhacoma, Maidenberry
<i>Gyminda latifolia</i>	West Indian false boxwood
<i>Maytenus phyllanthoides</i>	Florida mayten
 <u>Chenopodiaceae</u>	
<i>Atriplex pentandra</i>	Beach orach, Crested saltbush
<i>Salicornia perennis</i>	Perennial glasswort
<i>Suaeda linearis</i>	Sea-blite, Annual seepweed
 <u>Combretaceae</u>	
<i>Conocarpus erectus</i>	Buttonwood
<i>Laguncularia racemosa</i>	White mangrove
E <i>Terminalia catappa</i>	Tropical-almond, West Indian-almond

Convolvulaceae

<i>Ipomoea alba</i>	Common moonflowers, Moonflowers
<i>Ipomoea indica</i> var. <i>acuminata</i>	Ocean-blue morningglory
<i>Ipomoea violacea</i>	Coastal morningglory

Crassulaceae

E <i>Kalanchoe daigremontiana</i>	Devil's-backbone
E <i>Kalanchoe pinnata</i>	Common liveleaf, Cathedral bells, Life plant

Euphorbiaceae

<i>Argythamnia blodgettii</i>	Blodgett's silverbush
<i>Chamaesyce blodgettii</i>	Limestone sandmat
<i>Chamaesyce hirta</i>	Hairy spurge, Pillpod sandmat
<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
<i>Chamaesyce porteriana</i>	Porter's sandmat
<i>Drypetes diversifolia</i>	Milkbark, Whitewood
CE <i>Euphorbia tirucalli</i>	Pencil-cactus, Pencil tree, Indian tree spurg
	Crabwood, Oysterwood
E <i>Phyllanthus amarus</i>	Gale-of-wind, Carry-me-seed
	Paintedleaf, Fire-on-the-mountain

Fabaceae

E <i>Albizia lebbeck</i>	Woman's tongue, Rattlepod
	Gray nicker-bean, Gray nicker
	Beach-bean, Baybean, Seaside jackbean
	Hairy partridge-pea
E <i>Delonix regia</i>	Royal poinciana, Flamboyant
	Wild tantan
	Beggar's-ticks
	Dixie ticktrefoil
E <i>Desmodium tortuosum</i>	Florida Hammock milkpea
	Downy milkpea
	True indigo
	White leadtree
E <i>Macroptilium lathyroides</i>	Wild-bean, Wild bushbean
	Jamaica-dogwood, Florida fishpoison tree
	Florida Keys blackbead
	Least snoutbean
	Bahama senna, Chapman's wild sensitive plant
	Danglepod
	Pencilflower, Cheesytoes

Gentianaceae

<i>Eustoma exaltatum</i>	Seaside gentian, Marshgentian
--------------------------	-------------------------------

Malvaceae

<i>Abutilon permolle</i>	Coastal Indian mallow
<i>Gossypium hirsutum</i>	Wild cotton, Upland cotton
<i>Herissantia crispa</i>	Bladdermallow
E <i>Hibiscus tiliaceus</i>	Seaside mahoe, Sea hibiscus, mahoe
<i>Sida acuta</i>	Common wireweed, Common fanpetals
<i>Sida ciliaris</i>	Bracted fanpetals, Fringed fanpetals

E	<i>Thespesia populnea</i>	Portia tree
<u>Moraceae</u>		
	<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
<u>Myrsinaceae</u>		
	<i>Ardisia escallionoides</i>	Marlberry
<u>Myrtaceae</u>		
	<i>Eugenia axillaris</i>	White stopper
	<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
E	<i>Eugenia uniflora</i>	Surinam-cherry
<u>Nyctaginaceae</u>		
	<i>Guapira discolor</i>	Blolly, Beeftree
<u>Olacaceae</u>		
	<i>Ximenia americana</i>	Hog-plum, Tallowwood
<u>Passifloraceae</u>		
	<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Phytolaccaceae</u>		
	<i>Rivina humilis</i>	Rougeplant
<u>Plumbaginaceae</u>		
	<i>Limonium carolinianum</i>	Saltmarsh-rosemary, Carolina sealavender
<u>Polygonaceae</u>		
CE	<i>Antigonon leptopus</i>	Coral vine, Queen's jewels
	<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue
	<i>Coccoloba uvifera</i>	Seagrape
<u>Portulacaceae</u>		
	<i>Portulaca oleracea</i>	Purslane, Little hogweed
	<i>Portulaca pilosa</i>	Pink purslane, Kiss-me-quick
	<i>Portulaca rubricaulis</i>	Stalked purslane, Redstem purslane
<u>Rhamnaceae</u>		
E	<i>Colubrina asiatica</i>	Latherleaf, Asian nakedwood
	<i>Krugiodendron ferreum</i>	Black ironwood, Leadwood
	<i>Reynosia septentrionalis</i>	Darlingplum
<u>Rhizophoraceae</u>		
	<i>Rhizophora mangle</i>	Red mangrove
<u>Rubiaceae</u>		
	<i>Chiococca alba</i>	Common snowberry, Milkberry
	<i>Erithalis fruticosa</i>	Blacktorch
	<i>Ernodea littoralis</i>	Beach-creeper, Coughbush
	<i>Genipa clusiifolia</i>	Sevenyear-apple, Sevenyear apple
	<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
	<i>Randia aculeata</i>	White indigoberry
E	<i>Spermacoce verticillata</i>	Shrubby false buttonweed

<u>Sapindaceae</u>		
	<i>Exothea paniculata</i>	Inkwood, Butterbough
<u>Sapotaceae</u>		
	<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild dilly
E	<i>Manilkara zapota</i>	Sapodilla
	<i>Sideroxylon celastrinum</i>	Saffronplum
	<i>Sideroxylon foetidissimum</i>	Wild mastic, False mastic
<u>Scrophulariaceae</u>		
	<i>Capraria biflora</i>	Goatweed
<u>Simaroubaceae</u>		
	<i>Simarouba glauca</i>	Paradisetree
<u>Solanaceae</u>		
	<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn
	<i>Solanum bahamense</i>	Bahama nightshade
<u>Sterculiaceae</u>		
	<i>Waltheria indica</i>	Sleepy morning
<u>Surianaceae</u>		
	<i>Suriana maritima</i>	Baycedar
<u>Theophrastaceae</u>		
	<i>Jacquinia keyensis</i>	Joewood
<u>Ulmaceae</u>		
	<i>Trema micranthum</i>	Florida trema, Nettletree
<u>Verbenaceae</u>		
	<i>Lantana involucrata</i>	Wild-sage, Buttonsage
	<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed
	<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee
Monocots		
<u>Agavaceae</u>		
CE	<i>Agave americana</i>	Century plant
	<i>Agave decipiens</i>	False-sisal
E	<i>Agave sisalana</i>	Sisal-hemp
E	<i>Sansevieria hyacinthoides</i>	Bowstring-hemp, Mother-in-laws tongue
E	<i>Yucca guatemalensis</i>	Spineless yucca
<u>Amaryllidaceae</u>		
	<i>Hymenocallis latifolia</i>	Mangrove spiderlily, Perfumed spiderlily
<u>Araceae</u>		
E	<i>Syngonium podophyllum</i>	Nephthytis, American evergreen
<u>Arecaceae</u>		
E	<i>Cocos nucifera</i>	Coconut palm
	<i>Sabal palmetto</i>	Cabbage palm
	<i>Thrinax radiata</i>	Green thatch palm, Florida thatch palm
<u>Bromeliaceae</u>		

<i>Tillandsia paucifolia</i>	Twisted wild-pine, Potbelly airplant
<i>Tillandsia usneoides</i>	Spanish-moss
Commelinaceae	
E <i>Commelina diffusa</i> var. <i>diffusa</i>	Common dayflower
<i>Commelina erecta</i>	Whitemouth dayflower
E <i>Tradescantia spathacea</i>	Oysterplant, Moses-in-the-cradle, Boatlily
Cyperaceae	
<i>Cyperus croceus</i>	Baldwin's flatsedge
<i>Cyperus ligularis</i>	Swamp flatsedge
<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
<i>Fimbristylis spadicea</i>	Marsh fimbry
Liliaceae	
E <i>Asparagus densiflorus</i>	Sprenger's asparagus-fern
Orchidaceae	
E <i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
Poaceae	
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
E <i>Bothriochloa pertusa</i>	Pitted bluestem, Pitted beardgrass
<i>Cenchrus echinatus</i>	Southern sandbur
E <i>Cynodon dactylon</i>	Bermuda grass
E <i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
E <i>Eleusine indica</i>	Indian goose grass
E <i>Eragrostis ciliaris</i>	Gophertail lovegrass
<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
<i>Lasiacis divaricata</i>	Smallcane, Florida tibisee
<i>Leptochloa dubia</i>	Green spangletop, Green sprangletop
<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass
<i>Panicum amarum</i>	Beachgrass, Bitter panicgrass
<i>Paspalum caespitosum</i>	Blue paspalum, Blue crowngrass
<i>Paspalum laxum</i>	Coconut paspalum
<i>Paspalum setaceum</i>	Thin paspalum
<i>Paspalum vaginatum</i>	Seashore paspalum
E <i>Rhynchospora repens</i>	Rose Natalgrass
<i>Schizachyrium sanguineum</i>	Crimson bluestem
<i>Setaria macrosperma</i>	Coastal foxtail, Coral bristlegrass
<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
<i>Spartina patens</i>	Marshhay cordgrass, Saltmeadow cordgrass
<i>Sporobolus domingensis</i>	Coral dropseed
E <i>Sporobolus indicus</i> var. <i>indicus</i>	Smut grass
E <i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
<i>Sporobolus pyramidatus</i>	Whorled dropseed
<i>Sporobolus virginicus</i>	Seashore dropseed
E <i>Stenotaphrum secundatum</i>	St. Augustine grass
<i>Urochloa adspersa</i>	Dominican signalgrass
E <i>Urochloa subquadripala</i>	Signal grass, Tropical signalgrass
Smilacaceae	
<i>Smilax auriculata</i>	Earleaf greenbrier
<i>Smilax havanensis</i>	Havana greenbrier, Everglades greenbrier

Pteridophytes

Pteridaceae

Acrostichum danaeifolium

Giant leather fern

CE = Exotic species only cultivated on the site

E = Not Native to the site

Table 3:
The Vascular Plants of
Dove Creek Hammocks Bayside,
Florida Keys Wildlife & Environmental Area,
Key Largo

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On July 20, and August 7, 2000

Dicots

Amaranthaceae

Alternanthera flavescens

Yellow joyweed

Anacardiaceae

Metopium toxiferum

Poisonwood, Florida poisontree

E *Schinus terebinthifolius*

Brazilian-pepper

Apocynaceae

Echites umbellata

Devil's-potato, Rubbervine

E *Ochrosia elliptica*

Wild-allamanda, Hammock viperstail

Pentalinon luteum

Asteraceae

Borrichia arborescens

Green sea-oxeye-daisy, Tree seaside oxeye

Borrichia frutescens

Silver sea-oxeye-daisy, Bushy seaside oxeye

Avicenniaceae

Avicennia germinans

Black mangrove

Batraceae

Batis maritima

Saltwort, Turtleweed

Boraginaceae

Bourreria succulenta

Smooth strongback, Bahama strongbark

Heliotropium angiospermum

Scorpionstail

Tournefortia volubilis

Twining soldierbush

Burseraceae

Bursera simaruba

Gumbo-limbo

Cactaceae

Acanthocereus tetragonus

Barbwire cactus, Dilldoe cactus

Harrisia simpsonii

Prickly-apples, Simpson's applecactus

CE	<i>Opuntia cochenillifera</i>	Cochineal cactus
	<i>Opuntia stricta</i>	Erect pricklypear
<u>Canellaceae</u>		
	<i>Canella winteriana</i>	Cinnamon bark, Pepper cinnamon
<u>Capparaceae</u>		
	<i>Capparis cynophallophora</i>	Jamaica caper-tree
	<i>Capparis flexuosa</i>	Limber caper, Bayleaf capertree
<u>Caricaceae</u>		
E	<i>Carica papaya</i>	Papaya
<u>Celastraceae</u>		
	<i>Crossopetalum rhacoma</i>	Rhacoma, Maidenberry
	<i>Schaefferia frutescens</i>	Florida boxwood
<u>Chenopodiaceae</u>		
	<i>Salicornia perennis</i>	Perennial glasswort
<u>Combretaceae</u>		
	<i>Conocarpus erectus</i>	Buttonwood
	<i>Laguncularia racemosa</i>	White mangrove
<u>Convolvulaceae</u>		
E	<i>Evolvulus alsinoides</i>	Slender dwarf morningglory
	<i>Ipomoea indica</i> var. <i>acuminata</i>	Ocean-blue morningglory
<u>Euphorbiaceae</u>		
	<i>Argythamnia blodgettii</i>	Blodgett's silverbush
	<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
	<i>Drypetes diversifolia</i>	Milkbark, Whitewood
CE	<i>Euphorbia lactea</i>	Mottled spurge
	<i>Gymnanthes lucida</i>	Crabwood, Oysterwood
E	<i>Pedilanthus tithymaloides</i> ssp. <i>smallii</i>	Jacob's ladder, Devil's backbone
	<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain
<u>Fabaceae</u>		
E	<i>Delonix regia</i>	Royal poinciana, Flamboyant
	<i>Desmanthus virgatus</i>	Wild tantan
	<i>Galactia striata</i>	Florida Hammock milkpea
	<i>Galactia volubilis</i>	Downy milkpea
E	<i>Leucaena leucocephala</i>	White leadtree
	<i>Lysiloma latisiliquum</i>	Wild-tamarind, False tamarind
	<i>Piscidia piscipula</i>	Jamaica-dogwood, Florida fishpoison tree
	<i>Pithecellobium keyense</i>	Florida Keys blackbead
	<i>Pithecellobium unguis-cati</i>	Cat's-claw, Catclaw blackbead
	<i>Rhynchosia swartzii</i>	Swartz's snoutbean
	<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
<u>Malvaceae</u>		
	<i>Herissantia crispa</i>	Bladdermallow
<u>Meliaceae</u>		
	<i>Swietenia mahagoni</i>	West Indian mahogany

<u>Moraceae</u>		
<i>Ficus aurea</i>	Strangler fig, Golden fig	
<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree	
<u>Myrsinaceae</u>		
<i>Ardisia escallionoides</i>	Marlberry	
<u>Myrtaceae</u>		
<i>Eugenia axillaris</i>	White stopper	
<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper	
<u>Nyctaginaceae</u>		
<i>Guapira discolor</i>	Blolly, Beeftree	
<i>Pisonia aculeata</i>	Devil's claws, Pullback	
<u>Olacaceae</u>		
<i>Ximenia americana</i>	Hog-plum, Tallowwood	
<u>Passifloraceae</u>		
<i>Passiflora multiflora</i>	Whiteflower passionflower	
<i>Passiflora suberosa</i>	Corkystem passionflower	
<u>Phytolaccaceae</u>		
<i>Rivina humilis</i>	Rougeplant	
<u>Plumbaginaceae</u>		
CE <i>Plumbago auriculata</i>	Leadwort, Cape leadwort	
<u>Polygonaceae</u>		
<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue	
<i>Coccoloba uvifera</i>	Seagrape	
<u>Rhamnaceae</u>		
<i>Colubrina elliptica</i>	Nakedwood, Soldierwood	
<i>Gouania lupuloides</i>	Chewstick, Whiteroot	
<i>Krugiodendron ferreum</i>	Black ironwood, Leadwood	
<u>Rhizophoraceae</u>		
<i>Rhizophora mangle</i>	Red mangrove	
<u>Rubiaceae</u>		
<i>Chiococca alba</i>	Common snowberry, Milkberry	
<i>Chiococca parvifolia</i>	Pineland snowberry	
<i>Exostema carabaeum</i>	Caribbean princewood	
<i>Genipa clusiifolia</i>	Sevenyear-apple, Sevenyear apple	
<i>Guettarda elliptica</i>	Everglades velvetseed, Hammock velvetseed	
<i>Hamelia patens</i>	Firebush	
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple	
<i>Psychotria nervosa</i>	Shiny-leaved wild-coffee	
<i>Randia aculeata</i>	White indigoberry	
<u>Rutaceae</u>		
<i>Amyris elemifera</i>	Common torchwood, Sea torchwood	
<i>Zanthoxylum fagara</i>	Wild-lime, Lime prickly-ash	

<u>Sapindaceae</u>	
<i>Cardiospermum corindum</i>	Balloongvine, Heartseed
<i>Exothea paniculata</i>	Inkwood, Butterbough
<i>Hypelate trifoliata</i>	White-ironwood, Inkwood

<u>Sapotaceae</u>	
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild dilly
<i>Sideroxylon celastrinum</i>	Saffronplum
<i>Sideroxylon salicifolium</i>	Willow-bustic, White bully

<u>Simaroubaceae</u>	
<i>Simarouba glauca</i>	Paradisetree
<u>Solanaceae</u>	

Lycium carolinianum Christmasberry, Carolina desertthorn

<u>Sterculiaceae</u>	
<i>Waltheria indica</i>	Sleepy morning

<u>Verbenaceae</u>	
E <i>Lantana camara</i>	Shrubverbena
<i>Lantana involucrata</i>	Wild-sage, Buttonsage
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee

Monocots

<u>Agavaceae</u>	
E <i>Agave americana</i>	Century plant
<i>Agave decipiens</i>	False-sisal
E <i>Agave sisalana</i>	Sisal-hemp
CE <i>Aloe vera</i>	Aloe
CE <i>Sansevieria cylindrica</i>	Bowstring-hemp, Mother-in-laws tongue
E <i>Sansevieria hyacinthoides</i>	Spineless yucca
CE <i>Yucca guatemalensis</i>	

<u>Araceae</u>	
CE <i>Epipremnum pinnatum</i>	Golden pothos
E <i>Syngonium podophyllum</i>	Nephthytis, American evergreen

<u>Arecaceae</u>	
<i>Thrinax radiata</i>	Green thatch palm, Florida thatch palm

<u>Bromeliaceae</u>	
<i>Tillandsia recurvata</i>	Ball-moss
<i>Tillandsia usneoides</i>	Spanish-moss

<u>Commelinaceae</u>	
CE <i>Callisia fragrans</i>	Basketplant
E <i>Tradescantia spathacea</i>	Oysterplant, Moses-in-the-cradle, Boatlily

<u>Orchidaceae</u>	
E <i>Oeceoclades maculata</i>	African ground orchid, Monk orchid

<u>Poaceae</u>	
E <i>Bothriochloa pertusa</i>	Pitted bluestem, Pitted beardgrass
E <i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass

	<i>Digitaria ciliaris</i>	Southern crabgrass
E	<i>Eleusine indica</i>	Indian goose grass
	<i>Lasiacis divaricata</i>	Smallcane, Florida tibisee
	<i>Leptochloa dubia</i>	Green spangletop, Green sprangletop
E	<i>Panicum maximum</i>	Guineagrass
	<i>Paspalum caespitosum</i>	Blue paspalum, Blue crowngrass
E	<i>Rhynchospora repens</i>	Rose Natalgrass
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Spartina spartinae</i>	Gulf cordgrass
	<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
	<i>Sporobolus virginicus</i>	Seashore dropseed
	<i>Urochloa adspersa</i>	Dominican signalgrass

CE = Exotic species only cultivated on the site

E = Not Native to the site

Table 4:
The Vascular Plants of
Dove Creek Hammocks Oceanside,
Florida Keys Wildlife & Environmental Area,
Key Largo

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On June 6, July 20, 21 & 27, & August 7, 2000

Dicots

Acanthaceae

- | | | |
|----|--------------------------------|--------------------------------------|
| E | <i>Blechum pyramidatum</i> | Green shrimplplant, Browne's blechum |
| | <i>Dicliptera sexangularis</i> | False-mint, Sixangle foldwing |
| CE | <i>Thunbergia fragrans</i> | White thunbergia, Whitelady |

Aizoaceae

- | | | |
|--|----------------------------------|---|
| | <i>Sesuvium portulacastrum</i> | Perennial sea-purslane, Shoreline seapurslane |
| | <i>Trianthema portulacastrum</i> | Desert horsepurslane |

Amaranthaceae

- | | | |
|---|---------------------------------|----------------------|
| | <i>Alternanthera flavescens</i> | Yellow joyweed |
| E | <i>Amaranthus viridis</i> | Slender amaranth |
| | <i>Blutaparon vermiculare</i> | Samphire, Silverhead |

Anacardiaceae

- | | | |
|---|---------------------------------|--------------------------------|
| | <i>Metopium toxiferum</i> | Poisonwood, Florida poisontree |
| E | <i>Schinus terebinthifolius</i> | Brazilian-pepper |

Apocynaceae

- | | | |
|---|----------------------------|------------------------------------|
| E | <i>Catharanthus roseus</i> | Madagascar-periwinkle |
| | <i>Echites umbellata</i> | Devil's-potato, Rubervine |
| | <i>Pentalinon luteum</i> | Wild-allamanda, Hammock viperstail |
| | <i>Vallesia antillana</i> | Tearshrub |

Araliaceae

- | | | |
|----|------------------------------|--------------------|
| CE | <i>Schefflera arboricola</i> | Dwarf umbrellatree |
|----|------------------------------|--------------------|

Asclepiadaceae

- | | | |
|--|------------------------------|-------------------------------------|
| | <i>Cynanchum northropiae</i> | Vine milkweed, Fragrant swallowwort |
| | <i>Cynanchum scoparium</i> | Hairnetvine, Leafless swallowwort |

Asteraceae

	<i>Ambrosia artemisiifolia</i>	Common ragweed
	<i>Baccharis halimifolia</i>	Groundsel tree, Sea-myrtle
	<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, Beggarticks
	<i>Borrichia frutescens</i>	Silver sea-oxeye-daisy, Bushy seaside oxeye
	<i>Conyzia canadensis</i> var. <i>pusilla</i>	Dwarf Canadian horseweed
E	<i>Emilia fosbergii</i>	Florida tasselflower
	<i>Eupatorium capillifolium</i>	Dog-fennel
	<i>Flaveria linearis</i>	Narrowleaf yellowtops
E	<i>Gaillardia pulchella</i>	Blanketflower, Firewheel
E	<i>Launaea intybacea</i>	Achicoria azul
	<i>Melanthera nivea</i>	Snow squarestem
CE	<i>Pseudogynoxys chenopodioides</i>	Mexican flamevine
E	<i>Sonchus asper</i>	Spiny sowthistle
E	<i>Tridax procumbens</i>	Brittleweed, Coatbuttons
E	<i>Vernonia cinerea</i>	Little ironweed
 <u>Avicenniaceae</u>		
	<i>Avicennia germinans</i>	Black mangrove
 <u>Batraceae</u>		
	<i>Batis maritima</i>	Saltwort, Turtleweed
 <u>Bignoniaceae</u>		
CE	<i>Spathodea campanulata</i>	African tuliptree
E	<i>Tecoma stans</i>	Yellow elder, Yellow trumpetbush
 <u>Boraginaceae</u>		
	<i>Bourreria succulenta</i>	Smooth strongback, Bahama strongbark
E	<i>Cordia sebestena</i>	Orange geigertree, Largeleaf geigertree
	<i>Heliotropium angiospermum</i>	Scorpionstail
	<i>Heliotropium curassavicum</i>	Seaside heliotrope, Salt heliotrope
	<i>Tournefortia volubilis</i>	Twining soldierbush
 <u>Brassicaceae</u>		
	<i>Lepidium virginicum</i>	Poor-man's-pepper, Virginia pepperweed
 <u>Buddlejaceae</u>		
	<i>Polypremum procumbens</i>	Rustweed, Juniperleaf
 <u>Burseraceae</u>		
	<i>Bursera simaruba</i>	Gumbo-limbo
 <u>Cactaceae</u>		
	<i>Acanthocereus tetragonus</i>	Barbwire cactus, Dildoe cactus
	<i>Harrisia simpsonii</i>	Prickly-apples, Simpson's applecactus
E	<i>Hylocereus undatus</i>	Nightblooming cereus
CE	<i>Opuntia cochenillifera</i>	Cochineal cactus
	<i>Opuntia stricta</i>	Erect pricklypear
 <u>Canellaceae</u>		
	<i>Canella winteriana</i>	Cinnamon bark, Pepper cinnamon
 <u>Capparaceae</u>		
	<i>Capparis cynophallophora</i>	Jamaica caper-tree
	<i>Capparis flexuosa</i>	Limber caper, Bayleaf capertree

<u>Caricaceae</u>		
E <i>Carica papaya</i>	Papaya	
<u>Casuarinaceae</u>		
E <i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina	
<u>Celastraceae</u>		
<i>Crossopetalum rhacoma</i>	Rhacoma, Maidenberry	
<i>Maytenus phyllanthoides</i>	Florida mayten	
<i>Schaefferia frutescens</i>	Florida boxwood	
<u>Chenopodiaceae</u>		
<i>Atriplex pentandra</i>	Beach orach, Crested saltbush	
<i>Salicornia bigelovii</i>	Annual glasswort	
<i>Salicornia perennis</i>	Perennial glasswort	
<i>Suaeda linearis</i>	Sea-blite, Annual seepweed	
<u>Clusiaceae</u>		
CE <i>Clusia rosea</i>	Pitch-apple	
<u>Combretaceae</u>		
<i>Conocarpus erectus</i>	Buttonwood	
<i>Laguncularia racemosa</i>	White mangrove	
<u>Convolvulaceae</u>		
<i>Ipomoea indica</i> var. <i>acuminata</i>	Ocean-blue morningglory	
E <i>Merremia dissecta</i>	Baby woodrose, Noyauvine	
<u>Crassulaceae</u>		
E <i>Kalanchoe daigremontiana</i>	Devil's-backbone	
E <i>Kalanchoe pinnata</i>	Common liveleaf, Cathedral bells, Life plant	
<u>Euphorbiaceae</u>		
<i>Chamaesyce blodgettii</i>	Limestone sandmat	
<i>Chamaesyce hirta</i>	Hairy spurge, Pillpod sandmat	
<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat	
<i>Chamaesyce mendezii</i>	Mendez's sandmat	
<i>Chamaesyce mesembrianthemifolia</i>	Seaside spurge, Coastal beach sandmat	
<i>Chamaesyce ophthalmica</i>	Florida hammock sandmat	
<i>Drypetes diversifolia</i>	Milkbark, Whitewood	
<i>Drypetes lateriflora</i>	Guiana-plum	
E <i>Euphorbia graminea</i>	Grassleaf spurge	
CE <i>Euphorbia lactea</i>	Mottled spurge	
CE <i>Euphorbia tirucalli</i>	Pencil-cactus, Pencil tree, Indian tree spurge	
<i>Gymnanthes lucida</i>	Crabwood, Oysterwood	
E <i>Phyllanthus tenellus</i>	Mascarene Island leafflower	
<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain	
<i>Poinsettia heterophylla</i>	Fiddler's spurge, Mexican fireplant	
<u>Fabaceae</u>		
E <i>Alysicarpus vaginalis</i>	White moneywort	
CE <i>Caesalpinia pulcherrima</i>	Pride-of-barbados, Dwarf poinciana	
<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea	
CE <i>Delonix regia</i>	Royal poinciana, Flamboyant	
<i>Desmanthus virgatus</i>	Wild tantan	

	<i>Desmodium incanum</i>	Beggar's-ticks
E	<i>Desmodium tortuosum</i>	Dixie ticktrefoil
	<i>Galactia striata</i>	Florida Hammock milkpea
E	<i>Indigofera spicata</i>	Creeping indigo, Trailing indigo
E	<i>Leucaena leucocephala</i>	White leadtree
	<i>Lysiloma latisiliquum</i>	Wild-tamarind, False tamarind
	<i>Neptunia pubescens</i>	Tropical-puff
	<i>Piscidia piscipula</i>	Jamaica-dogwood, Florida fishpoison tree
	<i>Pithecellobium keyense</i>	Florida Keys blackbead
	<i>Pithecellobium unguis-cati</i>	Cat's-claw, Catclaw blackbead
	<i>Rhynchosia minima</i>	Least snoutbean
	<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
	<i>Vigna luteola</i>	Cow-pea, Hairypod cowpea
Gentianaceae		
	<i>Eustoma exaltatum</i>	Seaside gentian, Marshgentian
Malvaceae		
	<i>Gossypium hirsutum</i>	Wild cotton, Upland cotton
	<i>Herissantia crispa</i>	Bladdermallow
	<i>Malvastrum corchorifolium</i>	False mallow
	<i>Sida acuta</i>	Common wireweed, Common fanpetals
	<i>Sida ciliaris</i>	Bracted fanpetals, Fringed fanpetals
E	<i>Thespesia populnea</i>	Portia tree
Meliaceae		
	<i>Swietenia mahagoni</i>	West Indian mahogany
Moraceae		
	<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
Myrsinaceae		
	<i>Ardisia escallionoides</i>	Marlberry
Myrtaceae		
	<i>Calyptrotheces pallens</i>	Spicewood, Pale lidflower
	<i>Eugenia axillaris</i>	White stopper
	<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
Nyctaginaceae		
	<i>Boerhaavia diffusa</i>	Red spiderling, wineflower
	<i>Guapira discolor</i>	Blolly, Beeftree
	<i>Pisonia aculeata</i>	Devil's claws, Pullback
Olacaceae		
	<i>Ximenia americana</i>	Hog-plum, Tallowwood
Oxalidaceae		
	<i>Oxalis corniculata</i>	Lady's-sorrel, Common yellow wood sorrel
Passifloraceae		
	<i>Passiflora multiflora</i>	Whiteflower passionflower
	<i>Passiflora suberosa</i>	Corkystem passionflower
Phytolaccaceae		
	<i>Rivina humilis</i>	Rougeplant

<u>Plumbaginaceae</u>	
<i>Limonium carolinianum</i>	Saltmarsh-rosemary, Carolina sealavender
<u>Polygonaceae</u>	
<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue
<i>Coccoloba uvifera</i>	Seagrape
<u>Portulacaceae</u>	
<i>Portulaca oleracea</i>	Purslane, Little hogweed
<i>Portulaca rubricaulis</i>	Stalked purslane, Redstem purslane
<u>Rhamnaceae</u>	
E <i>Colubrina asiatica</i>	Latherleaf, Asian nakedwood
<i>Gouania lupuloides</i>	Chewstick, Whiteroot
<i>Krugiodendron ferreum</i>	Black ironwood, Leadwood
<i>Reynosia septentrionalis</i>	Darlingplum
<u>Rhizophoraceae</u>	
<i>Rhizophora mangle</i>	Red mangrove
<u>Rubiaceae</u>	
<i>Chiococca alba</i>	Common snowberry, Milkberry
<i>Chiococca parvifolia</i>	Pineland snowberry
<i>Exostema caribaeum</i>	Caribbean princewood
<i>Guettarda elliptica</i>	Everglades velvetseed, Hammock velvetseed
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
<i>Psychotria nervosa</i>	Shiny-leaved wild-coffee
<i>Randia aculeata</i>	White indigoberry
<i>Spermacoce assurgens</i>	Woodland false buttonweed
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed
<u>Rutaceae</u>	
<i>Amyris elemifera</i>	Common torchwood, Sea torchwood
CE <i>Citrus</i>	Citrus
<u>Sapindaceae</u>	
<i>Cardiospermum corindum</i>	Balloongvine, Heartseed
<i>Exothea paniculata</i>	Inkwood, Butterbough
<u>Sapotaceae</u>	
E <i>Manilkara zapota</i>	Sapodilla
<i>Sideroxylon celastrinum</i>	Saffronplum
<i>Sideroxylon foetidissimum</i>	Wild mastic, False mastic
<u>Scrophulariaceae</u>	
<i>Capraria biflora</i>	Goatweed
<u>Solanaceae</u>	
<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn
<i>Solanum erianthum</i>	Potatotree
<u>Sterculiaceae</u>	
<i>Waltheria indica</i>	Sleepy morning
<u>Theophrastaceae</u>	

<i>Jacquinia keyensis</i>	Joewood
<u>Tiliaceae</u>	
<i>Corchorus siliquosus</i>	Slippery burr
<u>Turneraceae</u>	
E <i>Turnera ulmifolia</i>	Yellow alder, Ramgoat dashalong
<u>Verbenaceae</u>	
E <i>Lantana camara</i>	Shrubverbena
<i>Lantana involucrata</i>	Wild-sage, Buttonsage
CE <i>Petrea volubilis</i>	Purple wreath, Queenswreath
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed
<i>Priva lappulacea</i>	Catstongue, Velvetburr
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee
<u>Vitaceae</u>	
CE <i>Cissus quadrangula</i>	
<i>Vitis rotundifolia</i>	Muscadine
Gymnosperms	
<u>Araucariaceae</u>	
CE <i>Araucaria</i>	Norfolk Island-pine
Monocots	
<u>Agavaceae</u>	
E <i>Agave americana</i>	Century plant
<i>Agave decipiens</i>	False-sisal
E <i>Agave sisalana</i>	Sisal-hemp
E <i>Sansevieria hyacinthoides</i>	Bowstring-hemp, Mother-in-laws tongue
E <i>Yucca aloifolia</i>	Spanish-bayonet, Aloe yucca
CE <i>Yucca guatemalensis</i>	Spineless yucca
<u>Amaryllidaceae</u>	
<i>Hymenocallis latifolia</i>	Mangrove spiderlily, Perfumed spiderlily
<u>Araceae</u>	
E <i>Epipremnum pinnatum</i>	Golden pothos
CE <i>Monstera deliciosa</i>	Swiss-cheese plant, Cut-leaf philodendron
<u>Arecaceae</u>	
<i>Thrinax radiata</i>	Green thatch palm, Florida thatch palm
<u>Bromeliaceae</u>	
<i>Tillandsia flexuosa</i>	Banded wild-pine, Twisted airplant
<i>Tillandsia paucifolia</i>	Twisted wild-pine, Potbelly airplant
<i>Tillandsia recurvata</i>	Ball-moss
<i>Tillandsia usneoides</i>	Spanish-moss
<u>Commelinaceae</u>	
E <i>Tradescantia spathacea</i>	Oysterplant, Moses-in-the-cradle, Boatlily

<u>Cyperaceae</u>		
	<i>Cyperus croceus</i>	Baldwin's flatsedge
	<i>Cyperus planifolius</i>	Flatleaf flatsedge
	<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
<u>Liliaceae</u>		
E	<i>Asparagus densiflorus</i>	Sprenger's asparagus-fern
<u>Orchidaceae</u>		
	<i>Encyclia tampensis</i>	Florida butterfly orchid
E	<i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
<u>Poaceae</u>		
	<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
E	<i>Bothriochloa pertusa</i>	Pitted bluestem, Pitted beardgrass
	<i>Cenchrus echinatus</i>	Southern sandbur
E	<i>Cynodon dactylon</i>	Bermuda grass
E	<i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
	<i>Digitaria ciliaris</i>	Southern crabgrass
	<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
	<i>Lasiacis divaricata</i>	Smallcane, Florida tibisee
	<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass
E	<i>Panicum maximum</i>	Guineagrass
	<i>Paspalidium chapmanii</i>	Coral panicum
	<i>Paspalum caespitosum</i>	Blue paspalum, Blue crowngrass
E	<i>Paspalum fimbriatum</i>	Winged paspalum, Panama crowngrass
	<i>Paspalum setaceum</i>	Thin paspalum
	<i>Paspalum vaginatum</i>	Seashore paspalum
E	<i>Rhynchelytrum repens</i>	Rose Natalgrass
	<i>Schizachyrium gracile</i>	Wire bluestem
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
E	<i>Sorghum arundinaceum</i>	Broomcorn
	<i>Spartina spartinae</i>	Gulf cordgrass
	<i>Sporobolus dominicensis</i>	Coral dropseed
E	<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
	<i>Sporobolus virginicus</i>	Seashore dropseed
E	<i>Stenotaphrum secundatum</i>	St. Augustine grass
	<i>Urochloa adspersa</i>	Dominican signalgrass
E	<i>Urochloa subquadripala</i>	Signal grass, Tropical signalgrass
E	<i>Zoysia tenuifolia</i>	Mascarene templegrass

Pteridophytes

<u>Nephrolepidaceae</u>		
E	<i>Nephrolepis falcata</i> f. <i>furcans</i>	Fishtail fern
<u>Polypodiaceae</u>		
	<i>Pleopeltis polypodioides</i> var. <i>michauiiana</i>	Resurrection fern

CE = Exotic species only cultivated on the site
E = Not Native to the site

Table 5:
The Vascular Plants of
Lake San Pedro Hammocks,
Florida Keys Wildlife & Environmental Area,
Plantation Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
The Institute for Regional Conservation
Miami, Florida
On July 21 & 27, 2000

Dicots

Aizoaceae

Sesuvium portulacastrum

Perennial sea-purslane, Shoreline seapurslane

Amaranthaceae

Alternanthera flavescens
Blutaparon vermiculare

Yellow joyweed
Samphire, Silverhead

Anacardiaceae

E *Metopium toxiferum*
E *Schinus terebinthifolius*

Poisonwood, Florida poisontree
Brazilian-pepper

Apocynaceae

E *Catharanthus roseus*
E *Pentalinon luteum*

Madagascar-periwinkle
Wild-allamanda, Hammock viperstail

Araliaceae

E *Schefflera actinophylla*

Australian umbrella-tree

Asclepiadaceae

Cynanchum angustifolium
Cynanchum northropiae
Sarcostemma clausum

Vine milkweed, Gulf Coast swallowwort
Vine milkweed, Fragrant swallowwort
Whitevine, White twinevine

Asteraceae

Bidens alba var. *radiata*
Borrichia frutescens

Spanish-needles, Beggarticks
Silver sea-oxeye-daisy, Bushy seaside oxeye

Avicenniaceae

Avicennia germinans

Black mangrove

Batraceae

Batis maritima

Saltwort, Turtleweed

<u>Boraginaceae</u>		
E <i>Cordia sebestena</i>	Orange geigertree, Largeleaf geigertree	
<i>Heliotropium angiospermum</i>	Scorpionstail	
<u>Brassicaceae</u>		
<i>Lepidium virginicum</i>	Poor-man's-pepper, Virginia pepperweed	
<u>Burseraceae</u>		
<i>Bursera simaruba</i>	Gumbo-limbo	
<u>Cactaceae</u>		
<i>Acanthocereus tetragonus</i>	Barbwire cactus, Dilldoe cactus	
CE <i>Cereus peruvianus</i>	Bishop cactus, Peruvian apple cactus	
<i>Harrisia simpsonii</i>	Prickly-apples, Simpson's applecactus	
CE <i>Opuntia cochenillifera</i>	Cochineal cactus	
<i>Opuntia stricta</i>	Erect pricklypear	
E <i>Selenicereus pteranthus</i>	Snake cactus, Princess-of-the-night	
<u>Canellaceae</u>		
<i>Canella winteriana</i>	Cinnamon bark, Pepper cinnamon	
<u>Capparaceae</u>		
<i>Capparis cynophallophora</i>	Jamaica caper-tree	
<i>Capparis flexuosa</i>	Limber caper, Bayleaf capertree	
<u>Casuarinaceae</u>		
E <i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina	
<u>Celastraceae</u>		
<i>Maytenus phyllanthoides</i>	Florida mayten	
<u>Chenopodiaceae</u>		
<i>Salicornia bigelovii</i>	Annual glasswort	
<i>Salicornia perennis</i>	Perennial glasswort	
<i>Suaeda linearis</i>	Sea-blite, Annual seepweed	
<u>Combretaceae</u>		
<i>Conocarpus erectus</i>	Buttonwood	
<i>Laguncularia racemosa</i>	White mangrove	
<u>Crassulaceae</u>		
E <i>Kalanchoe daigremontiana</i>	Devil's-backbone	
E <i>Kalanchoe tubiflora</i>	Chandelier plant	
<u>Euphorbiaceae</u>		
<i>Chamaesyce blodgettii</i>	Limestone sandmat	
<i>Chamaesyce hirta</i>	Hairy spurge, Pillpod sandmat	
<i>Drypetes diversifolia</i>	Milkbark, Whitewood	
CE <i>Euphorbia lactea</i>	Mottled spurge	
CE <i>Euphorbia tirucalli</i>	Pencil-cactus, Pencil tree, Indian tree spurge	
<i>Gymnanthes lucida</i>	Crabwood, Oysterwood	
<i>Hippomane mancinella</i>	Manchineel	
E <i>Phyllanthus tenellus</i>	Mascarene Island leafflower	
<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain	
<i>Poinsettia heterophylla</i>	Fiddler's spurge, Mexican fireplant	

<u>Fabaceae</u>		
	<i>Galactia striata</i>	Florida Hammock milkpea
E	<i>Leucaena leucocephala</i>	White leadtree
E	<i>Macroptilium lathyroides</i>	Wild-bean, Wild bushbean
	<i>Piscidia piscipula</i>	Jamaica-dogwood, Florida fishpoison tree
	<i>Pithecellobium keyense</i>	Florida Keys blackbead
	<i>Rhynchosia minima</i>	Least snoutbean
	<i>Sophora tomentosa</i> var. <i>truncata</i>	Yellow necklacepod
	<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
<u>Gentianaceae</u>		
	<i>Eustoma exaltatum</i>	Seaside gentian, Marshgentian
<u>Malvaceae</u>		
	<i>Gossypium hirsutum</i>	Wild cotton, Upland cotton
	<i>Herissantia crispa</i>	Bladdermallow
E	<i>Thespesia populnea</i>	Portiatree
<u>Meliaceae</u>		
	<i>Swietenia mahagoni</i>	West Indian mahogany
<u>Moraceae</u>		
	<i>Ficus aurea</i>	Strangler fig, Golden fig
<u>Myrsinaceae</u>		
	<i>Ardisia escallionoides</i>	Marlberry
<u>Myrtaceae</u>		
	<i>Eugenia axillaris</i>	White stopper
	<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
<u>Nyctaginaceae</u>		
	<i>Boerhavia diffusa</i>	Red spiderling, wineflower
	<i>Guapira discolor</i>	Blolly, Beeftree
<u>Olacaceae</u>		
	<i>Ximenia americana</i>	Hog-plum, Tallowwood
<u>Passifloraceae</u>		
	<i>Passiflora multiflora</i>	Whiteflower passionflower
	<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Phytolaccaceae</u>		
	<i>Rivina humilis</i>	Rougeplant
<u>Plumbaginaceae</u>		
	<i>Limonium carolinianum</i>	Saltmarsh-rosemary, Carolina sealavender
<u>Polygonaceae</u>		
	<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue
	<i>Coccoloba uvifera</i>	Seagrape
<u>Portulacaceae</u>		
	<i>Portulaca oleracea</i>	Purslane, Little hogweed

<u>Rhamnaceae</u>		
<i>Krugiodendron ferreum</i>	Black ironwood, Leadwood	
<i>Reynosia septentrionalis</i>	Darlingplum	
<u>Rhizophoraceae</u>		
<i>Rhizophora mangle</i>	Red mangrove	
<u>Rubiaceae</u>		
<i>Chiococca alba</i>	Common snowberry, Milkberry	
<i>Chiococca parvifolia</i>	Pineland snowberry	
<i>Genipa clusiifolia</i>	Sevenyear-apple, Sevenyear apple	
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple	
<i>Randia aculeata</i>	White indigoberry	
<u>Rutaceae</u>		
<i>Amyris elemifera</i>	Common torchwood, Sea torchwood	
<u>Sapindaceae</u>		
<i>Cardiospermum corindum</i>	Balloonvine, Heartseed	
<i>Exothea paniculata</i>	Inkwood, Butterbough	
<u>Sapotaceae</u>		
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild dilly	
<i>Sideroxylon celastrinum</i>	Saffronplum	
<u>Scrophulariaceae</u>		
<i>Capraria biflora</i>	Goatweed	
<u>Simaroubaceae</u>		
<i>Simarouba glauca</i>	Paradisetree	
<u>Solanaceae</u>		
<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn	
<u>Theophrastaceae</u>		
<i>Jacquinia keyensis</i>	Joewood	

Monocots

<u>Agavaceae</u>		
CE <i>Aloe vera</i>	Aloe	
E <i>Dracaena marginata</i>		
E <i>Furcraea foetida</i>	Mauritius-hemp	
E <i>Sansevieria hyacinthoides</i>	Bowstring-hemp, Mother-in-laws tongue	
CE <i>Yucca guatemalensis</i>	Spineless yucca	
<u>Amaryllidaceae</u>		
<i>Hymenocallis latifolia</i>	Mangrove spiderlily, Perfumed spiderlily	
<u>Arecaceae</u>		
<i>Thrinax radiata</i>	Green thatch palm, Florida thatch palm	
<u>Bromeliaceae</u>		
<i>Tillandsia fasciculata</i> var. <i>densispica</i>	Common stiff-leaved wild-pine	
<i>Tillandsia flexuosa</i>	Banded wild-pine, Twisted airplant	
<i>Tillandsia paucifolia</i>	Twisted wild-pine, Potbelly airplant	
<i>Tillandsia recurvata</i>	Ball-moss	

<i>Tillandsia usneoides</i>	Spanish-moss
<i>Tillandsia utriculata</i>	Giant wild-pine, Giant airplant
<u>Commelinaceae</u>	
E <i>Tradescantia spathacea</i>	Oysterplant, Moses-in-the-cradle, Boatlily
<u>Cyperaceae</u>	
	<i>Cyperus ligularis</i> Swamp flatsedge
E <i>Cyperus rotundus</i>	Nut-grass
	<i>Fimbristylis cymosa</i> Hurricane sedge, Hurricanegrass
<u>Orchidaceae</u>	
	<i>Encyclia tampensis</i> Florida butterfly orchid
E <i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
<u>Poaceae</u>	
E <i>Bothriochloa pertusa</i>	Pitted bluestem, Pitted beardgrass
	<i>Cenchrus echinatus</i> Southern sandbur
E <i>Cynodon dactylon</i>	Bermuda grass
E <i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
	<i>Digitaria ciliaris</i> Southern crabgrass
	<i>Distichlis spicata</i> Saltgrass
	<i>Eustachys petraea</i> Common fingergrass, Pinewoods fingergrass
	<i>Monanthochloe littoralis</i> Shoregrass, Keygrass
E <i>Panicum repens</i>	Torpedo grass
	<i>Setaria parviflora</i> Knotroot foxtail, Yellow bristlegrass
	<i>Spartina patens</i> Marshhay cordgrass, Saltmeadow cordgrass
	<i>Sporobolus domingensis</i> Coral dropseed
	<i>Sporobolus virginicus</i> Seashore dropseed
	<i>Urochloa adspersa</i> Dominican signalgrass
E <i>Urochloa subquadripala</i>	Signal grass, Tropical signalgrass
E <i>Zoysia tenuifolia</i>	Mascarene templegrass

Pteridophytes

<u>Polypodiaceae</u>	
	<i>Phlebodium aureum</i> Golden polypody

CE = Exotic species only cultivated on the site

E = Not Native to the site

Table 6:
The Vascular Plants of
Little Torch Hammocks,
Florida Keys Wildlife & Environmental Area,
Little Torch Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
The Institute for Regional Conservation
Miami, Florida
On September 1, 14, 15, & 20, 2000

Dicots

Anacardiaceae

	<i>Metopium toxiferum</i>	Poisonwood, Florida poisontree
E	<i>Schinus terebinthifolius</i>	Brazilian-pepper
	<i>Toxicodendron radicans</i>	Eastern poison-ivy

Apocynaceae

	<i>Echites umbellata</i>	Devil's-potato, Rubervine
	<i>Pentalinon luteum</i>	Wild-allamanda, Hammock viperstail

Araliaceae

CE	<i>Polyscias guilfoylei</i>	Frosted aralia, Geraniumleaf aralia
CE	<i>Schefflera actinophylla</i>	Australian umbrella-tree

Asteraceae

	<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, Beggarticks
	<i>Borrichia frutescens</i>	Silver sea-oxeye-daisy, Bushy seaside oxeye
	<i>Conyzza canadensis</i> var. <i>pusilla</i>	Dwarf Canadian horseweed
	<i>Flaveria linearis</i>	Narrowleaf yellowtops
	<i>Melanthera nivea</i>	Snow squarestem
	<i>Mikania scandens</i>	Climbing hempweed, Climbing hempvine

Avicenniaceae

	<i>Avicennia germinans</i>	Black mangrove
--	----------------------------	----------------

Boraginaceae

	<i>Bourreria succulenta</i>	Smooth strongback, Bahama strongbark
	<i>Heliotropium angiospermum</i>	Scorpionstail
	<i>Tournefortia volubilis</i>	Twining soldierbush

Burseraceae

	<i>Bursera simaruba</i>	Gumbo-limbo
--	-------------------------	-------------

Cactaceae

- CE *Cereus peruvianus*
CN *Opuntia corallicola*

Bishop cactus, Peruvian apple cactus
Semaphore pricklypear

Caricaceae

- E *Carica papaya*

Papaya

Celastraceae

- Crossopetalum rhacoma*
Gyminda latifolia

Rhacoma, Maidenberry
West Indian false boxwood

Combretaceae

- Conocarpus erectus*
Laguncularia racemosa

Buttonwood
White mangrove

Convolvulaceae

- Ipomoea indica* var. *acuminata*

Ocean-blue morningglory

Crassulaceae

- CE *Kalanchoe daigremontiana*
E *Kalanchoe pinnata*

Devil's-backbone
Common liveleaf, Cathedral bells, Life plant

Euphorbiaceae

- Chamaesyce blodgettii*
Chamaesyce hypericifolia
Drypetes diversifolia
E *Euphorbia graminea*
CE *Euphorbia lactea*
Savia bahamensis

Limestone sandmat
Eyebane, Graceful sandmat
Milkbark, Whitewood
Grassleaf spurge
Mottled spurge
Maidenbush, Bahama maidenbush

Fabaceae

- E *Acacia choriophylla*
Acacia farnesiana
E *Albizia lebbeck*
Desmanthus virgatus
Desmodium incanum
Galactia striata
Piscidia piscipula
Pithecellobium keyense
Rhynchosia minima
Senna mexicana var. *chapmanii*
Sesbania herbacea
Stylosanthes hamata

Cinnecord
Sweet acacia
Woman's tongue, Rattlepod
Wild tantan
Beggar's-ticks
Florida Hammock milkpea
Jamaica-dogwood, Florida fishpoison tree
Florida Keys blackbead
Least snoutbean
Bahama senna, Chapman's wild sensitive plant
Danglepod
Pencilflower, Cheesytoes

Gentianaceae

- Eustoma exaltatum*

Seaside gentian, Marshgentian

Lauraceae

- Cassytha filiformis*

Lovevine, Devil's gut

Malpighiaceae

- Byrsonima lucida*

Locustberry

Malvaceae

	<i>Herissantia crispa</i>	Bladdermallow
CE	<i>Hibiscus rosa-sinensis</i> var. <i>rosa-sinensis</i>	Garden rosemallow, Shoe-back-plant
E	<i>Thespesia populnea</i>	Portia tree
<u>Meliaceae</u>		
E	<i>Swietenia mahagoni</i>	West Indian mahogany
<u>Moraceae</u>		
	<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
<u>Myricaceae</u>		
	<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<u>Myrsinaceae</u>		
	<i>Ardisia escallonioides</i>	Marlberry
	<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>		
	<i>Calyptrothamnus pallens</i>	Spicewood, Pale lidflower
	<i>Eugenia axillaris</i>	White stopper
	<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
	<i>Psidium longipes</i>	Longstalked-stopper
<u>Nyctaginaceae</u>		
CE	<i>Bougainvillea glabra</i>	Paper flower
	<i>Guapira discolor</i>	Blolly, Beeftree
<u>Olacaceae</u>		
	<i>Ximenia americana</i>	Hog-plum, Tallowwood
<u>Oxalidaceae</u>		
	<i>Oxalis corniculata</i>	Lady's-sorrel, Common yellow wood sorrel
<u>Passifloraceae</u>		
	<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Polygonaceae</u>		
	<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue
	<i>Coccoloba uvifera</i>	Seagrape
<u>Rhamnaceae</u>		
	<i>Krugiodendron ferreum</i>	Black ironwood, Leadwood
	<i>Reynosia septentrionalis</i>	Darlingplum
<u>Rhizophoraceae</u>		
	<i>Rhizophora mangle</i>	Red mangrove
<u>Rubiaceae</u>		
	<i>Chiococca alba</i>	Common snowberry, Milkberry
	<i>Chiococca parvifolia</i>	Pineland snowberry
	<i>Erithalis fruticosa</i>	Blacktorch
	<i>Ernodea littoralis</i>	Beach-creeper, Coughbush
	<i>Genipa clusiifolia</i>	Sevenyear-apple, Sevenyear apple
	<i>Guettarda scabra</i>	Rough velvetseed
	<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
	<i>Randia aculeata</i>	White indigoberry
E	<i>Spermacoce verticillata</i>	Shrubby false buttonweed

<u>Rutaceae</u>	
	<i>Amyris elemifera</i>

Common torchwood, Sea torchwood

<u>Sapindaceae</u>	
	<i>Exothea paniculata</i>

Inkwood, Butterbough

<u>Sapotaceae</u>	
	<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>
E	<i>Manilkara zapota</i>
	<i>Sideroxylon celastrinum</i>
	<i>Sideroxylon salicifolium</i>

Wild dilly
Sapodilla
Saffronplum
Willow-bustic, White bully

<u>Scrophulariaceae</u>	
	<i>Agalinis fasciculata</i>

Beach false foxglove

<u>Simaroubaceae</u>	
	<i>Simarouba glauca</i>

Paradisetree

<u>Solanaceae</u>	
	<i>Solanum verbascifolium</i>

Mullein nightshade

<u>Sterculiaceae</u>	
	<i>Waltheria indica</i>

Sleepy morning

<u>Turneraceae</u>	
CE	<i>Turnera ulmifolia</i>

Yellow alder, Ramgoat dashalong

<u>Ulmaceae</u>	
	<i>Trema micranthum</i>

Florida trema, Nettletree

<u>Verbenaceae</u>	
E	<i>Lantana camara</i>
	<i>Lantana involucrata</i>
	<i>Phyla nodiflora</i>
	<i>Stachytarpheta jamaicensis</i>

Shrubverbena
Wild-sage, Buttonsage
Frog fruit, Turkey tangle fogfruit, Capeweed
Blue porterweed, Joee

Monocots

<u>Agavaceae</u>	
CE	<i>Agave sisalana</i>
E	<i>Sansevieria hyacinthoides</i>
E	<i>Yucca aloifolia</i>
CE	<i>Yucca guatemalensis</i>

Sisal-hemp
Bowstring-hemp, Mother-in-laws tongue
Spanish-bayonet, Aloe yucca
Spineless yucca

<u>Araceae</u>	
CE	<i>Syngonium podophyllum</i>

Nephthytis, American evergreen

<u>Arecaceae</u>	
	<i>Coccothrinax argentata</i>
E	<i>Cocos nucifera</i>
	<i>Sabal palmetto</i>
	<i>Thrinax morrisii</i>

Florida silver palm
Coconut palm
Cabbage palm
Silver thatch palm, Brittle thatch palm

<u>Bromeliaceae</u>	
	<i>Tillandsia fasciculata</i> var. <i>densispica</i>

Common stiff-leaved wild-pine

<i>Tillandsia utriculata</i>	Giant wild-pine, Giant airplant
<u>Commelinaceae</u>	
CE <i>Tradescantia spathacea</i>	Oysterplant, Moses-in-the-cradle, Boatlily
<u>Cyperaceae</u>	
<i>Abildgaardia ovata</i>	Flatspike sedge
<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass
<i>Cyperus polystachyos</i>	Manyspike flatsedge
<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricane-grass
<i>Fimbristylis spadicea</i>	Marsh fimbry
<u>Musaceae</u>	
CE <i>Musa xparadisiaca</i>	Common banana
<u>Orchidaceae</u>	
E <i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
<u>Poaceae</u>	
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
<i>Cenchrus incertus</i>	Coastal sandbur
E <i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
<i>Digitaria ciliaris</i>	Southern crabgrass
E <i>Eleusine indica</i>	Indian goose grass
E <i>Eragrostis amabilis</i>	Feather lovegrass
<i>Eragrostis elliottii</i>	Elliott's lovegrass
<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
<i>Paspalum caespitosum</i>	Blue paspalum, Blue crowngrass
<i>Paspalum laxum</i>	Coconut paspalum
<i>Paspalum setaceum</i>	Thin paspalum
<i>Paspalum vaginatum</i>	Seashore paspalum
<i>Schizachyrium sanguineum</i>	Crimson bluestem
<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
<i>Spartina patens</i>	Marshhay cordgrass, Saltmeadow cordgrass
E <i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
<i>Sporobolus virginicus</i>	Seashore dropseed
E <i>Stenotaphrum secundatum</i>	St. Augustine grass
<i>Urochloa adspersa</i>	Dominican signalgrass
E <i>Zoysia tenuifolia</i>	Mascarene templegrass
<u>Typhaceae</u>	
<i>Typha domingensis</i>	Southern cat-tail
<u>Pteridophytes</u>	
<u>Dennstaedtiaceae</u>	
CE <i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern
<u>Nephrolepidaceae</u>	
CE <i>Nephrolepis multiflora</i>	Asian sword fern
<u>Pteridaceae</u>	
CE <i>Acrostichum danaeifolium</i>	Giant leather fern

Schizaceae

Anemia adiantifolia

Pine fern, Maidenhair pineland fern

CE = Exotic species only cultivated on the site

CN = Native species only cultivated on the site

E = Not Native to the site

Table 7:
The Vascular Plants of
Lower Sugarloaf Hammocks,
Florida Keys Wildlife & Environmental Area,
Lower Sugarloaf Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On June 28, September 18, 20, & 21, 2000

Compiled from field observations made by the authors and from the sources listed in "References" below.

Dicots

Aizoaceae

Sesuvium portulacastrum Perennial sea-purslane, Shoreline seapurslane

Anacardiaceae

Metopium toxiferum Poisonwood, Florida poisontree
 E *Schinus terebinthifolius* Brazilian-pepper

Apocynaceae

Echites umbellata Devil's-s-potato, Rubbervine
Pentalinon luteum Wild-allamanda, Hammock viperstail

Asclepiadaceae

Cynanchum angustifolium Vine milkweed, Gulf Coast swallowwort
Cynanchum northropiae Vine milkweed, Fragrant swallowwort
Sarcostemma clausum Whitevine, White twinevine

Asteraceae

Ageratum littorale Keys ageratum, Cape Sable Whiteweед
Aster bracei Brace's aster
Bidens alba var. *radiata* Spanish-needles, Beggarticks
Borrichia arborescens Green sea-oxeye-daisy, Tree seaside oxeye
Borrichia frutescens Silver sea-oxeye-daisy, Bushy seaside oxeye
Chromolaena odorata Jack-in-the-bush
Flaveria linearis Narrowleaf yellowtops
Melanthera nivea Snow squarestem
Pectis glaucescens Tea-blinkum, Sanddune cinchweed
Pluchea odorata Sweetscent

Avicenniaceae

<i>Avicennia germinans</i>	Black mangrove
Bataceae	
<i>Batis maritima</i>	Saltwort, Turtleweed
Boraginaceae	
<i>Heliotropium angiospermum</i>	Scorpionstail
<i>Heliotropium curassavicum</i>	Seaside heliotrope, Salt heliotrope
<i>Tournefortia volubilis</i>	Twining soldierbush
Burseraceae	
<i>Bursera simaruba</i>	Gumbo-limbo
Cactaceae	
<i>Harrisia simpsonii</i>	Prickly-apples, Simpson's applecactus
<i>Opuntia stricta</i>	Erect pricklypear
Capparaceae	
<i>Capparis flexuosa</i>	Limber caper, Bayleaf capertree
Caricaceae	
E <i>Carica papaya</i>	Papaya
Casuarinaceae	
E <i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
Celastraceae	
<i>Crossopetalum rhacoma</i>	Rhacoma, Maidenberry
<i>Gyminda latifolia</i>	West Indian false boxwood
<i>Maytenus phyllanthoides</i>	Florida mayten
Chenopodiaceae	
<i>Atriplex pentandra</i>	Beach orach, Crested saltbush
<i>Salicornia bigelovii</i>	Annual glasswort
<i>Salicornia perennis</i>	Perennial glasswort
<i>Suaeda linearis</i>	Sea-blite, Annual seepweed
Combretaceae	
<i>Conocarpus erectus</i>	Buttonwood
E <i>Laguncularia racemosa</i>	White mangrove
Convolvulaceae	
<i>Evolvulus alsinoides</i>	Slender dwarf morningglory
<i>Ipomoea indica</i> var. <i>acuminata</i>	Ocean-blue morningglory
<i>Ipomoea pes-caprae</i> ssp. <i>brasiliensis</i>	Railroadvine, Bayhops
<i>Ipomoea violacea</i>	Coastal morningglory
Euphorbiaceae	
<i>Chamaesyce blodgettii</i>	Limestone sandmat
<i>Drypetes diversifolia</i>	Milkbark, Whitewood
<i>Hippomane mancinella</i>	Manchineel
<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain
E <i>Ricinus communis</i>	Castor-bean
<i>Savia bahamensis</i>	Maidenbush, Bahama maidenbush
Fabaceae	
<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea

	<i>Desmanthus virgatus</i>	Wild tantan
	<i>Galactia striata</i>	Florida Hammock milkpea
	<i>Galactia volubilis</i>	Downy milkpea
E	<i>Leucaena leucocephala</i>	White leadtree
E	<i>Lysiloma latisiliquum</i>	Wild-tamarind, False tamarind
E	<i>Macroptilium lathyroides</i>	Wild-bean, Wild bushbean
	<i>Piscidia piscipula</i>	Jamaica-dogwood, Florida fishpoison tree
	<i>Pithecellobium keyense</i>	Florida Keys blackbead
	<i>Rhynchosia minima</i>	Least snoutbean
	<i>Senna ligustrina</i>	Privet senna, Privet wild sensitive plant
	<i>Sophora tomentosa</i> var. <i>truncata</i>	Yellow necklacepod
	<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
 <u>Gentianaceae</u>		
	<i>Eustoma exaltatum</i>	Seaside gentian, Marshgentian
	<i>Sabatia stellaris</i>	Rose-of-Plymouth
 <u>Linaceae</u>		
	<i>Linum arenicola</i>	Sand flax
 <u>Malpighiaceae</u>		
	<i>Byrsonima lucida</i>	Locustberry
 <u>Malvaceae</u>		
	<i>Sida ciliaris</i>	Bracted fanpetals, Fringed fanpetals
 <u>Meliaceae</u>		
E	<i>Swietenia mahagoni</i>	West Indian mahogany
 <u>Myricaceae</u>		
	<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
 <u>Myrsinaceae</u>		
	<i>Ardisia escallionoides</i>	Marlberry
	<i>Rapanea punctata</i>	Myrsine, Colicwood
 <u>Myrtaceae</u>		
	<i>Calyptranthes pallens</i>	Spicewood, Pale lidflower
	<i>Eugenia axillaris</i>	White stopper
	<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
	<i>Eugenia rhombea</i>	Red stopper
	<i>Psidium longipes</i>	Longstalked-stopper
 <u>Nyctaginaceae</u>		
	<i>Guapira discolor</i>	Blolly, Beeftree
 <u>Olacaceae</u>		
	<i>Ximenia americana</i>	Hog-plum, Tallowwood
 <u>Passifloraceae</u>		
	<i>Passiflora suberosa</i>	Corkystem passionflower
 <u>Polygalaceae</u>		
	<i>Polygala boykinii</i>	Boykin's milkwort
	<i>Polygala grandiflora</i>	Candyweed, Showy milkwort

<u>Polygonaceae</u>		
<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue	
<i>Coccoloba uvifera</i>	Seagrape	
<u>Portulacaceae</u>		
<i>Portulaca oleracea</i>	Purslane, Little hogweed	
<u>Primulaceae</u>		
<i>Samolus ebracteatus</i>	Water pimpernel, Limewater brookweed	
<u>Rhamnaceae</u>		
<i>Krugiodendron ferreum</i>	Black ironwood, Leadwood	
<i>Reynosia septentrionalis</i>	Darlingplum	
<u>Rhizophoraceae</u>		
<i>Rhizophora mangle</i>	Red mangrove	
<u>Rubiaceae</u>		
<i>Chiococca alba</i>	Common snowberry, Milkberry	
<i>Chiococca parvifolia</i>	Pineland snowberry	
<i>Erithalis fruticosa</i>	Blacktorch	
<i>Ernodea littoralis</i>	Beach-creeper, Coughbush	
<i>Genipa clusiifolia</i>	Sevenyear-apple, Sevenyear apple	
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple	
<i>Randia aculeata</i>	White indigoberry	
<i>Strumpfia maritima</i>	Pride-of-Big-Pine	
<u>Rutaceae</u>		
<i>Amyris elemifera</i>	Common torchwood, Sea torchwood	
<u>Sapindaceae</u>		
<i>Exothea paniculata</i>	Inkwood, Butterbough	
<u>Sapotaceae</u>		
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild dilly	
E <i>Manilkara zapota</i>	Sapodilla	
<i>Sideroxylon celastrinum</i>	Saffronplum	
<i>Sideroxylon salicifolium</i>	Willow-bustic, White bully	
<u>Scrophulariaceae</u>		
<i>Agalinis fasciculata</i>	Beach false foxglove	
<i>Agalinis maritima</i>	Saltmarsh false foxglove	
<i>Buchnera americana</i>	American bluehearts	
<i>Capraria biflora</i>	Goatweed	
<u>Solanaceae</u>		
<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn	
<i>Solanum bahamense</i>	Bahama nightshade	
<u>Sterculiaceae</u>		
<i>Waltheria indica</i>	Sleepy morning	
<u>Surianaceae</u>		
<i>Suriana maritima</i>	Baycedar	
<u>Theophrastaceae</u>		
<i>Jacquinia keyensis</i>	Joewood	

Verbenaceae

<i>Lantana involucrata</i>	Wild-sage, Buttonsage
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee

Monocots

Amaryllidaceae

<i>Hymenocallis latifolia</i>	Mangrove spiderlily, Perfumed spiderlily
-------------------------------	--

Arecaceae

<i>Coccothrinax argentata</i>	Florida silver palm
<i>Serenoa repens</i>	Saw palmetto
<i>Thrinax morrisii</i>	Silver thatch palm, Brittle thatch palm
<i>Thrinax radiata</i>	Green thatch palm, Florida thatch palm

Bromeliaceae

<i>Tillandsia balbisiana</i>	Reflexed wild-pine, Northern needleleaf
<i>Tillandsia fasciculata</i> var. <i>densispica</i>	Common stiff-leaved wild-pine
<i>Tillandsia flexuosa</i>	Banded wild-pine, Twisted airplant
<i>Tillandsia paucifolia</i>	Twisted wild-pine, Potbelly airplant
<i>Tillandsia utriculata</i>	Giant wild-pine, Giant airplant

Cyperaceae

<i>Abildgaardia ovata</i>	Flatspike sedge
<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass
<i>Cyperus planifolius</i>	Flatleaf flatsedge
<i>Eleocharis cellulosa</i>	Gulf Coast spikerush
<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
<i>Fimbristylis spadicea</i>	Marsh fimbry

Orchidaceae

<i>Bletia purpurea</i>	Pinepink
<i>Encyclia tampensis</i>	Florida butterfly orchid
E <i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
<i>Vanilla barbellata</i>	Wormvine orchid

Poaceae

<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threawn
E <i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
<i>Distichlis spicata</i>	Saltgrass
<i>Eragrostis elliottii</i>	Elliott's lovegrass
E <i>Eremochloa ophiuroidea</i>	Centipedegrass
<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
<i>Lasiacis divaricata</i>	Smallcane, Florida tibisee
<i>Leptochloa dubia</i>	Green spangletop, Green sprangletop
<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass
<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
<i>Panicum amarum</i>	Beachgrass, Bitter panicgrass
<i>Paspalidium chapmanii</i>	Coral panicum
<i>Paspalum caespitosum</i>	Blue paspalum, Blue crownglass
<i>Paspalum laxum</i>	Coconut paspalum
<i>Paspalum setaceum</i>	Thin paspalum

<i>Paspalum vaginatum</i>	Seashore paspalum
<i>Schizachyrium gracile</i>	Wire bluestem
<i>Schizachyrium sanguineum</i>	Crimson bluestem
<i>Setaria macrosperma</i>	Coastal foxtail, Coral bristlegrass
<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
<i>Spartina patens</i>	Marshhay cordgrass, Saltmeadow cordgrass
<i>Spartina spartinae</i>	Gulf cordgrass
<i>Sporobolus dominicensis</i>	Coral dropseed
E <i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
<i>Sporobolus virginicus</i>	Seashore dropseed
E <i>Stenotaphrum secundatum</i>	St. Augustine grass
<i>Urochloa adspersa</i>	Dominican signalgrass
E <i>Zoysia tenuifolia</i>	Mascarene templegrass

E = Not Native to the site

References:

Weiner, Art H. 1980. The Hardwood Hammocks of the Florida Keys: An Ecological Study (1977-1986). The National Audubon Society.

Table 8:
The Vascular Plants of
Middle Torch Hammocks Parcel 3063,
Florida Keys Wildlife & Environmental Area,
Middle Torch Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
The Institute for Regional Conservation
Miami, Florida
On September 6 & 14, 2000

Dicots

Anacardiaceae

<i>Metopium toxiferum</i>	Poisonwood, Florida poisontree
E <i>Schinus terebinthifolius</i>	Brazilian-pepper

Apocynaceae

<i>Pentalinon luteum</i>	Wild-allamanda, Hammock viperstail
--------------------------	------------------------------------

Asclepiadaceae

<i>Cynanchum angustifolium</i>	Vine milkweed, Gulf Coast swallowwort
--------------------------------	---------------------------------------

Asteraceae

<i>Aster bracei</i>	Brace's aster
<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, Beggarticks
<i>Borreria frutescens</i>	Silver sea-oxeye-daisy, Bushy seaside oxeye
<i>Flaveria linearis</i>	Narrowleaf yellowtops
<i>Mikania scandens</i>	Climbing hempweed, Climbing hempvine
<i>Pectis glaucescens</i>	Tea-blinkum, Sanddune cinchweed

Avicenniaceae

<i>Avicennia germinans</i>	Black mangrove
----------------------------	----------------

Batraceae

<i>Batis maritima</i>	Saltwort, Turtleweed
-----------------------	----------------------

Boraginaceae

<i>Bourreria succulenta</i>	Smooth strongback, Bahama strongbark
-----------------------------	--------------------------------------

Buddlejaceae

<i>Polypremum procumbens</i>	Rustweed, Juniperleaf
------------------------------	-----------------------

Celastraceae

<i>Crossopetalum rhacoma</i>	Rhacoma, Maidenberry
------------------------------	----------------------

<i>Gyminda latifolia</i>	West Indian false boxwood
Combretaceae	
<i>Conocarpus erectus</i>	Buttonwood
<i>Laguncularia racemosa</i>	White mangrove
Euphorbiaceae	
<i>Chamaesyce blodgettii</i>	Limestone sandmat
<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
<i>Drypetes diversifolia</i>	Milkbark, Whitewood
<i>Savia bahamensis</i>	Maidenbush, Bahama maidenbush
Fabaceae	
E <i>Acacia choriophylla</i>	Cinnecord
<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
<i>Desmanthus virgatus</i>	Wild tantan
<i>Desmodium incanum</i>	Beggar's-ticks
<i>Neptunia pubescens</i>	Tropical-puff
<i>Piscidia piscipula</i>	Jamaica-dogwood, Florida fishpoison tree
<i>Pithecellobium keyense</i>	Florida Keys blackbead
<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
Gentianaceae	
<i>Leiphaimos parasitica</i>	Parasitic ghostplant
Malpighiaceae	
<i>Byrsonima lucida</i>	Locustberry
Malvaceae	
<i>Sida ciliaris</i>	Bracted fanpetals, Fringed fanpetals
Moraceae	
<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
Myricaceae	
<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
Myrsinaceae	
<i>Ardisia escallionoides</i>	Marlberry
<i>Rapanea punctata</i>	Myrsine, Colicwood
Myrtaceae	
<i>Calyptrotheces pallens</i>	Spicewood, Pale lidflower
<i>Eugenia axillaris</i>	White stopper
<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
<i>Psidium longipes</i>	Longstalked-stopper
Nyctaginaceae	
<i>Guapira discolor</i>	Blolly, Beeftree
Olacaceae	
<i>Ximenia americana</i>	Hog-plum, Tallowwood
Polygalaceae	
<i>Polygala boykinii</i>	Boykin's milkwort
<i>Polygala grandiflora</i>	Candyweed, Showy milkwort

<u>Polygonaceae</u>		
<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue	
<i>Coccoloba uvifera</i>	Seagrape	
<u>Primulaceae</u>		
<i>Samolus ebracteatus</i>	Water pimpernel, Limewater brookweed	
<u>Rhamnaceae</u>		
<i>Krugiodendron ferreum</i>	Black ironwood, Leadwood	
<i>Reynosia septentrionalis</i>	Darlingplum	
<u>Rhizophoraceae</u>		
<i>Rhizophora mangle</i>	Red mangrove	
<u>Rubiaceae</u>		
<i>Chiococca parvifolia</i>	Pineland snowberry	
<i>Erithalis fruticosa</i>	Blacktorch	
<i>Ernodea littoralis</i>	Beach-creeper, Coughbush	
<i>Guettarda scabra</i>	Rough velvetseed	
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple	
<i>Randia aculeata</i>	White indigoberry	
<i>Spermacoce assurgens</i>	Woodland false buttonweed	
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed	
<u>Sapindaceae</u>		
<i>Exothea paniculata</i>	Inkwood, Butterbough	
<u>Sapotaceae</u>		
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild dilly	
<i>Sideroxylon celastrinum</i>	Saffronplum	
<i>Sideroxylon salicifolium</i>	Willow-bustic, White bully	
<u>Scrophulariaceae</u>		
<i>Agalinis fasciculata</i>	Beach false foxglove	
<i>Bacopa monnieri</i>	Water hyssop, Herb-of-grace	
<i>Buchnera americana</i>	American bluehearts	
<u>Simaroubaceae</u>		
<i>Simarouba glauca</i>	Paradisetree	
<u>Sterculiaceae</u>		
<i>Waltheria indica</i>	Sleepy morning	
<u>Surianaceae</u>		
<i>Suriana maritima</i>	Baycedar	
<u>Verbenaceae</u>		
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweek	
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee	

Monocots

<u>Arecaceae</u>		
<i>Coccothrinax argentata</i>	Florida silver palm	
<i>Sabal palmetto</i>	Cabbage palm	

<i>Serenoa repens</i>	Saw palmetto
<i>Thrinax morrisii</i>	Silver thatch palm, Brittle thatch palm
Bromeliaceae	
<i>Tillandsia balbisiana</i>	Reflexed wild-pine, Northern needleleaf
<i>Tillandsia flexuosa</i>	Banded wild-pine, Twisted airplant
<i>Tillandsia paucifolia</i>	Twisted wild-pine, Potbelly airplant
<i>Tillandsia utriculata</i>	Giant wild-pine, Giant airplant
Cyperaceae	
<i>Abildgaardia ovata</i>	Flatspike sedge
<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass
<i>Eleocharis cellulosa</i>	Gulf Coast spikerush
<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
<i>Fimbristylis spadicea</i>	Marsh fimbry
<i>Rhynchospora colorata</i>	Starrush whitetop
<i>Rhynchospora floridensis</i>	Florida whitetop
Orchidaceae	
<i>Vanilla barbellata</i>	Wormvine orchid
Poaceae	
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
<i>Andropogon longiberbis</i>	Hairy bluestem
<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
<i>Cenchrus incertus</i>	Coastal sandbur
E <i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
<i>Eragrostis elliottii</i>	Elliott's lovegrass
E <i>Eremochloa ophiuroides</i>	Centipedegrass
<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass
<i>Paspalum caespitosum</i>	Blue paspalum, Blue crowngrass
<i>Paspalum laxum</i>	Coconut paspalum
<i>Schizachyrium gracile</i>	Wire bluestem
<i>Schizachyrium sanguineum</i>	Crimson bluestem
<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
E <i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
<i>Sporobolus virginicus</i>	Seashore dropseed
Ruppiaceae	
<i>Ruppia maritima</i>	Wigeon-grass

Pteridophytes

Dennstaedtiaceae	
<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern

E = Not Native to the site

Table 9:
The Vascular Plants of
Middle Torch Hammocks Parcel 3112,
Florida Keys Wildlife & Environmental Area,
Middle Torch Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
The Institute for Regional Conservation
Miami, Florida
On September 7 & 15, 2000

Dicots

Anacardiaceae

<i>Metopium toxiferum</i>	Poisonwood, Florida poisontree
E <i>Schinus terebinthifolius</i>	Brazilian-pepper

Apocynaceae

<i>Echites umbellata</i>	Devil's-potato, Rubbervine
<i>Pentalinon luteum</i>	Wild-allamanda, Hammock viperstail

Asclepiadaceae

<i>Cynanchum angustifolium</i>	Vine milkweed, Gulf Coast swallowwort
--------------------------------	---------------------------------------

Asteraceae

<i>Aster bracei</i>	Brace's aster
<i>Baccharis angustifolia</i>	Narrowleaved groundsel, Saltwater Falsewillow
<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, Beggarticks
<i>Borrichia arborescens</i>	Green sea-oxeye-daisy, Tree seaside oxeye
<i>Borrichia frutescens</i>	Silver sea-oxeye-daisy, Bushy seaside oxeye
<i>Flaveria linearis</i>	Narrowleaf yellowtops
<i>Flaveria trinervia</i>	Annual yellowtop, Clustered yellowtops
<i>Pectis glaucescens</i>	Tea-blinkum, Sanddune cinchweed
<i>Pluchea carolinensis</i>	Cure-for-all

Avicenniaceae

<i>Avicennia germinans</i>	Black mangrove
----------------------------	----------------

Batraceae

<i>Batis maritima</i>	Saltwort, Turtleweed
-----------------------	----------------------

Casuarinaceae

E <i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
----------------------------------	--------------------------------------

Celastraceae

<i>Crossopetalum rhacoma</i>	Rhacoma, Maidenberry
<i>Maytenus phyllanthoides</i>	Florida mayten
<u>Chenopodiaceae</u>	
<i>Salicornia bigelovii</i>	Annual glasswort
<i>Salicornia perennis</i>	Perennial glasswort
<i>Suaeda linearis</i>	Sea-blite, Annual seepweed
<u>Combretaceae</u>	
<i>Conocarpus erectus</i>	Buttonwood
<i>Laguncularia racemosa</i>	White mangrove
<u>Euphorbiaceae</u>	
<i>Chamaesyce blodgettii</i>	Limestone sandmat
<i>Chamaesyce hyssopifolia</i>	Eyebane, Hyssopleaf sandmat
<i>Drypetes diversifolia</i>	Milkbark, Whitewood
<i>Savia bahamensis</i>	Maidenbush, Bahama maidenbush
<u>Fabaceae</u>	
<i>Centrosema virginianum</i>	Spurred butterfly-pea
<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
<i>Desmanthus virgatus</i>	Wild tantan
<i>Piscidia piscipula</i>	Jamaica-dogwood, Florida fishpoison tree
<i>Pithecellobium keyense</i>	Florida Keys blackbead
<i>Sophora tomentosa</i> var. <i>truncata</i>	Yellow necklacepod
<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
<u>Gentianaceae</u>	
<i>Eustoma exaltatum</i>	Seaside gentian, Marshgentian
<i>Sabatia stellaris</i>	Rose-of-Plymouth
<u>Malpighiaceae</u>	
<i>Byrsonima lucida</i>	Locustberry
<u>Myricaceae</u>	
<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<u>Myrsinaceae</u>	
<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>	
<i>Calyptrothamnus pallens</i>	Spicewood, Pale lidflower
<i>Eugenia axillaris</i>	White stopper
<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
<i>Psidium longipes</i>	Longstalked-stopper
<u>Nyctaginaceae</u>	
<i>Guapira discolor</i>	Blolly, Beeftree
<u>Onagraceae</u>	
<i>Gaura angustifolia</i>	Southern gaura, Southern beeblissom
<u>Plumbaginaceae</u>	
<i>Limonium carolinianum</i>	Saltmarsh-rosemary, Carolina sealavender
<u>Polygalaceae</u>	
<i>Polygala boykinii</i>	Boykin's milkwort

<i>Polygala grandiflora</i>	Candyweed, Showy milkwort
Polygonaceae	
<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue
<i>Coccoloba uvifera</i>	Seagrape
Portulacaceae	
<i>Portulaca oleracea</i>	Purslane, Little hogweed
Primulaceae	
<i>Samolus ebracteatus</i>	Water pimpernel, Limewater brookweed
Rhamnaceae	
<i>Reynosia septentrionalis</i>	Darlingplum
Rhizophoraceae	
<i>Rhizophora mangle</i>	Red mangrove
Rubiaceae	
<i>Chiococca parvifolia</i>	Pineland snowberry
<i>Erithalis fruticosa</i>	Blacktorch
<i>Ernodea littoralis</i>	Beach-creeper, Coughbush
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
<i>Randia aculeata</i>	White indigoberry
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed
Rutaceae	
<i>Amyris elemifera</i>	Common torchwood, Sea torchwood
Sapindaceae	
<i>Dodonaea elaeagnoides</i>	Smallfruit varnishleaf
Sapotaceae	
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild dilly
<i>Sideroxylon celastrinum</i>	Saffronplum
<i>Sideroxylon salicifolium</i>	Willow-bustic, White bully
Scrophulariaceae	
<i>Agalinis fasciculata</i>	Beach false foxglove
Solanaceae	
<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn
Sterculiaceae	
<i>Waltheria indica</i>	Sleepy morning
Surianaceae	
<i>Suriana maritima</i>	Baycedar
Theophrastaceae	
<i>Jacquinia keyensis</i>	Joewood
Verbenaceae	
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed

Monocots

Arecales

<i>Serenoa repens</i>	Saw palmetto
<i>Thrinax morrisii</i>	Silver thatch palm, Brittle thatch palm
Bromeliaceae	
<i>Tillandsia flexuosa</i>	Banded wild-pine, Twisted airplant
<i>Tillandsia paucifolia</i>	Twisted wild-pine, Potbelly airplant
<i>Tillandsia utriculata</i>	Giant wild-pine, Giant airplant
Cyperaceae	
<i>Abildgaardia ovata</i>	Flatspike sedge
<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass
<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
<i>Fimbristylis spadicea</i>	Marsh fimbry
<i>Rhynchospora floridensis</i>	Florida whitetop
Orchidaceae	
<i>Encyclia tampensis</i>	Florida butterfly orchid
Poaceae	
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
<i>Andropogon longiberbis</i>	Hairy bluestem
<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
<i>Cenchrus incertus</i>	Coastal sandbur
E <i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
<i>Distichlis spicata</i>	Saltgrass
<i>Eragrostis elliottii</i>	Elliott's lovegrass
<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass
<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
<i>Paspalum caespitosum</i>	Blue paspalum, Blue crowngrass
<i>Paspalum laxum</i>	Coconut paspalum
<i>Paspalum setaceum</i>	Thin paspalum
<i>Schizachyrium gracile</i>	Wire bluestem
<i>Schizachyrium sanguineum</i>	Crimson bluestem
<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
<i>Spartina spartinae</i>	Gulf cordgrass
<i>Sporobolus dominicensis</i>	Coral dropseed
<i>Sporobolus virginicus</i>	Seashore dropseed
E <i>Zoysia tenuifolia</i>	Mascarene templegrass

E = Not Native to the site

Table 10:
The Vascular Plants of
Middle Torch Hammocks Anderson Parcel,
Florida Keys Wildlife & Environmental Area,
Middle Torch Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
The Institute for Regional Conservation
Miami, Florida
On September 7 & 14, 2000

Dicots

Anacardiaceae

Metopium toxiferum

Poisonwood, Florida poisontree

Apocynaceae

Angadenia berteroii
Echites umbellata
Pentalinon luteum

Pineland-allamanda, Pineland golden trumpet
Devil's-potato, Rubbervine
Wild-allamanda, Hammock viperstail

Asteraceae

Aster bracteatus
Bidens alba var. *radiata*
Borrichia arborescens
Borrichia frutescens
Flaveria linearis
Pectis glaucescens

Brace's aster
Spanish-needles, Beggarticks
Green sea-oxeye-daisy, Tree seaside oxeye
Silver sea-oxeye-daisy, Bushy seaside oxeye
Narrowleaf yellowtops
Tea-blinkum, Sanddune cinchweed

Avicenniaceae

Avicennia germinans

Black mangrove

Celastraceae

Crossopetalum rhacoma
Gyminda latifolia

Rhacoma, Maidenberry
West Indian false boxwood

Chenopodiaceae

Salicornia bigelovii
Salicornia perennis

Annual glasswort
Perennial glasswort

Chrysobalanaceae

Chrysobalanus icaco

Coco-plum

Combretaceae

Conocarpus erectus

Buttonwood

<i>Laguncularia racemosa</i>	White mangrove
<u>Convolvulaceae</u>	
E <i>Ipomoea triloba</i>	Three-lobed morningglory, Littlebell
<u>Euphorbiaceae</u>	
<i>Chamaesyce blodgettii</i>	Limestone sandmat
<i>Drypetes diversifolia</i>	Milkbark, Whitewood
<i>Savia bahamensis</i>	Maidenbush, Bahama maidenbush
<u>Fabaceae</u>	
<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
<i>Desmanthus virgatus</i>	Wild tantan
<i>Piscidia piscipula</i>	Jamaica-dogwood, Florida fishpoison tree
<i>Pithecellobium keyense</i>	Florida Keys blackbead
<i>Sophora tomentosa</i> var. <i>truncata</i>	Yellow necklacepod
<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
<u>Loganiaceae</u>	
<i>Spigelia anthelmia</i>	West Indian pinkroot
<u>Malpighiaceae</u>	
<i>Byrsinima lucida</i>	Locustberry
<u>Malvaceae</u>	
<i>Sida ciliaris</i>	Bracted fanpetals, Fringed fanpetals
<u>Moraceae</u>	
<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
<u>Myricaceae</u>	
<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<u>Myrsinaceae</u>	
<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>	
<i>Calyptrotheces pallens</i>	Spicewood, Pale lidflower
<i>Eugenia axillaris</i>	White stopper
<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
<i>Psidium longipes</i>	Longstalked-stopper
<u>Nyctaginaceae</u>	
<i>Guapira discolor</i>	Blolly, Beeftree
<i>Pisonia rotundata</i>	Smooth devilsclaws, Blolly
<u>Olacaceae</u>	
<i>Ximenia americana</i>	Hog-plum, Tallowwood
<u>Polygalaceae</u>	
<i>Polygala boykinii</i>	Boykin's milkwort
<i>Polygala grandiflora</i>	Candyweed, Showy milkwort
<u>Polygonaceae</u>	
<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue
<i>Coccoloba uvifera</i>	Seagrape

<u>Rhamnaceae</u>		
	<i>Reynosia septentrionalis</i>	Darlingplum
<u>Rhizophoraceae</u>		
	<i>Rhizophora mangle</i>	Red mangrove
<u>Rubiaceae</u>		
	<i>Chiococca parvifolia</i>	Pineland snowberry
	<i>Erithalis fruticosa</i>	Blacktorch
	<i>Ernodea littoralis</i>	Beach-creeper, Coughbush
	<i>Guettarda scabra</i>	Rough velvetseed
	<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
	<i>Randia aculeata</i>	White indigoberry
E	<i>Spermacoce verticillata</i>	Shrubby false buttonweed
<u>Sapindaceae</u>		
	<i>Dodonaea elaeagnoides</i>	Smallfruit varnishleaf
<u>Sapotaceae</u>		
	<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild dilly
E	<i>Manilkara zapota</i>	Sapodilla
	<i>Sideroxylon celastrinum</i>	Saffronplum
	<i>Sideroxylon salicifolium</i>	Willow-bustic, White bully
<u>Scrophulariaceae</u>		
	<i>Agalinis fasciculata</i>	Beach false foxglove
	<i>Bacopa monnieri</i>	Water hyssop, Herb-of-grace
<u>Solanaceae</u>		
	<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn
<u>Sterculiaceae</u>		
	<i>Waltheria indica</i>	Sleepy morning
<u>Suriaceae</u>		
	<i>Suriana maritima</i>	Baycedar
<u>Theophrastaceae</u>		
	<i>Jacquinia keyensis</i>	Joewood
<u>Verbenaceae</u>		
	<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed
Monocots		
<u>Arecaceae</u>		
	<i>Coccothrinax argentata</i>	Florida silver palm
E	<i>Phoenix dactylifera</i>	Commercial date palm, Date
	<i>Serenoa repens</i>	Saw palmetto
	<i>Thrinax morrisii</i>	Silver thatch palm, Brittle thatch palm
<u>Bromeliaceae</u>		
	<i>Tillandsia balbisiana</i>	Reflexed wild-pine, Northern needleleaf
	<i>Tillandsia fasciculata</i> var. <i>densispica</i>	Common stiff-leaved wild-pine
	<i>Tillandsia flexuosa</i>	Banded wild-pine, Twisted airplant
	<i>Tillandsia paucifolia</i>	Twisted wild-pine, Potbelly airplant

<i>Tillandsia utriculata</i>	Giant wild-pine, Giant airplant
Cyperaceae	
<i>Abildgaardia ovata</i>	Flatspike sedge
<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass
<i>Eleocharis cellulosa</i>	Gulf Coast spikerush
<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
<i>Fimbristylis spadicea</i>	Marsh fimbry
<i>Rhynchospora floridensis</i>	Florida whitetop
Orchidaceae	
<i>Encyclia tampensis</i>	Florida butterfly orchid
Poaceae	
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
<i>Andropogon longiberbis</i>	Hairy bluestem
<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
<i>Cenchrus incertus</i>	Coastal sandbur
E <i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
<i>Distichlis spicata</i>	Saltgrass
E <i>Eragrostis ciliaris</i>	Gophertail lovegrass
<i>Eragrostis elliottii</i>	Elliott's lovegrass
<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass
<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
<i>Panicum virgatum</i>	Switchgrass
<i>Paspalum caespitosum</i>	Blue paspalum, Blue crownglass
<i>Paspalum laxum</i>	Coconut paspalum
<i>Schizachyrium gracile</i>	Wire bluestem
<i>Schizachyrium sanguineum</i>	Crimson bluestem
<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
<i>Spartina spartinae</i>	Gulf cordgrass
<i>Sporobolus virginicus</i>	Seashore dropseed
Ruppiaceae	
<i>Ruppia maritima</i>	Wigeon-grass

Pteridophytes

Polypodiaceae	
<i>Phlebodium aureum</i>	Golden polypody

E = Not Native to the site

Table 11:
The Vascular Plants of
Middle Torch Hammocks Lipchak Parcel,
Florida Keys Wildlife & Environmental Area,
Middle Torch Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On September 7, 13, & 15, 2000

Dicots

Anacardiaceae

<i>Metopium toxiferum</i>	Poisonwood, Florida poisontree
E <i>Schinus terebinthifolius</i>	Brazilian-pepper

Apocynaceae

<i>Echites umbellata</i>	Devil's-potato, Rubbervine
<i>Pentalinon luteum</i>	Wild-allamanda, Hammock viperstail

Asteraceae

<i>Aster bracei</i>	Brace's aster
<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, Beggarticks
<i>Borrichia arborescens</i>	Green sea-oxeye-daisy, Tree seaside oxeye
<i>Borrichia frutescens</i>	Silver sea-oxeye-daisy, Bushy seaside oxeye
<i>Flaveria linearis</i>	Narrowleaf yellowtops
<i>Pectis glaucescens</i>	Tea-blinkum, Sanddune cinchweed
<i>Pluchea carolinensis</i>	Cure-for-all
<i>Rayjacksonia phyllocephala</i>	Camphor daisy

Avicenniaceae

<i>Avicennia germinans</i>	Black mangrove
----------------------------	----------------

Bataceae

<i>Batis maritima</i>	Saltwort, Turtleweed
-----------------------	----------------------

Celastraceae

<i>Crossopetalum rhacoma</i>	Rhacoma, Maidenberry
<i>Maytenus phyllanthoides</i>	Florida mayten

Chenopodiaceae

<i>Salicornia bigelovii</i>	Annual glasswort
<i>Salicornia perennis</i>	Perennial glasswort
<i>Suaeda linearis</i>	Sea-blite, Annual seepweed

<u>Combretaceae</u>	
<i>Conocarpus erectus</i>	Buttonwood
<i>Laguncularia racemosa</i>	White mangrove
<u>Euphorbiaceae</u>	
<i>Chamaesyce blodgettii</i>	Limestone sandmat
<u>Fabaceae</u>	
<i>Centrosema virginianum</i>	Spurred butterfly-pea
<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
<i>Desmanthus virgatus</i>	Wild tantan
<i>Desmodium incanum</i>	Beggar's-ticks
<i>Galactia striata</i>	Florida Hammock milkpea
<i>Piscidia piscipula</i>	Jamaica-dogwood, Florida fishpoison tree
<i>Pithecellobium keyense</i>	Florida Keys blackbead
<i>Senna mexicana</i> var. <i>chapmanii</i>	Bahama senna, Chapman's wild sensitive plant
<i>Sophora tomentosa</i> var. <i>truncata</i>	Yellow necklacepod
<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
<u>Gentianaceae</u>	
<i>Eustoma exaltatum</i>	Seaside gentian, Marshgentian
<u>Malpighiaceae</u>	
<i>Byrsonima lucida</i>	Locustberry
<u>Malvaceae</u>	
<i>Sida ciliaris</i>	Bracted fanpetals, Fringed fanpetals
<u>Myrsinaceae</u>	
<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>	
<i>Calyptrotheces pallens</i>	Spicewood, Pale lidflower
<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
<i>Psidium longipes</i>	Longstalked-stopper
<u>Nyctaginaceae</u>	
<i>Guapira discolor</i>	Blolly, Beeftree
<u>Plumbaginaceae</u>	
<i>Limonium carolinianum</i>	Saltmarsh-rosemary, Carolina sealavender
<u>Polygalaceae</u>	
<i>Polygala boykinii</i>	Boykin's milkwort
<i>Polygala grandiflora</i>	Candyweed, Showy milkwort
<u>Polygonaceae</u>	
<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue
<i>Coccoloba uvifera</i>	Seagrape
<u>Rhamnaceae</u>	
<i>Reynosia septentrionalis</i>	Darlingplum
<u>Rhizophoraceae</u>	
<i>Rhizophora mangle</i>	Red mangrove
<u>Rubiaceae</u>	

<i>Chiococca parvifolia</i>	Pineland snowberry
<i>Erithalis fruticosa</i>	Blacktorch
<i>Ernodea littoralis</i>	Beach-creeper, Coughbush
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
<i>Randia aculeata</i>	White indigoberry
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed
 <u>Rutaceae</u>	
<i>Amyris elemifera</i>	Common torchwood, Sea torchwood
 <u>Sapindaceae</u>	
<i>Dodonaea elaeagnoides</i>	Smallfruit varnishleaf
 <u>Sapotaceae</u>	
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild dilly
<i>Sideroxylon celastrinum</i>	Saffronplum
 <u>Scrophulariaceae</u>	
<i>Agalinis fasciculata</i>	Beach false foxglove
<i>Agalinis maritima</i>	Saltmarsh false foxglove
 <u>Solanaceae</u>	
<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn
<i>Solanum verbascifolium</i>	Mullein nightshade
 <u>Surianaceae</u>	
<i>Suriana maritima</i>	Baycedar
 <u>Theophrastaceae</u>	
<i>Jacquinia keyensis</i>	Joewood
 <u>Verbenaceae</u>	
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed

Monocots

 <u>Arecaceae</u>	
<i>Serenoa repens</i>	Saw palmetto
<i>Thrinax morrisii</i>	Silver thatch palm, Brittle thatch palm
 <u>Bromeliaceae</u>	
<i>Tillandsia balbisiana</i>	Reflexed wild-pine, Northern needleleaf
<i>Tillandsia flexuosa</i>	Banded wild-pine, Twisted airplant
<i>Tillandsia paucifolia</i>	Twisted wild-pine, Potbelly airplant
 <u>Cyperaceae</u>	
<i>Abildgaardia ovata</i>	Flatspike sedge
<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass
<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
<i>Fimbristylis spadicea</i>	Marsh fimbry
<i>Rhynchospora floridensis</i>	Florida whitetop
 <u>Orchidaceae</u>	
<i>Encyclia tampensis</i>	Florida butterfly orchid
 <u>Poaceae</u>	
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem

	<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
	<i>Cenchrus incertus</i>	Coastal sandbur
E	<i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
	<i>Distichlis spicata</i>	Saltgrass
	<i>Eragrostis elliottii</i>	Elliott's lovegrass
	<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
	<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass
	<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
	<i>Paspalum caespitosum</i>	Blue paspalum, Blue crowngrass
	<i>Paspalum laxum</i>	Coconut paspalum
	<i>Schizachyrium gracile</i>	Wire bluestem
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Sorghastrum secundum</i>	Lopsided Indiangrass
	<i>Spartina spartinae</i>	Gulf cordgrass
	<i>Sporobolus dominicensis</i>	Coral dropseed
	<i>Sporobolus virginicus</i>	Seashore dropseed
	<i>Urochloa adspersa</i>	Dominican signalgrass

E = Not Native to the site

Table 12:
The Vascular Plants of
Ramrod Hammocks,
Florida Keys Wildlife & Environmental Area,
Ramrod Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On September 6, 2000

Dicots

Aizoaceae

Sesuvium portulacastrum Perennial sea-purslane, Shoreline seapurslane

Amaranthaceae

Blutaparon vermiculare Samphire, Silverhead

Anacardiaceae

Metopium toxiferum Poisonwood, Florida poisontree
 E *Schinus terebinthifolius* Brazilian-pepper
 CN *Toxicodendron radicans*¹ Eastern poison-ivy

Apocynaceae

E *Catharanthus roseus* Madagascar-periwinkle
Echites umbellata Devil's-potato, Rubbervine
Pentalinon luteum Wild-allamanda, Hammock viperstail

Asclepiadaceae

Cynanchum angustifolium Vine milkweed, Gulf Coast swallowwort

Asteraceae

Aster bracei Brace's aster
Baccharis halimifolia Groundsel tree, Sea-myrtle
Bidens alba var. *radiata* Spanish-needles, Beggarticks
Borrichia arborescens Green sea-oxeye-daisy, Tree seaside oxeye
Borrichia frutescens Silver sea-oxeye-daisy, Bushy seaside oxeye
Conyza canadensis var. *pusilla* Dwarf Canadian horseweed
Flaveria linearis Narrowleaf yellowtops
Mikania scandens Climbing hempweed, Climbing hampvine
Pectis glaucescens Tea-blinkum, Sanddune cinchweed

¹ This species was found growing from the base of a *Sabal palmetto* that was recently planted on the edge of the property.

E	<i>Pluchea carolinensis</i>	Cure-for-all
	<i>Wedelia trilobata</i>	Creeping wedelia, Creeping oxeye
<u>Avicenniaceae</u>		
	<i>Avicennia germinans</i>	Black mangrove
<u>Bataceae</u>		
	<i>Batis maritima</i>	Saltwort, Turtleweed
<u>Boraginaceae</u>		
	<i>Heliotropium curassavicum</i>	Seaside heliotrope, Salt heliotrope
<u>Brassicaceae</u>		
	<i>Lepidium virginicum</i>	Poor-man's-pepper, Virginia pepperweed
<u>Burseraceae</u>		
C	<i>Bursera simaruba</i>	Gumbo-limbo
<u>Cactaceae</u>		
E	<i>Opuntia cochenillifera</i>	Cochineal cactus
CN	<i>Opuntia corallicola</i>	Semaphore pricklypear
<u>Caricaceae</u>		
E	<i>Carica papaya</i>	Papaya
<u>Celastraceae</u>		
	<i>Crossopetalum rhacoma</i>	Rhacoma, Maidenberry
	<i>Gyminda latifolia</i>	West Indian false boxwood
	<i>Maytenus phyllanthoides</i>	Florida mayten
<u>Chenopodiaceae</u>		
	<i>Salicornia bigelovii</i>	Annual glasswort
	<i>Salicornia perennis</i>	Perennial glasswort
	<i>Suaeda linearis</i>	Sea-blite, Annual seepweed
<u>Combretaceae</u>		
CE	<i>Bucida buceras</i>	Common black-olive
	<i>Conocarpus erectus</i>	Buttonwood
	<i>Laguncularia racemosa</i>	White mangrove
<u>Crassulaceae</u>		
E	<i>Kalanchoe daigremontiana</i>	Devil's-backbone
<u>Euphorbiaceae</u>		
	<i>Chamaesyce blodgettii</i>	Limestone sandmat
	<i>Chamaesyce hirta</i>	Hairy spurge, Pillpod sandmat
	<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
	<i>Chamaesyce mesembrianthemifolia</i>	Seaside spurge, Coastal beach sandmat
	<i>Savia bahamensis</i>	Maidenbush, Bahama maidenbush
<u>Fabaceae</u>		
	<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
	<i>Desmanthus virgatus</i>	Wild tantan
E	<i>Leucaena leucocephala</i>	White leadtree
CE	<i>Lysiloma sabicu</i>	Sabicu
	<i>Pithecellobium keyense</i>	Florida Keys blackbead
	<i>Rhynchosia minima</i>	Least snoutbean

E	<i>Sesbania sericea</i>	Silky sesban
	<i>Sophora tomentosa</i> var. <i>truncata</i>	Yellow necklacepod
	<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
<u>Flacourtiaceae</u>		
E	<i>Flacourtie indica</i>	Governor's-plum
<u>Gentianaceae</u>		
	<i>Eustoma exaltatum</i>	Seaside gentian, Marshgentian
<u>Goodeniaceae</u>		
CE	<i>Scaevola sericea</i>	Beach napuka
<u>Malpighiaceae</u>		
	<i>Byrsonima lucida</i>	Locustberry
<u>Malvaceae</u>		
	<i>Herissantia crispa</i>	Bladdermallow
<u>Meliaceae</u>		
CE	<i>Swietenia mahagoni</i>	West Indian mahogany
<u>Moraceae</u>		
	<i>Ficus aurea</i>	Strangler fig, Golden fig
	<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
CE	<i>Ficus elastica</i>	India rubber-tree
<u>Myricaceae</u>		
	<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<u>Myrsinaceae</u>		
	<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>		
	<i>Eugenia axillaris</i>	White stopper
	<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
CE	<i>Melaleuca viminalis</i>	Weeping bottlebrush
	<i>Psidium longipes</i>	Longstalked-stopper
<u>Nyctaginaceae</u>		
	<i>Guapira discolor</i>	Blolly, Beeftree
<u>Olacaceae</u>		
	<i>Ximenia americana</i>	Hog-plum, Tallowwood
<u>Onagraceae</u>		
	<i>Gaura angustifolia</i>	Southern gaura, Southern beeblissom
<u>Passifloraceae</u>		
	<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Plumbaginaceae</u>		
	<i>Limonium carolinianum</i>	Saltmarsh-rosemary, Carolina sealavender
<u>Polygonaceae</u>		
	<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue
	<i>Coccoloba uvifera</i>	Seagrape

<u>Portulacaceae</u>		
<i>Portulaca oleracea</i>	Purslane, Little hogweed	
<u>Rhamnaceae</u>		
<i>Reynosia septentrionalis</i>	Darlingplum	
<u>Rhizophoraceae</u>		
<i>Rhizophora mangle</i>	Red mangrove	
<u>Rubiaceae</u>		
<i>Chiococca parvifolia</i>	Pineland snowberry	
<i>Erythalis fruticosa</i>	Blacktorch	
<i>Ernodea littoralis</i>	Beach-creeper, Coughbush	
<i>Guettarda scabra</i>	Rough velvetseed	
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple	
<i>Randia aculeata</i>	White indigoberry	
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed	
<u>Sapotaceae</u>		
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild dilly	
<i>Sideroxylon celastrinum</i>	Saffronplum	
<u>Scrophulariaceae</u>		
<i>Agalinis fasciculata</i>	Beach false foxglove	
<i>Agalinis maritima</i>	Saltmarsh false foxglove	
<u>Solanaceae</u>		
<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn	
<i>Solanum erianthum</i>	Potatotree	
<u>Surianaceae</u>		
<i>Suriana maritima</i>	Baycedar	
<u>Theophrastaceae</u>		
<i>Jacquinia keyensis</i>	Joewood	
<u>Turneraceae</u>		
E <i>Turnera ulmifolia</i>	Yellow alder, Ramgoat dashalong	
<u>Ulmaceae</u>		
<i>Trema micranthum</i>	Florida trema, Nettletree	
<u>Verbenaceae</u>		
<i>Lantana involucrata</i>	Wild-sage, Buttonsage	
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed	
<u>Vitaceae</u>		
<i>Cissus trifoliata</i>	Marinevine, Sorrelvine	

Monocots

<u>Agavaceae</u>		
E <i>Sansevieria hyacinthoides</i>	Bowstring-hemp, Mother-in-laws tongue	
<u>Arecaceae</u>		

	<i>Coccothrinax argentata</i>	Florida silver palm
CE	<i>Cocos nucifera</i>	Coconut palm
E	<i>Phoenix dactylifera</i>	Commercial date palm, Date
CN	<i>Sabal palmetto</i>	Cabbage palm
	<i>Serenoa repens</i>	Saw palmetto
CE	<i>Syagrus romanzoffiana</i>	Queen palm
	<i>Thrinax morrisii</i>	Silver thatch palm, Brittle thatch palm
	<i>Thrinax radiata</i>	Green thatch palm, Florida thatch palm
E	<i>Veitchia merrillii</i>	Manilla palm, Christmas palm
<u>Bromeliaceae</u>		
	<i>Tillandsia balbisiana</i>	Reflexed wild-pine, Northern needleleaf
	<i>Tillandsia flexuosa</i>	Banded wild-pine, Twisted airplant
	<i>Tillandsia utriculata</i>	Giant wild-pine, Giant airplant
<u>Cyperaceae</u>		
	<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass
CE	<i>Cyperus involucratus</i>	Umbrella plant
	<i>Eleocharis geniculata</i>	Canada spike-rush
	<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
	<i>Fimbristylis spadicea</i>	Marsh fimbry
<u>Musaceae</u>		
CE	<i>Musa xparadisiaca</i>	Common banana
<u>Orchidaceae</u>		
	<i>Encyclia tampensis</i>	Florida butterfly orchid
	<i>Vanilla barbellata</i>	Wormvine orchid
<u>Poaceae</u>		
	<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
	<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
	<i>Cenchrus echinatus</i>	Southern sandbur
	<i>Cenchrus incertus</i>	Coastal sandbur
E	<i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
	<i>Digitaria ciliaris</i>	Southern crabgrass
	<i>Distichlis spicata</i>	Saltgrass
E	<i>Eleusine indica</i>	Indian goose grass
E	<i>Eragrostis ciliaris</i>	Gophertail lovegrass
	<i>Eragrostis ellottii</i>	Elliott's lovegrass
E	<i>Eremochloa ophiuroides</i>	Centipedegrass
	<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
	<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass
	<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
	<i>Paspalum caespitosum</i>	Blue paspalum, Blue crowngrass
	<i>Schizachyrium gracile</i>	Wire bluestem
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
	<i>Spartina patens</i>	Marshhay cordgrass, Saltmeadow cordgrass
	<i>Spartina spartinae</i>	Gulf cordgrass
	<i>Sporobolus dominicensis</i>	Coral dropseed
	<i>Sporobolus virginicus</i>	Seashore dropseed
	<i>Urochloa adspersa</i>	Dominican signalgrass
E	<i>Zoysia tenuifolia</i>	Mascarene templegrass

Pteridophytes

Dennstaedtiaceae

Pteridium aquilinum var. *caudatum*

Lacy braken fern

Polypodiaceae

Phlebodium aureum

Golden polypody

CE = Exotic species only cultivated on the site

CN = Native species only cultivated on the site

E = Not Native to the site

Table 13:
The Vascular Plants of
Snake Creek Hammocks,
Florida Keys Wildlife & Environmental Area,
Plantation Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On June 29, July 21 & 27, 2000

Compiled from field observations made by the authors and from the sources listed in "References" below.

Dicots

Acanthaceae

- | | |
|--------------------------------|-------------------------------------|
| E <i>Blechum pyramidatum</i> | Green shrimpplant, Browne's blechum |
| <i>Dicliptera sexangularis</i> | False-mint, Sixangle foldwing |

Aizoaceae

- | | |
|--------------------------------|---|
| <i>Sesuvium portulacastrum</i> | Perennial sea-purslane, Shoreline seapurslane |
|--------------------------------|---|

Amaranthaceae

- | | |
|---------------------------------|----------------------|
| <i>Alternanthera flavescens</i> | Yellow joyweed |
| <i>Blutaparon vermiculare</i> | Samphire, Silverhead |

Anacardiaceae

- | | |
|-----------------------------------|--------------------------------|
| <i>Metopium toxiferum</i> | Poisonwood, Florida poisontree |
| E <i>Schinus terebinthifolius</i> | Brazilian-pepper |

Apocynaceae

- | | |
|------------------------------|------------------------------------|
| CE <i>Carissa macrocarpa</i> | Natal-plum |
| <i>Echites umbellata</i> | Devil's-potato, Rubbervine |
| <i>Pentalinon luteum</i> | Wild-allamanda, Hammock viperstail |

Asclepiadaceae

- | | |
|----------------------------|----------------------------|
| <i>Sarcostemma clausum</i> | Whitevine, White twinevine |
|----------------------------|----------------------------|

Asteraceae

- | | |
|---|---|
| <i>Baccharis halimifolia</i> | Groundsel tree, Sea-myrtle |
| <i>Bidens alba</i> var. <i>radiata</i> | Spanish-needles, Beggarticks |
| <i>Borrichia arborescens</i> | Green sea-oxeye-daisy, Tree seaside oxeye |
| <i>Borrichia frutescens</i> | Silver sea-oxeye-daisy, Bushy seaside oxeye |
| <i>Conyzia canadensis</i> var. <i>pusilla</i> | Dwarf Canadian horseweed |
| <i>Flaveria linearis</i> | Narrowleaf yellowtops |
| <i>Melanthera nivea</i> | Snow squarestem |

<i>Pluchea carolinensis</i>	Cure-for-all
E <i>Tridax procumbens</i>	Brittleweed, Coatbuttons
<u>Avicenniaceae</u>	
<i>Avicennia germinans</i>	Black mangrove
<u>Bataceae</u>	
<i>Batis maritima</i>	Saltwort, Turtleweed
<u>Boraginaceae</u>	
<i>Bourreria succulenta</i>	Smooth strongback, Bahama strongbark
<i>Cordia globosa</i>	Butterflybush, Curacao bush
E <i>Cordia sebestena</i>	Orange geigertree, Largeleaf geigertree
<i>Heliotropium angiospermum</i>	Scorpionstail
<i>Heliotropium curassavicum</i>	Seaside heliotrope, Salt heliotrope
<i>Tournefortia volubilis</i>	Twining soldierbush
<u>Burseraceae</u>	
<i>Bursera simaruba</i>	Gumbo-limbo
<u>Cactaceae</u>	
<i>Acanthocereus tetragonus</i>	Barbwire cactus, Dilldoe cactus
CE <i>Cereus peruvianus</i>	Bishop cactus, Peruvian apple cactus
CE <i>Opuntia cochenillifera</i>	Cochineal cactus
<i>Opuntia stricta</i>	Erect pricklypear
<u>Capparaceae</u>	
<i>Capparis cynophallophora</i>	Jamaica caper-tree
<i>Capparis flexuosa</i>	Limber caper, Bayleaf capertree
<u>Casuarinaceae</u>	
E <i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
<u>Celastraceae</u>	
<i>Gyminda latifolia</i>	West Indian false boxwood
<i>Schaefferia frutescens</i>	Florida boxwood
<u>Chenopodiaceae</u>	
<i>Atriplex pentandra</i>	Beach orach, Crested saltbush
<i>Salicornia bigelovii</i>	Annual glasswort
<i>Salicornia perennis</i>	Perennial glasswort
<i>Suaeda linearis</i>	Sea-blite, Annual seepweed
<u>Clusiaceae</u>	
E <i>Clusia rosea</i>	Pitch-apple
<u>Combretaceae</u>	
<i>Conocarpus erectus</i>	Buttonwood
<i>Laguncularia racemosa</i>	White mangrove
<u>Convolvulaceae</u>	
<i>Ipomoea imperati</i>	Beach morningglory
<i>Ipomoea indica</i> var. <i>acuminata</i>	Ocean-blue morningglory
<i>Ipomoea pes-caprae</i> ssp. <i>brasiliensis</i>	Railroadvine, Bayhops
<u>Euphorbiaceae</u>	
<i>Argythamnia blodgettii</i>	Blodgett's silverbush

	<i>Chamaesyce blodgettii</i>	Limestone sandmat
	<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
	<i>Chamaesyce porteriana</i>	Porter's sandmat
	<i>Drypetes diversifolia</i>	Milkbark, Whitewood
CE	<i>Euphorbia tirucalli</i>	Pencil-cactus, Pencil tree, Indian tree spurg
	<i>Gymnanthes lucida</i>	Crabwood, Oysterwood
CE	<i>Pedilanthus tithymaloides</i> ssp. <i>smallii</i>	Jacob's ladder, Devil's backbone
Fabaceae		
CE	<i>Bauhinia</i>	Orchid tree
	<i>Caesalpinia bonduc</i>	Gray nicker-bean, Gray nicker
CE	<i>Delonix regia</i>	Royal poinciana, Flamboyant
	<i>Desmanthus virgatus</i>	Wild tantan
E	<i>Dichrostachys cinerea</i>	Aroma
	<i>Galactia striata</i>	Florida Hammock milkpea
	<i>Indigofera mucronata</i> var. <i>keyensis</i>	Florida Keys indigo
E	<i>Indigofera spicata</i>	Creeping indigo, Trailing indigo
E	<i>Leucaena leucocephala</i>	White leadtree
	<i>Piscidia piscipula</i>	Jamaica-dogwood, Florida fishpoison tree
	<i>Pithecellobium keyense</i>	Florida Keys blackbead
	<i>Pithecellobium unguis-cati</i>	Cat's-claw, Catclaw blackbead
	<i>Rhynchosia minima</i>	Least snoutbean
E	<i>Senna pendula</i> var. <i>glabrata</i>	Valamuerto
Gentianaceae		
	<i>Eustoma exaltatum</i>	Seaside gentian, Marshgentian
Goodeniaceae		
E	<i>Scaevola sericea</i>	Beach napuka
Lauraceae		
	<i>Cassytha filiformis</i>	Lovevine, Devil's gut
Malvaceae		
	<i>Abutilon permolle</i>	Coastal Indian mallow
	<i>Gossypium hirsutum</i>	Wild cotton, Upland cotton
	<i>Herissantia crispa</i>	Bladdermallow
	<i>Hibiscus poeppigii</i>	Poeppig's rosemallow
	<i>Sida acuta</i>	Common wireweed, Common fanpetals
	<i>Sida ciliaris</i>	Bracted fanpetals, Fringed fanpetals
E	<i>Thespesia populnea</i>	Portia tree
Meliaceae		
	<i>Swietenia mahagoni</i>	West Indian mahogany
Moraceae		
	<i>Ficus aurea</i>	Strangler fig, Golden fig
	<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
Myrsinaceae		
	<i>Ardisia escallionoides</i>	Marlberry
Myrtaceae		
	<i>Eugenia axillaris</i>	White stopper
	<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper

<u>Nyctaginaceae</u>		
<i>Guapira discolor</i>	Blolly, Beeftree	
<u>Oleaceae</u>		
<i>Forestiera segregata</i>	Florida privet, Florida swampprivet	
<u>Oxalidaceae</u>		
<i>Oxalis corniculata</i>	Lady's-sorrel, Common yellow woodsorrel	
<u>Passifloraceae</u>		
<i>Passiflora suberosa</i>	Corkystem passionflower	
<u>Plumbaginaceae</u>		
<i>Limonium carolinianum</i>	Saltmarsh-rosemary, Carolina sealavender	
<u>Polygonaceae</u>		
<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue	
<i>Coccoloba uvifera</i>	Seagrape	
<u>Portulacaceae</u>		
<i>Portulaca oleracea</i>	Purslane, Little hogweed	
<i>Portulaca rubricaulis</i>	Stalked purslane, Redstem purslane	
<u>Rhamnaceae</u>		
<i>Gouania lupuloides</i>	Chewstick, Whiteroot	
<i>Krugiodendron ferreum</i>	Black ironwood, Leadwood	
<i>Reynosia septentrionalis</i>	Darlingplum	
<u>Rhizophoraceae</u>		
<i>Rhizophora mangle</i>	Red mangrove	
<u>Rubiaceae</u>		
<i>Chiococca alba</i>	Common snowberry, Milkberry	
<i>Guettarda elliptica</i>	Everglades velvetseed, Hammock velvetseed	
<i>Guettarda scabra</i>	Rough velvetseed	
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple	
<i>Psychotria nervosa</i>	Shiny-leaved wild-coffee	
<i>Randia aculeata</i>	White indigoberry	
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed	
<u>Rutaceae</u>		
<i>Amyris elemifera</i>	Common torchwood, Sea torchwood	
<i>Zanthoxylum fagara</i>	Wild-lime, Lime prickly-ash	
<u>Sapindaceae</u>		
<i>Cardiospermum corindum</i>	Balloongvine, Heartseed	
<i>Exothea paniculata</i>	Inkwood, Butterbough	
<i>Hypelate trifoliata</i>	White-ironwood, Inkwood	
<u>Sapotaceae</u>		
E <i>Manilkara zapota</i>	Sapodilla	
<i>Sideroxylon celastrinum</i>	Saffronplum	
<u>Scrophulariaceae</u>		
<i>Capraria biflora</i>	Goatweed	

<u>Simaroubaceae</u>	<i>Simarouba glauca</i>	Paradisetree
<u>Solanaceae</u>		
	<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn
	<i>Solanum erianthum</i>	Potatotree
	<i>Solanum verbascifolium</i>	Mullein nightshade
<u>Sterculiaceae</u>		
	<i>Waltheria indica</i>	Sleepy morning
<u>Verbenaceae</u>		
E	<i>Lantana camara</i>	Shrubverbena
	<i>Lantana involucrata</i>	Wild-sage, Buttonsage
	<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed
	<i>Priva lappulacea</i>	Catstongue, Velvetbur
	<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joeo
E	<i>Vitex trifolia</i>	Simpleleaf chastetree
<u>Vitaceae</u>		
	<i>Cissus trifoliata</i>	Marinevine, Sorrelvine
Monocots		
<u>Agavaceae</u>		
	<i>Agave decipiens</i>	False-sisal
E	<i>Agave sisalana</i>	Sisal-hemp
E	<i>Furcraea foetida</i>	Mauritius-hemp
CE	<i>Sansevieria cylindrica</i>	Bowstring-hemp, Mother-in-laws tongue
E	<i>Sansevieria hyacinthoides</i>	Spineless yucca
CE	<i>Yucca guatemalensis</i>	
<u>Arecaceae</u>		
E	<i>Cocos nucifera</i>	Coconut palm
<u>Bromeliaceae</u>		
CE	<i>Aechmea bracteata</i>	
<u>Commelinaceae</u>		
	<i>Commelina erecta</i>	Whitemouth dayflower
E	<i>Tradescantia spathacea</i>	Oysterplant, Moses-in-the-cradle, Boatlily
<u>Cyperaceae</u>		
	<i>Cyperus elegans</i>	Royal flatsedge
	<i>Cyperus fuligineus</i>	Limestone flatsedge
	<i>Cyperus polystachyos</i>	Manyspike flatsedge
	<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
<u>Liliaceae</u>		
E	<i>Asparagus densiflorus</i>	Sprenger's asparagus-fern
<u>Orchidaceae</u>		
E	<i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
<u>Poaceae</u>		
	<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem

E	<i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
	<i>Digitaria ciliaris</i>	Southern crabgrass
E	<i>Eleusine indica</i>	Indian goose grass
E	<i>Eragrostis ciliaris</i>	Gophertail lovegrass
	<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
	<i>Lasiacis divaricata</i>	Smallcane, Florida tibisee
	<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass
E	<i>Panicum maximum</i>	Guineagrass
	<i>Paspalidium chapmanii</i>	Coral panicum
	<i>Paspalum caespitosum</i>	Blue paspalum, Blue crowngrass
E	<i>Paspalum notatum</i>	Bahia grass
E	<i>Paspalum pleostachyum</i>	Tropical paspalum
	<i>Paspalum vaginatum</i>	Seashore paspalum
E	<i>Rhynchospora repens</i>	Rose Natalgrass
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
	<i>Sporobolus domingensis</i>	Coral dropseed
E	<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
	<i>Sporobolus pyramidatus</i>	Whorled dropseed
	<i>Sporobolus virginicus</i>	Seashore dropseed
E	<i>Stenotaphrum secundatum</i>	St. Augustine grass
	<i>Urochloa adspersa</i>	Dominican signalgrass
	<i>Urochloa ramosa</i>	Browntop millet, Dixie signalgrass
E	<i>Zoysia tenuifolia</i>	Mascarene templegrass

Smilacaceae

Smilax havanensis Havana greenbrier, Everglades greenbrier

CE = Exotic species only cultivated on the site

E = Not Native to the site

References:

National Audubon Society, Florida Natural Areas Inventory, & The Nature Conservancy. 1992. Tropical Flyways; a proposal to: conservation and recreational Lands. Unpublished.

Table 14:
The Vascular Plants of
Spoonbill Sound Hammocks,
Florida Keys Wildlife & Environmental Area,
Cudjoe Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On September 6 & 7, 2000

Dicots

Aizoaceae

Sesuvium portulacastrum Perennial sea-purslane, Shoreline seapurslane

Anacardiaceae

Metopium toxiferum Poisonwood, Florida poisontree
 E *Schinus terebinthifolius* Brazilian-pepper

Apocynaceae

Pentalinon luteum Wild-allamanda, Hammock viperstail

Asclepiadaceae

Cynanchum angustifolium Vine milkweed, Gulf Coast swallowwort

Asteraceae

Baccharis halimifolia Groundsel tree, Sea-myrtle
Bidens alba var. *radiata* Spanish-needles, Beggarticks
Borrichia arborescens Green sea-oxeye-daisy, Tree seaside oxeye
Borrichia frutescens Silver sea-oxeye-daisy, Bushy seaside oxeye
Conyzia canadensis var. *pusilla* Dwarf Canadian horseweed
Flaveria linearis Narrowleaf yellowtops
Melanthera nivea Snow squarestem
Mikania scandens Climbing hempweed, Climbing hampvine
Pectis glaucescens Tea-blinkum, Sanddune cinchweed
Pluchea carolinensis Cure-for-all
 E *Tridax procumbens* Brittleweed, Coatbuttons

Avicenniaceae

Avicennia germinans Black mangrove

Batraceae

Batis maritima Saltwort, Turtleweed

Boraginaceae

Bourreria succulenta Smooth strongback, Bahama strongbark

Heliotropium curassavicum

Seaside heliotrope, Salt heliotrope

<i>Tournefortia volubilis</i>	Twining soldierbush
Burseraceae	
<i>Bursera simaruba</i>	Gumbo-limbo
Cactaceae	
E <i>Hylocereus undatus</i>	Nightblooming cereus
E <i>Opuntia cochenillifera</i>	Cochineal cactus
CN <i>Opuntia corallicola</i>	Semaphore pricklypear
Casuarinaceae	
<i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
Celastraceae	
<i>Crossopetalum rhacoma</i>	Rhacoma, Maidenberry
<i>Gyminda latifolia</i>	West Indian false boxwood
Chenopodiaceae	
<i>Atriplex pentandra</i>	Beach orach, Crested saltbush
<i>Salicornia perennis</i>	Perennial glasswort
<i>Suaeda linearis</i>	Sea-blite, Annual seepweed
Combretaceae	
<i>Conocarpus erectus</i>	Buttonwood
<i>Laguncularia racemosa</i>	White mangrove
E <i>Terminalia catappa</i>	Tropical-almond, West Indian-almond
Convolvulaceae	
<i>Ipomoea indica</i> var. <i>acuminata</i>	Ocean-blue morningglory
<i>Ipomoea violacea</i>	Coastal morningglory
Euphorbiaceae	
<i>Chamaesyce blodgettii</i>	Limestone sandmat
<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
<i>Chamaesyce hyssopifolia</i>	Eyebane, Hyssopleaf sandmat
<i>Chamaesyce mesembrianthemifolia</i>	Seaside spurge, Coastal beach sandmat
<i>Drypetes diversifolia</i>	Milkbark, Whitewood
Fabaceae	
<i>Acacia farnesiana</i>	Sweet acacia
E <i>Alysicarpus vaginalis</i>	White moneywort
<i>Centrosema virginianum</i>	Spurred butterfly-pea
<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
<i>Desmanthus virgatus</i>	Wild tantan
<i>Desmodium incanum</i>	Beggar's-ticks
E <i>Desmodium tortuosum</i>	Dixie ticktrefoil
<i>Galactia striata</i>	Florida Hammock milkpea
<i>Galactia volubilis</i>	Downy milkpea
E <i>Leucaena leucocephala</i>	White leadtree
E <i>Macroptilium lathyroides</i>	Wild-bean, Wild bushbean
<i>Piscidia piscipula</i>	Jamaica-dogwood, Florida fishpoison tree
<i>Pithecellobium keyense</i>	Florida Keys blackbead
<i>Rhynchosia minima</i>	Least snoutbean
<i>Sophora tomentosa</i> var. <i>truncata</i>	Yellow necklacepod
<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes

<u>Gentianaceae</u>		
	<i>Eustoma exaltatum</i>	Seaside gentian, Marshgentian
<u>Goodeniaceae</u>		
E	<i>Scaevola sericea</i>	Beach napuka
<u>Malpighiaceae</u>		
	<i>Byrsonima lucida</i>	Locustberry
<u>Malvaceae</u>		
	<i>Herissantia crispa</i>	Bladdermallow
	<i>Sida acuta</i>	Common wireweed, Common fanpetals
	<i>Sida ciliaris</i>	Bracted fanpetals, Fringed fanpetals
E	<i>Thespesia populnea</i>	Portiatree
<u>Moraceae</u>		
	<i>Ficus aurea</i>	Strangler fig, Golden fig
	<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
<u>Myrsinaceae</u>		
	<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>		
	<i>Eugenia axillaris</i>	White stopper
	<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
	<i>Psidium longipes</i>	Longstalked-stopper
<u>Nyctaginaceae</u>		
	<i>Guapira discolor</i>	Blolly, Beeftree
<u>Olacaceae</u>		
	<i>Ximenia americana</i>	Hog-plum, Tallowwood
<u>Passifloraceae</u>		
	<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Polygalaceae</u>		
	<i>Polygala grandiflora</i>	Candyweed, Showy milkwort
<u>Polygonaceae</u>		
	<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue
	<i>Coccoloba uvifera</i>	Seagrape
<u>Portulacaceae</u>		
	<i>Portulaca oleracea</i>	Purslane, Little hogweed
<u>Rhamnaceae</u>		
	<i>Krugiodendron ferreum</i>	Black ironwood, Leadwood
	<i>Reynosia septentrionalis</i>	Darlingplum
<u>Rhizophoraceae</u>		
	<i>Rhizophora mangle</i>	Red mangrove
<u>Rubiaceae</u>		
	<i>Chiococca alba</i>	Common snowberry, Milkberry
	<i>Chiococca parvifolia</i>	Pineland snowberry
	<i>Erithalis fruticosa</i>	Blacktorch

<i>Ernodea littoralis</i>	Beach-creeper, Coughbush
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
<i>Randia aculeata</i>	White indigoberry
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed
 <u>Rutaceae</u>	
<i>Amyris elemifera</i>	Common torchwood, Sea torchwood
 <u>Sapindaceae</u>	
<i>Exothea paniculata</i>	Inkwood, Butterbough
 <u>Sapotaceae</u>	
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild dilly
E <i>Manilkara zapota</i>	Sapodilla
<i>Sideroxylon celastrinum</i>	Saffronplum
 <u>Scrophulariaceae</u>	
<i>Agalinis fasciculata</i>	Beach false foxglove
<i>Agalinis maritima</i>	Saltmarsh false foxglove
<i>Capraria biflora</i>	Goatweed
 <u>Solanaceae</u>	
<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn
<i>Solanum verbascifolium</i>	Mullein nightshade
 <u>Sterculiaceae</u>	
<i>Waltheria indica</i>	Sleepy morning
 <u>Surianaceae</u>	
<i>Suriana maritima</i>	Baycedar
 <u>Theophrastaceae</u>	
<i>Jacquinia keyensis</i>	Joewood
 <u>Verbenaceae</u>	
<i>Lantana involucrata</i>	Wild-sage, Buttonsage
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweek
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee
<u>Monocots</u>	
 <u>Agavaceae</u>	
E <i>Agave sisalana</i>	Sisal-hemp
 <u>Arecaceae</u>	
<i>Coccothrinax argentata</i>	Florida silver palm
E <i>Cocos nucifera</i>	Coconut palm
<i>Sabal palmetto</i>	Cabbage palm
<i>Serenoa repens</i>	Saw palmetto
<i>Thrinax morrisii</i>	Silver thatch palm, Brittle thatch palm
<i>Thrinax radiata</i>	Green thatch palm, Florida thatch palm
 <u>Cyperaceae</u>	
<i>Abildgaardia ovata</i>	Flatspike sedge
<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass
<i>Eleocharis cellulosa</i>	Gulf Coast spikerush

	<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
	<i>Fimbristylis spadicea</i>	Marsh fimbry
<u>Orchidaceae</u>		
E	<i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
<u>Poaceae</u>		
	<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
	<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
	<i>Cenchrus echinatus</i>	Southern sandbur
	<i>Cenchrus incertus</i>	Coastal sandbur
E	<i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
	<i>Distichlis spicata</i>	Saltgrass
E	<i>Eragrostis ciliaris</i>	Gophertail lovegrass
	<i>Eragrostis elliotii</i>	Elliott's lovegrass
E	<i>Eremochloa ophiuroides</i>	Centipedegrass
	<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
	<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass
	<i>Panicum virgatum</i>	Switchgrass
	<i>Paspalidium chapmanii</i>	Coral panicum
	<i>Paspalum caespitosum</i>	Blue paspalum, Blue crowngrass
	<i>Paspalum laxum</i>	Coconut paspalum
	<i>Paspalum setaceum</i>	Thin paspalum
	<i>Schizachyrium gracile</i>	Wire bluestem
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
	<i>Spartina patens</i>	Marshhay cordgrass, Saltmeadow cordgrass
	<i>Spartina spartinae</i>	Gulf cordgrass
	<i>Sporobolus domingensis</i>	Coral dropseed
E	<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
	<i>Sporobolus virginicus</i>	Seashore dropseed
E	<i>Stenotaphrum secundatum</i>	St. Augustine grass
E	<i>Zoysia tenuifolia</i>	Mascarene templegrass
<u>Typhaceae</u>		
	<i>Typha domingensis</i>	Southern cat-tail

Pteridophytes

<u>Pteridaceae</u>		
	<i>Acrostichum danaeifolium</i>	Giant leather fern

CE = Exotic species only cultivated on the site

CN = Native species only cultivated on the site

E = Not Native to the site

Table 15:
The Vascular Plants of
Upper Sugarloaf Hammocks,
Florida Keys Wildlife & Environmental Area,
Upper Sugarloaf Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On June 28, September 19-21, 2000

Dicots

Aizoaceae

Sesuvium portulacastrum Perennial sea-purslane, Shoreline seapurslane

Amaranthaceae

Alternanthera flavescens Yellow joyweed

Anacardiaceae

Metopium toxiferum Poisonwood, Florida poisontree
 E *Schinus terebinthifolius* Brazilian-pepper

Apocynaceae

Echites umbellata Devil's-potato, Rubbervine
Pentalinon luteum Wild-allamanda, Hammock viperstail

Asclepiadaceae

Cynanchum angustifolium Vine milkweed, Gulf Coast swallowwort
Cynanchum northropiae Vine milkweed, Fragrant swallowwort

Asteraceae

Aster bracei Brace's aster
Bidens alba var. *radiata* Spanish-needles, Beggarticks
Borrichia arborescens Green sea-oxeye-daisy, Tree seaside oxeye
Borrichia frutescens Silver sea-oxeye-daisy, Bushy seaside oxeye
Flaveria linearis Narrowleaf yellowtops
Melanthera nivea Snow squarestem
 E *Wedelia trilobata* Creeping wedelia, Creeping oxeye

Avicenniaceae

Avicennia germinans Black mangrove

Batraceae

Batis maritima Saltwort, Turtleweed

Boraginaceae

<i>Cordia globosa</i>	Butterflybush, Curacao bush
<i>Heliotropium angiospermum</i>	Scorpionstail
Burseraceae	
<i>Bursera simaruba</i>	Gumbo-limbo
Casuarinaceae	
E <i>Casuarina cunninghamiana</i>	Beefwood, River sheoak
E <i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
Celastraceae	
<i>Crossopetalum rhacoma</i>	Rhacoma, Maidenberry
<i>Gyminda latifolia</i>	West Indian false boxwood
Chenopodiaceae	
<i>Atriplex pentandra</i>	Beach orach, Crested saltbush
<i>Salicornia bigelovii</i>	Annual glasswort
<i>Salicornia perennis</i>	Perennial glasswort
<i>Suaeda linearis</i>	Sea-blite, Annual seepweed
Combretaceae	
<i>Conocarpus erectus</i>	Buttonwood
<i>Laguncularia racemosa</i>	White mangrove
E <i>Terminalia catappa</i>	Tropical-almond, West Indian-almond
Convolvulaceae	
E <i>Evolvulus alsinoides</i>	Slender dwarf morningglory
<i>Ipomoea indica</i> var. <i>acuminata</i>	Ocean-blue morningglory
<i>Ipomoea pes-caprae</i> ssp. <i>brasiliensis</i>	Railroadvine, Bayhops
Euphorbiaceae	
<i>Chamaesyce blodgettii</i>	Limestone sandmat
<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
<i>Chamaesyce mesembrianthemifolia</i>	Seaside spurge, Coastal beach sandmat
<i>Drypetes diversifolia</i>	Milkbark, Whitewood
CE <i>Euphorbia tirucalli</i>	Pencil-cactus, Pencil tree, Indian tree spurg
<i>Phyllanthus caroliniensis</i> ssp. <i>saxicola</i>	Rock Carolina leafflower
<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain
<i>Savia bahamensis</i>	Maidenbush, Bahama maidenbush
Fabaceae	
<i>Acacia pinetorum</i>	Pineland acacia
<i>Desmanthus virgatus</i>	Wild tantan
<i>Desmodium incanum</i>	Beggar's-ticks
<i>Galactia striata</i>	Florida Hammock milkpea
E <i>Indigofera tinctoria</i>	True indigo
E <i>Leucaena leucocephala</i>	White leadtree
<i>Piscidia piscipula</i>	Jamaica-dogwood, Florida fishpoison tree
<i>Pithecellobium keyense</i>	Florida Keys blackbead
<i>Rhynchosia minima</i>	Least snoutbean
<i>Sesbania herbacea</i>	Danglepod
<i>Sophora tomentosa</i> var. <i>truncata</i>	Yellow necklacepod
<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
<i>Vigna luteola</i>	Cow-pea, Hairypod cowpea

<u>Gentianaceae</u>		
	<i>Eustoma exaltatum</i>	Seaside gentian, Marshgentian
<u>Malpighiaceae</u>		
	<i>Byrsonima lucida</i>	Locustberry
<u>Malvaceae</u>		
	<i>Herissantia crispa</i>	Bladdermallow
	<i>Sida abutifolia</i>	Spreading fanpetals
	<i>Sida ciliaris</i>	Bracted fanpetals, Fringed fanpetals
E	<i>Thespesia populnea</i>	Portia tree
<u>Meliaceae</u>		
E	<i>Swietenia mahagoni</i>	West Indian mahogany
<u>Moraceae</u>		
	<i>Ficus aurea</i>	Strangler fig, Golden fig
	<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
<u>Myrsinaceae</u>		
	<i>Ardisia escallionoides</i>	Marlberry
	<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>		
	<i>Eugenia axillaris</i>	White stopper
	<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
	<i>Psidium longipes</i>	Longstalked-stopper
<u>Nyctaginaceae</u>		
	<i>Guapira discolor</i>	Blolly, Beeftree
<u>Olacaceae</u>		
	<i>Ximenia americana</i>	Hog-plum, Tallowwood
<u>Passifloraceae</u>		
	<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Plumbaginaceae</u>		
	<i>Limonium carolinianum</i>	Saltmarsh-rosemary, Carolina sealavender
<u>Polygalaceae</u>		
	<i>Polygala grandiflora</i>	Candyweed, Showy milkwort
<u>Polygonaceae</u>		
	<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue
	<i>Coccoloba uvifera</i>	Seagrape
<u>Portulacaceae</u>		
	<i>Portulaca oleracea</i>	Purslane, Little hogweed
<u>Rhamnaceae</u>		
	<i>Reynosia septentrionalis</i>	Darlingplum
<u>Rhizophoraceae</u>		
	<i>Rhizophora mangle</i>	Red mangrove
<u>Rubiaceae</u>		
	<i>Chiococca parvifolia</i>	Pineland snowberry

<i>Eriothalis fruticosa</i>	Blacktorch
<i>Ernodea littoralis</i>	Beach-creeper, Coughbush
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
<i>Randia aculeata</i>	White indigoberry
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed
<i>Strumpfia maritima</i>	Pride-of-Big-Pine
 <u>Rutaceae</u>	
<i>Amyris elemifera</i>	Common torchwood, Sea torchwood
 <u>Sapotaceae</u>	
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild dilly
<i>Sideroxylon celastrinum</i>	Saffronplum
<i>Sideroxylon salicifolium</i>	Willow-bustic, White bully
 <u>Scrophulariaceae</u>	
<i>Agalinis fasciculata</i>	Beach false foxglove
<i>Agalinis maritima</i>	Saltmarsh false foxglove
<i>Capraria biflora</i>	Goatweed
 <u>Solanaceae</u>	
<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn
<i>Solanum verbascifolium</i>	Mullein nightshade
 <u>Sterculiaceae</u>	
<i>Waltheria indica</i>	Sleepy morning
 <u>Surianaceae</u>	
<i>Suriana maritima</i>	Baycedar
 <u>Theophrastaceae</u>	
<i>Jacquinia keyensis</i>	Joewood
 <u>Verbenaceae</u>	
<i>Lantana involucrata</i>	Wild-sage, Buttonsage
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee
<u>Monocots</u>	
 <u>Agavaceae</u>	
E <i>Agave sisalana</i>	Sisal-hemp
E <i>Furcraea foetida</i>	Mauritius-hemp
 <u>Arecaceae</u>	
E <i>Chamaedorea seifrizii</i>	Bamboo palm
E <i>Cocos nucifera</i>	Coconut palm
E <i>Phoenix dactylifera</i>	Commercial date palm, Date
<i>Sabal palmetto</i>	Cabbage palm
<i>Serenoa repens</i>	Saw palmetto
<i>Thrinax morrisii</i>	Silver thatch palm, Brittle thatch palm
<i>Thrinax radiata</i>	Green thatch palm, Florida thatch palm
 <u>Bromeliaceae</u>	
<i>Tillandsia flexuosa</i>	Banded wild-pine, Twisted airplant
<i>Tillandsia paucifolia</i>	Twisted wild-pine, Potbelly airplant
<i>Tillandsia usneoides</i>	Spanish-moss

<u>Cymodoceaceae</u>		
	<i>Syringodium filiforme</i>	Manatee-grass
<u>Cyperaceae</u>		
	<i>Abildgaardia ovata</i>	Flatspike sedge
	<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass
	<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
	<i>Fimbristylis spadicea</i>	Marsh fimbry
<u>Hydrocharitaceae</u>		
	<i>Thalassia testudina</i>	Turtle-grass
<u>Orchidaceae</u>		
E	<i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
<u>Poaceae</u>		
	<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
	<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
	<i>Cenchrus echinatus</i>	Southern sandbur
	<i>Cenchrus incertus</i>	Coastal sandbur
	<i>Distichlis spicata</i>	Saltgrass
E	<i>Eragrostis amabilis</i>	Feather lovegrass
	<i>Eragrostis elliottii</i>	Elliott's lovegrass
	<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
	<i>Leptochloa dubia</i>	Green spangletop, Green sprangletop
	<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass
	<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
	<i>Panicum amarum</i>	Beachgrass, Bitter panicgrass
	<i>Panicum virgatum</i>	Switchgrass
	<i>Paspalidium chapmanii</i>	Coral panicum
	<i>Paspalum caespitosum</i>	Blue paspalum, Blue crowngrass
	<i>Paspalum laxum</i>	Coconut paspalum
	<i>Schizachyrium gracile</i>	Wire bluestem
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
	<i>Spartina spartinae</i>	Gulf cordgrass
	<i>Sporobolus dominicensis</i>	Coral dropseed
E	<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
	<i>Sporobolus virginicus</i>	Seashore dropseed
E	<i>Stenotaphrum secundatum</i>	St. Augustine grass
<u>Ruppiaceae</u>		
	<i>Ruppia maritima</i>	Wigeon-grass

Pteridophytes

<u>Dennstaedtiaceae</u>		
	<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern
<u>Pteridaceae</u>		
	<i>Pteris bahamensis</i>	Bahama ladder brake

CE = Exotic species only cultivated on the site

E = Not Native to the site

Table 16:
The Vascular Plants of
Wahoo Hammocks,
Florida Keys Wildlife & Environmental Area,
Wahoo Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
The Institute for Regional Conservation
Miami, Florida
On September 1 & 7, 2000

Compiled from field observations made by the authors and from the sources listed in "References" below.

Dicots

Aizoaceae

Sesuvium portulacastrum Perennial sea-purslane, Shoreline seapurslane

Anacardiaceae

Metopium toxiferum Poisonwood, Florida poisontree

Apocynaceae

Echites umbellata Devil's-potato, Rubbervine
Pentalinon luteum Wild-allamanda, Hammock viperstail

Asclepiadaceae

Cynanchum angustifolium Vine milkweed, Gulf Coast swallowwort

Asteraceae

Aster bracei Brace's aster
Borrichia arborescens Green sea-oxeye-daisy, Tree seaside oxeye
Borrichia frutescens Silver sea-oxeye-daisy, Bushy seaside oxeye
Flaveria linearis Narrowleaf yellowtops
Melanthera nivea Snow squarestem

Avicenniaceae

Avicennia germinans Black mangrove

Batraceae

Batis maritima Saltwort, Turtleweed

Boraginaceae

Heliotropium curassavicum Seaside heliotrope, Salt heliotrope

Caricaceae

E *Carica papaya* Papaya

Celastraceae

<i>Crossopetalum rhacoma</i>	Rhacoma, Maidenberry
<i>Maytenus phyllanthoides</i>	Florida mayten
<u>Chenopodiaceae</u>	
<i>Salicornia bigelovii</i>	Annual glasswort
<i>Salicornia perennis</i>	Perennial glasswort
<i>Suaeda linearis</i>	Sea-blite, Annual seepweed
<u>Combretaceae</u>	
<i>Conocarpus erectus</i>	Buttonwood
<i>Laguncularia racemosa</i>	White mangrove
<u>Convolvulaceae</u>	
<i>Ipomoea violacea</i>	Coastal morningglory
<u>Euphorbiaceae</u>	
<i>Chamaesyce portoriana</i>	Porter's sandmat
<i>Gymnanthes lucida</i>	Crabwood, Oysterwood
<u>Fabaceae</u>	
<i>Galactia striata</i>	Florida Hammock milkpea
<i>Piscidia piscipula</i>	Jamaica-dogwood, Florida fishpoison tree
<i>Pithecellobium keyense</i>	Florida Keys blackbead
<i>Senna mexicana</i> var. <i>chapmanii</i>	Bahama senna, Chapman's wild sensitive plant
<i>Sophora tomentosa</i> var. <i>truncata</i>	Yellow necklacepod
<u>Gentianaceae</u>	
<i>Eustoma exaltatum</i>	Seaside gentian, Marshgentian
<u>Malvaceae</u>	
<i>Herissantia crispa</i>	Bladdermallow
<u>Myrtaceae</u>	
<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
<u>Nyctaginaceae</u>	
<i>Guapira discolor</i>	Blolly, Beeftree
<u>Olacaceae</u>	
<i>Ximenia americana</i>	Hog-plum, Tallow wood
<u>Passifloraceae</u>	
<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Plumbaginaceae</u>	
<i>Limonium carolinianum</i>	Saltmarsh-rosemary, Carolina sealavender
<u>Polygonaceae</u>	
<i>Coccoloba diversifolia</i>	Pigeonplum, Tietoungue
<i>Coccoloba uvifera</i>	Seagrape
<u>Rhamnaceae</u>	
<i>Reynosia septentrionalis</i>	Darling-plum
<u>Rhizophoraceae</u>	
<i>Rhizophora mangle</i>	Red mangrove
<u>Rubiaceae</u>	

<i>Chiococca alba</i>	Common snowberry, Milkberry
<i>Chiococca parvifolia</i>	Pineland snowberry
<i>Erithalis fruticosa</i>	Blacktorch
<i>Genipa clusiifolia</i>	Sevenyear-apple, Sevenyear apple
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
<i>Randia aculeata</i>	White indigoberry

Sapotaceae

<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild dilly
CE <i>Manilkara zapota</i>	Sapodilla
<i>Sideroxylon celastrinum</i>	Saffron-plum

Solanaceae

<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn
<i>Solanum erianthum</i>	Potatotree
<i>Solanum verbascifolium</i>	Mullein nightshade

Sterculiaceae

<i>Waltheria indica</i>	Sleepy morning
-------------------------	----------------

Surianaceae

<i>Suriana maritima</i>	Bay-cedar
-------------------------	-----------

Theophrastaceae

<i>Jacquinia keyensis</i>	Joewood
---------------------------	---------

Monocots

Agavaceae

<i>Agave decipiens</i>	False-sisal
------------------------	-------------

Arecaceae

<i>Coccothrinax argentata</i>	Florida silver palm
E <i>Phoenix dactylifera</i>	Commercial date palm, Date
<i>Thrinax morrisii</i>	Silver thatch palm, Brittle thatch palm
<i>Thrinax radiata</i>	Green thatch palm, Florida thatch palm

Bromeliaceae

<i>Tillandsia paucifolia</i>	Twisted wild-pine, Potbelly airplant
------------------------------	--------------------------------------

Cyperaceae

<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
<i>Fimbristylis spadicea</i>	Marsh fimbry

Orchidaceae

E <i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
-------------------------------	------------------------------------

Poaceae

<i>Distichlis spicata</i>	Saltgrass
<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass
<i>Panicum virgatum</i>	Switch grass
<i>Paspalidium chapmanii</i>	Coral panicum
<i>Paspalum caespitosum</i>	Blue paspalum, Blue crowngrass
<i>Paspalum vaginatum</i>	Seashore paspalum
<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass

<i>Spartina spartinae</i>	Gulf cord grass
<i>Sporobolus domingensis</i>	Coral dropseed
<i>Sporobolus virginicus</i>	Seashore dropseed

Pteridophytes

Nephrolepidaceae

<i>Nephrolepis exaltata</i>	Wild Boston fern
-----------------------------	------------------

Polypodiaceae

<i>Phlebodium aureum</i>	Golden polypody
--------------------------	-----------------

CE = Exotic species only cultivated on the site

E = Not Native to the site

References:

Weiner, Art H. 1980. The Hardwood Hammocks of the Florida Keys: An Ecological Study (1977-1986). The National Audubon Society.

Table 17:
The Rare Vascular Plants of
Big Torch Hammocks - Parcels 879, 880, 881,
Florida Keys Wildlife & Environmental Area,
Big Torch Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On August 31, September 13 & 14, 2000

<u>Species</u>	<u>State Status</u>	<u>Federal Status</u>	<u>FNAI Status</u>	<u>IRC Status</u>	<u>Size Range</u>
<i>Acacia pinetorum</i>				R2	11-100
<i>Bourreria succulenta</i>	E				11-100
<i>Byrsinima lucida</i>	T				1,001-10,000
<i>Calyptranthes pallens</i>	T				11-100
<i>Canella winteriana</i>	E		S2	R2	101-1,000
<i>Coccothrinax argentata</i>	T		S2?		2-10
<i>Crossopetalum rhacoma</i>	E				101-1,000
<i>Drypetes diversifolia</i>	E		S2	R2	101-1,000
<i>Eriochloa michauxii</i> var. <i>michauxii</i>				R2	11-100
<i>Erithalis fruticosa</i>	T				1,001-10,000
<i>Jacquinia keyensis</i>	T				1,001-10,000
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				1,001-10,000
<i>Paspalum laxum</i>				R2	11-100
<i>Pithecellobium keyense</i>	T				1,001-10,000
<i>Polygala boykinii</i>				R2	2-10
<i>Psidium longipes</i>	T				1,001-10,000
<i>Reynosia septentrionalis</i>	T				1,001-10,000
<i>Senna mexicana</i> var. <i>chapmanii</i>	T				2-10
<i>Solanum verbascifolium</i>	T				101-1,000
<i>Thrinax morrisii</i>	E			R2	1,001-10,000
<i>Thrinax radiata</i>	E				11-100
<i>Tillandsia flexuosa</i>	E				1,001-10,000
<i>Tillandsia utriculata</i>	E				11-100

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 18:
The Rare Vascular Plants of
Blue Heron Hammock,
Florida Keys Wildlife & Environmental Area,
Vaca Key, Marathon

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On April 21, 2000

Species	State Status	Federal Status	FNAI Status	IRC Status	Size Range
<i>Acanthocereus tetragonus</i>	T				101-1,000
<i>Argythamnia blodgettii</i>	E		S2	R2	11-100
<i>Bourreria succulenta</i>	E				101-1,000
<i>Chamaesyce porteriiana</i>	E		S2		2-10
<i>Cordia globosa</i>	E			R2	1
<i>Crossopetalum rhacoma</i>	E				2-10
<i>Drypetes diversifolia</i>	E		S2	R2	101-1,000
<i>Erithalis fruticosa</i>	T				2-10
<i>Gossypium hirsutum</i>	E				2-10
<i>Gyminda latifolia</i>	E			S2	101-1,000
<i>Jacquinia keyensis</i>	T			R2	2-10
<i>Leptochloa dubia</i>					10-100
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				101-1,000
<i>Maytenus phyllanthoides</i>	T				11-100
<i>Opuntia stricta</i>	T				101-1,000
<i>Paspalum laxum</i>				R2	10-100
<i>Pithecellobium keyense</i>	T				101-1,000
<i>Portulaca rubricaulis</i>				R2	10-100
<i>Reynosia septentrionalis</i>	T				101-1,000
<i>Senna mexicana</i> var. <i>chapmanii</i>	T				11-100
<i>Smilax havanensis</i>	T				101-1,000
<i>Sporobolus pyramidatus</i>				R1	2-10
<i>Thrinax radiata</i>	E		S2		1,001-10,000
<i>Trianthema portulacastrum</i>				R2	10-100

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 19:
The Rare Vascular Plants of
Dove Creek Hammocks Bayside,
Florida Keys Wildlife & Environmental Area,
Key Largo

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On July 20, and August 7, 2000

Species	State Status	Federal Status	FNAI Status	IRC Status	Size Range
<i>Acanthocereus tetragonus</i>	T				11-100
<i>Argythamnia blodgettii</i>	E		S2	R2	11-100
<i>Bourreria succulenta</i>	E				101-1,000
<i>Canella winteriana</i>	E		S2	R2	101-1,000
<i>Colubrina elliptica</i>	E			R2	101-1,000
<i>Crossopetalum rhacoma</i>	E				2-10
<i>Drypetes diversifolia</i>	E		S2	R2	101-1,000
<i>Exostema caribaeum</i>	E			R2	101-1,000
<i>Harrisia simpsonii</i>	E		S2	R2	2-10
<i>Hypelate trifoliata</i>	E		S1	R2	2-10
<i>Leptochloa dubia</i>				R2	2-10
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				101-1,000
<i>Opuntia stricta</i>	T				11-100
<i>Passiflora multiflora</i>	E		S1	R2	11-100
<i>Pithecellobium keyense</i>	T				11-100
<i>Rhynchosia swartzii</i>	E			R1	2-10
<i>Schaefferia frutescens</i>	E		S2	R2	11-100
<i>Swietenia mahagoni</i>	E		S2		1,001-10,000
<i>Thrinax radiata</i>	E		S2		11-100

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 20:
The Rare Vascular Plants of
Dove Creek Hammocks Oceanside,
Florida Keys Wildlife & Environmental Area,
Key Largo

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On June 6, July 20, 21, & 27, & August 7, 2000

Species	State Status	Federal Status	FNAI Status	IRC Status	Size Range:
<i>Acanthocereus tetragonus</i>	T				11-100
<i>Bourreria succulenta</i>	E				101-1,000
<i>Calyptranthes pallens</i>	T				11-100
<i>Canella winteriana</i>	E		S2	R2	101-1,000
<i>Crossopetalum rhacoma</i>	E				101-1,000
<i>Cynanchum northropiae</i>					R2
<i>Drypetes diversifolia</i>	E		S2	R2	101-1,000
<i>Drypetes lateriflora</i>	T				11-100
<i>Exostema caribaeum</i>	E				R2
<i>Gossypium hirsutum</i>	E				101-1,000
<i>Harrisia simpsonii</i>	E		S2	R2	101-1,000
<i>Jacquinia keyensis</i>	T				1,001-10,000
<i>Maytenus phyllanthoides</i>	T				101-1,000
<i>Opuntia stricta</i>	T				11-100
<i>Paspalidium chapmani</i>	E				R2
<i>Passiflora multiflora</i>	E		S1	R2	11-100
<i>Pithecellobium keyense</i>	T				1,001-10,000
<i>Portulaca rubricaulis</i>					R2
<i>Reynosia septentrionalis</i>	T				1,001-10,000
<i>Schaefferia frutescens</i>	E		S2	R2	101-1,000
<i>Swietenia mahagoni</i>	E		S2		1,001-10,000
<i>Thrinax radiata</i>	E		S2		1,001-10,000
<i>Tillandsia flexuosa</i>	E				101-1,000
<i>Trianthema portulacastrum</i>					R2
<i>Vallesia antillana</i>	E		S1	R1	11-100
					2-10

T = Threatened
 E = Endangered
 S1 = Critically Imperiled in Florida
 S2 = Imperiled in Florida
 R1 = Critically Imperiled in southern Florida
 R2 = Imperiled in southern Florida

Table 21:
The Rare Vascular Plants of
Lake San Pedro Hammocks,
Florida Keys Wildlife & Environmental Area,
Plantation Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On July 21 & 27, 2000

Species	State Status	Federal Status	FNAI Status	IRC Status	Size Range:
<i>Acanthocereus tetragonus</i>	T				11-100
<i>Canella winteriana</i>	E		S2	R2	11-100
<i>Cynanchum northropiae</i>				R2	11-100
<i>Drypetes diversifolia</i>	E		S2	R2	11-100
<i>Gossypium hirsutum</i>	E				11-100
<i>Harrisia simpsonii</i>	E		S2	R2	11-100
<i>Hippomane mancinella</i>	E		S2	R2	101-1,000
<i>Jacquinia keyensis</i>	T				1,001-10,000
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				101-1,000
<i>Maytenus phyllanthoides</i>	T				101-1,000
<i>Opuntia stricta</i>	T				11-100
<i>Passiflora multiflora</i>	E		S1	R2	11-100
<i>Pithecellobium keyense</i>	T				1,001-10,000
<i>Reynosia septentrionalis</i>	T				101-1,000
<i>Swietenia mahagoni</i>	E		S2		101-1,000
<i>Thrinax radiata</i>	E		S2		101-1,000
<i>Tillandsia fasciculata</i> var. <i>densispica</i>	E				11-100
<i>Tillandsia flexuosa</i>	E				101-1,000
<i>Tillandsia utriculata</i>	E				101-1,000

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 22:
The Rare Vascular Plants of
Little Torch Hammocks,
Florida Keys Wildlife & Environmental Area,
Little Torch Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On September 1, 14, 15, & 20, 2000

Species	State Status	Federal Status	FNAI Status	IRC Status	Size Range:
<i>Bourreria succulenta</i>	E				11-100
<i>Byrsinima lucida</i>	T				1,001-10,000
<i>Calyptranthes pallens</i>	T				11-100
<i>Coccothrinax argentata</i>	T		S2?		11-100
<i>Crossopetalum rhacoma</i>	E				101-1,000
<i>Drypetes diversifolia</i>	E		S2	R2	101-1,000
<i>Eriothalis fruticosa</i>	T				101-1,000
<i>Gyminda latifolia</i>	E		S2	R2	101-1,000
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				101-1,000
<i>Paspalum laxum</i>				R2	11-100
<i>Pithecellobium keyense</i>	T				101-1,000
<i>Psidium longipes</i>	T				101-1,000
<i>Reynosia septentrionalis</i>	T				101-1,000
<i>Savia bahamensis</i>	E		S2	R1	101-1,000
<i>Senna mexicana</i> var. <i>chapmanii</i>	T				11-100
<i>Solanum verbascifolium</i>	T				11-100
<i>Thrinax morrisii</i>	E			R2	101-1,000
<i>Tillandsia fasciculata</i> var. <i>densispica</i>	E				11-100
<i>Tillandsia utriculata</i>	E				11-100

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 23:
The Rare Vascular Plants of
Lower Sugarloaf Hammocks,
Florida Keys Wildlife & Environmental Area,
Lower Sugarloaf Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On June 28, September 18, 20, 21, 2000

Species	State Status	Federal Status	FNAI Status	IRC Status	Size Range:
<i>Ageratum littorale</i>	E		S2	R1	11-100
<i>Bletia purpurea</i>	T				11-100
<i>Byrsinima lucida</i>	T				1,001-10,000
<i>Calyptrothrix pallens</i>	T				101-1,000
<i>Coccothrinax argentata</i>	T		S2?		101-1,000
<i>Crossopetalum rhacoma</i>	E				1,001-10,000
<i>Cynanchum northropiae</i>				R2	101-1,000
<i>Drypetes diversifolia</i>	E		S2	R2	101-1,000
<i>Eriothalis fruticosa</i>	T				10,001-100,000
<i>Eugenia rhombea</i> ¹	E		S1	R1	?
<i>Gyminda latifolia</i>	E		S2	R2	1,001-10,000
<i>Harrisia simpsonii</i>	E		S2	R2	11-100
<i>Hippomane mancinella</i>	E		S2	R2	2-10
<i>Jacquinia keyensis</i>	T				10,001-100,000
<i>Leptochloa dubia</i>				R2	11-100
<i>Linum arenicola</i>	E		S1S2	R2	101-1,000
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				1,001-10,000
<i>Maytenus phyllanthoides</i>	T				101-1,000
<i>Opuntia stricta</i>	T				101-1,000
<i>Paspalidium chapmanii</i>	E			R2	101-1,000
<i>Paspalum laxum</i>				R2	101-1,000
<i>Pithecellobium keyense</i>	T				1,001-10,000
<i>Polygala boykinii</i>				R2	11-100
<i>Psidium longipes</i>	T				1,001-10,000
<i>Reynosia septentrionalis</i>	T				1,001-10,000
<i>Savia bahamensis</i>	E		S2	R1	1,001-10,000
<i>Strumpfia maritima</i>	E		S1	R1	101-1,000
<i>Thrinax morrisii</i>	E			R2	1,001-10,000
<i>Thrinax radiata</i>	E		S2		101-1,000
<i>Tillandsia balbisiana</i>	T				101-1,000
<i>Tillandsia fasciculata</i> var. <i>densispica</i>	E				101-1,000
<i>Tillandsia flexuosa</i>	E				1,001-10,000
<i>Tillandsia utriculata</i>	E				101-1,000
<i>Vanilla barbellata</i>	E		S2	R2	101-1,000

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

¹ 2 to 3 trees of this species was seen here by George Avery on May 8, 1963 and August 19, 1964 (Avery, G.N. 1983. Botanical notes of George Avery, south Florida botanist 19_ - 1983. Fairchild Tropical Garden Archives. Unpublished.). It was not seen during these surveys, but may still be present.

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 24:
The Rare Vascular Plants of
Middle Torch Hammocks Parcel 3063,
Florida Keys Wildlife & Environmental Area,
Middle Torch Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On September 6 & 14, 2000

Species	State Status	Federal Status	FNAI Status	IRC Status	Size Range:
<i>Bourreria succulenta</i>	E				101-1,000
<i>Byrsinima lucida</i>	T				1,001-10,000
<i>Calyptranthes pallens</i>	T				101-1,000
<i>Coccothrinax argentata</i>	T		S2?		11-100
<i>Crossopetalum rhacoma</i>	E				101-1,000
<i>Drypetes diversifolia</i>	E		S2	R2	101-1,000
<i>Eriothalis fruticosa</i>	T				1,001-10,000
<i>Gyminda latifolia</i>	E		S2	R2	101-1,000
<i>Leiphaimos parasitica</i>	E		S2	R2	11-100
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				1,001-10,000
<i>Paspalum laxum</i>				R2	11-100
<i>Pithecellobium keyense</i>	T				1,001-10,000
<i>Polygala boykinii</i>				R2	11-100
<i>Psidium longipes</i>	T				1,001-10,000
<i>Reynosia septentrionalis</i>	T				1,001-10,000
<i>Rhynchospora floridensis</i>			S2		101-1,000
<i>Ruppia maritima</i>				R2	11-100
<i>Savia bahamensis</i>	E		S2	R1	1,001-10,000
<i>Thrinax morrisii</i>	E			R2	101-1,000
<i>Tillandsia balbisiana</i>	T				11-100
<i>Tillandsia flexuosa</i>	E				101-1,000
<i>Tillandsia utriculata</i>	E				101-1,000
<i>Vanilla barbellata</i>	E		S2	R2	11-100

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 25:
The Rare Vascular Plants of
Middle Torch Hammocks Parcel 3112,
Florida Keys Wildlife & Environmental Area,
Middle Torch Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On September 7 & 15, 2000

Species	State Status	Federal Status	FNAI Status	IRC Status	Size Range:
<i>Byrsinima lucida</i>	T				1,001-10,000
<i>Calyptranthes pallens</i>	T				101-1,000
<i>Crossopetalum rhacoma</i>	E				101-1,000
<i>Dodonaea elaeagnoides</i>	E			R2	101-1,000
<i>Drypetes diversifolia</i>	E		S2	R2	101-1,000
<i>Eriothalis fruticosa</i>	T				1,001-10,000
<i>Jacquinia keyensis</i>	T				1,001-10,000
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				1,001-10,000
<i>Maytenus phyllanthoides</i>	T				101-1,000
<i>Paspalum laxum</i>				R2	11-100
<i>Pithecellobium keyense</i>	T				1,001-10,000
<i>Polygala boykinii</i>				R2	11-100
<i>Psidium longipes</i>	T				1,001-10,000
<i>Reynosia septentrionalis</i>	T				1,001-10,000
<i>Rhynchospora floridensis</i>			S2		11-100
<i>Savia bahamensis</i>	E		S2	R1	1,001-10,000
<i>Thrinax morrisii</i>	E			R2	101-1,000
<i>Tillandsia flexuosa</i>	E				101-1,000
<i>Tillandsia utriculata</i>	E				101-1,000

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 26:
The Rare Vascular Plants of
Middle Torch Hammocks Anderson Parcel,
Florida Keys Wildlife & Environmental Area,
Middle Torch Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On September 7 & 14, 2000

Species	State Status	Federal Status	FNAI Status	IRC Status	Size Range:
<i>Byrsinima lucida</i>	T				1,001-10,000
<i>Calyptranthes pallens</i>	T				101-1,000
<i>Coccothrinax argentata</i>	T		S2?		11-100
<i>Crossopetalum rhacoma</i>	E				101-1,000
<i>Dodonaea elaeagnoides</i>	E			R2	101-1,000
<i>Drypetes diversifolia</i>	E		S2	R2	101-1,000
<i>Erithalis fruticosa</i>	T				1,001-10,000
<i>Gyminda latifolia</i>	E		S2	R2	2-10
<i>Jacquinia keyensis</i>	T				1,001-10,000
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				1,001-10,000
<i>Paspalum laxum</i>				R2	11-100
<i>Pisonia rotundata</i>	E			R1	11-100
<i>Pithecellobium keyense</i>	T				1,001-10,000
<i>Polygala boykinii</i>				R2	11-100
<i>Psidium longipes</i>	T				1,001-10,000
<i>Reynosia septentrionalis</i>	T				1,001-10,000
<i>Rhynchospora floridensis</i>			S2		11-100
<i>Ruppia maritima</i>				R2	11-100
<i>Savia bahamensis</i>	E		S2	R1	1,001-10,000
<i>Thrinax morrisii</i>	E			R2	101-1,000
<i>Tillandsia balbisiana</i>	T				11-100
<i>Tillandsia fasciculata</i> var. <i>densispica</i>	E				101-1,000
<i>Tillandsia flexuosa</i>	E				101-1,000
<i>Tillandsia utriculata</i>	E				101-1,000

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 27:
The Rare Vascular Plants of
Middle Torch Hammocks Lipchak Parcel,
Florida Keys Wildlife & Environmental Area,
Middle Torch Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On September 7, 13, & 15, 2000

Species	State Status	Federal Status	FNAI Status	IRC Status	Size Range:
<i>Byrsinima lucida</i>	T				1,001-10,000
<i>Calyptranthes pallens</i>	T				101-1,000
<i>Crossopetalum rhacoma</i>	E				101-1,000
<i>Dodonaea elaeagnoides</i>	E			R2	11-100
<i>Erythalis fruticosa</i>	T				1,001-10,000
<i>Jacquinia keyensis</i>	T				1,001-10,000
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				1,001-10,000
<i>Maytenus phyllanthoides</i>	T				101-1,000
<i>Paspalum laxum</i>				R2	11-100
<i>Pithecellobium keyense</i>	T				1,001-10,000
<i>Polygala boykinii</i>				R2	11-100
<i>Psidium longipes</i>	T				1,001-10,000
<i>Rayacksonia phyllocephala</i>				R2	101-1,000
<i>Reynosia septentrionalis</i>	T				1,001-10,000
<i>Rhynchospora floridensis</i>			S2		101-1,000
<i>Senna mexicana</i> var. <i>chapmanii</i>	T				2-10
<i>Solanum verascifolium</i>	T				101-1,000
<i>Thrinax morrisii</i>	E			R2	101-1,000
<i>Tillandsia balbisiana</i>	T				11-100
<i>Tillandsia flexuosa</i>	E				1,001-10,000

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 28:
The Rare Vascular Plants of
Ramrod Hammocks,
Florida Keys Wildlife & Environmental Area,
Ramrod Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On September 6, 2000

<u>Species</u>	<u>State Status</u>	<u>Federal Status</u>	<u>FNAI Status</u>	<u>IRC Status</u>	<u>Size Range:</u>
<i>Byrsinima lucida</i>	T				1,001-10,000
<i>Cissus trifoliata</i>				R2	1
<i>Coccothrinax argentata</i>	T		S2?		101-1,000
<i>Crossopetalum rhacoma</i>	E				101-1,000
<i>Eriothalis fruticosa</i>	T				1,001-10,000
<i>Gyminda latifolia</i>	E		S2	R2	101-1,000
<i>Jacquinia keyensis</i>	T				1,001-10,000
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				1,001-10,000
<i>Maytenus phyllanthoides</i>	T				101-1,000
<i>Pithecellobium keyense</i>	T				10,001-100,000
<i>Psidium longipes</i>	T				1,001-10,000
<i>Reynosia septentrionalis</i>	T				101-1,000
<i>Savia bahamensis</i>	E		S2	R1	1,001-10,000
<i>Thrinax morrisii</i>	E			R2	1,001-10,000
<i>Thrinax radiata</i>	E		S2		101-1,000
<i>Tillandsia balbisiana</i>	T				11-100
<i>Tillandsia flexuosa</i>	E				1,001-10,000
<i>Tillandsia utriculata</i>	E				101-1,000
<i>Vanilla barbellata</i>	E		S2	R2	11-100

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 29:
The Rare Vascular Plants of
Snake Creek Hammocks,
Florida Keys Wildlife & Environmental Area,
Plantation Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On June 29, July 21 & 27, 2000

Species	State Status	Federal Status	FNAI Status	IRC Status	Size Range
<i>Acanthocereus tetragonus</i>	T				11-100
<i>Argythamnia blodgettii</i>	E		S2	R2	11-100
<i>Bourreria succulenta</i>	E				101-1,000
<i>Chamaesyce porteriana</i>	E		S2		11-100
<i>Cissus trifoliata</i>				R2	11-100
<i>Cordia globosa</i>	E			R2	101-1,000
<i>Cyperus elegans</i>				R2	11-100
<i>Cyperus fuligineus</i>	E			R1	11-100
<i>Drypetes diversifolia</i>	E		S2	R2	101-1,000
<i>Gossypium hirsutum</i>	E				2-10
<i>Hibiscus poeppigii</i>	E			R2	11-100
<i>Hypelate trifoliata</i>	E		S1	R2	1
<i>Indigofera mucronata</i> var. <i>keyensis</i>	E		S1	R1	11-100
<i>Ipomoea imperati</i>				R2	1
<i>Opuntia stricta</i>	T				11-100
<i>Paspalidium chapmanii</i>	E			R2	101-1,000
<i>Paspalum pleostachyum</i>				R1	1
<i>Pithecellobium keyense</i>	T				1,001-10,000
<i>Portulaca rubricaulis</i>				R2	1,001-10,000
<i>Reynosia septentrionalis</i>	T				101-1,000
<i>Schaefferia frutescens</i>	E		S2	R2	11-100
<i>Smilax havanensis</i>	T				11-100
<i>Solanum verbascifolium</i>	T				101-1,000
<i>Swietenia mahagoni</i>	E		S2		101-1,000

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 30:
The Rare Vascular Plants of
Spoonbill Sound Hammocks,
Florida Keys Wildlife & Environmental Area,
Cudjoe Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On September 6 & 7, 2000

<u>Species</u>	<u>State Status</u>	<u>Federal Status</u>	<u>FNAI Status</u>	<u>IRC Status</u>	<u>Size Range</u>
<i>Bourreria succulenta</i>	E				11-100
<i>Byrsinima lucida</i>	T				101-1,000
<i>Coccothrinax argentata</i>	T		S2?		101-1,000
<i>Crossopetalum rhacoma</i>	E				10-100
<i>Drypetes diversifolia</i>	E		S2	R2	11-100
<i>Eriothalis fruticosa</i>	T				1,001-10,000
<i>Gyminda latifolia</i>	E		S2	R2	11-100
<i>Jacquinia keyensis</i>	T				1,001-10,000
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				1,001-10,000
<i>Paspalidium chapmani</i>	E			R2	2-10
<i>Paspalum laxum</i>				R2	11-100
<i>Pithecellobium keyense</i>	T				1,001-10,000
<i>Psidium longipes</i>	T				1,001-10,000
<i>Reynosia septentrionalis</i>	T				101-1,000
<i>Solanum verbascifolium</i>	T				101-1,000
<i>Thrinax morrisii</i>	E			R2	101-1,000
<i>Thrinax radiata</i>	E		S2		10-100

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 31:
The Rare Vascular Plants of
Upper Sugarloaf Hammocks,
Florida Keys Wildlife & Environmental Area,
Upper Sugarloaf Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On June 28, September 19-21, 2000

Species	State Status	Federal Status	FNAI Status	IRC Status	Size Range:
<i>Acacia pinetorum</i>				R2	2-10
<i>Byrsinima lucida</i>	T				1,001-10,000
<i>Cordia globosa</i>	E			R2	11-100
<i>Crossopetalum rhacoma</i>	E				101-1,000
<i>Cynanchum northropiae</i>				R2	101-1,000
<i>Drypetes diversifolia</i>	E		S2	R2	101-1,000
<i>Eriothalis fruticosa</i>	T				1,001-10,000
<i>Gyminda latifolia</i>	E		S2	R2	101-1,000
<i>Jacquinia keyensis</i>	T				1,001-10,000
<i>Leptochloa dubia</i>				R2	2-10
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				1,001-10,000
<i>Paspalidium chapmani</i>	E			R2	101-1,000
<i>Paspalum laxum</i>				R2	101-1,000
<i>Pithecellobium keyense</i>	T				1,001-10,000
<i>Psidium longipes</i>	T				1,001-10,000
<i>Pteris bahamensis</i>	T				11-100
<i>Reynosia septentrionalis</i>	T				1,001-10,000
<i>Ruppia maritima</i>				R2	11-100
<i>Savia bahamensis</i>	E		S2	R1	101-1,000
<i>Sida abutifolia</i>				R1	11-100
<i>Solanum verbascifolium</i>	T				101-1,000
<i>Strumpfia maritima</i>	E		S1	R1	101-1,000
<i>Thrinax morrisii</i>	E			R2	1,001-10,000
<i>Thrinax radiata</i>	E		S2		11-100
<i>Tillandsia flexuosa</i>	E				1,001-10,000

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 32:
The Rare Vascular Plants of
Wahoo Hammocks,
Florida Keys Wildlife & Environmental Area,
Wahoo Key

Field Data Collected By:

Keith A. Bradley and Steven W. Woodmansee
 The Institute for Regional Conservation
 Miami, Florida
 On September 1 & 7, 2000

<u>Species</u>	<u>State Status</u>	<u>Federal Status</u>	<u>FNAI Status</u>	<u>IRC Status</u>	<u>Size Range</u>
<i>Chamaesyce porteriiana</i>	E		S2		11-100
<i>Coccothrinax argentata</i>	T		S2?		101-1,000
<i>Crossopetalum rhacoma</i>	E				11-100
<i>Eriothalis fruticosa</i>	T				1,001-10,000
<i>Jacquinia keyensis</i>	T				1,001-10,000
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T				101-1,000
<i>Maytenus phyllanthoides</i>	T				101-1,000
<i>Paspalidium chapmanii</i>	E			R2	1,001-10,000
<i>Pithecellobium keyense</i>	T				1,001-10,000
<i>Reynosia septentrionalis</i>	T				101-1,000
<i>Senna mexicana</i> var. <i>chapmanii</i>	T				2-10
<i>Solanum verbascifolium</i>	T				101-1,000
<i>Thrinax morrisii</i>	E			R2	101-1,000
<i>Thrinax radiata</i>	E		S2		2-10

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

Table 33:
Floristic Summary of
FLORIDA KEYS WILDLIFE & ENVIRONMENTAL AREA

	Total Species ¹	Exotic	Native	Total Rare	State Listed	Federal	FNAI ²	IRC ³
<i>Big Torch Hammocks</i>	117	10	107	23	19	0	4	7
<i>Blue Heron Hammock</i>	184	45	139	24	19	0	5	9
<i>Dove Creek Hammocks, Bayside</i>	111	20	91	19	18	0	9	11
<i>Dove Creek Hammocks, Oceanside</i>	199	50	149	25	22	0	8	11
<i>Lake San Pedro</i>	121	24	97	19	18	0	7	6
<i>Little Torch Hammocks</i>	125	19	106	19	21	0	4	5
<i>Lower Sugarloaf Hammocks</i>	162	14	148	34	30	0	12	16
<i>Middle Torch Hammocks, Parcel 3063</i>	104	5	99	23	19	0	7	9
<i>Middle Torch Hammocks, Parcel 3112</i>	103	5	98	19	16	0	3	6
<i>Middle Torch Hammocks, Anderson Parcel</i>	103	6	97	24	20	0	5	9
<i>Middle Torch Hammocks, Lipchak 3063</i>	93	3	90	20	16	0	1	5
<i>Ramrod Hammocks</i>	130	19	111	19	18	0	5	5
<i>Snake Creek Hammock</i>	154	32	122	24	19	0	7	14
<i>Spoonbill Sound Hammock</i>	143	23	120	17	16	0	4	5
<i>Upper Sugarloaf Hammock</i>	145	19	126	25	20	0	5	13
<i>Wahoo Key Hammock</i>	73	3	70	14	14	0	3	2

¹ Native species and naturalized exotics. Does not include cultivated species.

² Florida Natural Areas Inventory, taxa listed as Critically Imperiled (S1) or Imperiled (S2) in Florida

³ The Institute for Regional Conservation, taxa listed as Critically Imperiled (R1) or Imperiled (R2) in southern Florida

Table 34:
Comprehensive Plant List of Properties in the
Florida Keys Wildlife & Environmental Area

BIG = Big Torch; **BLUE** = Blue Heron; **DC-B** = Dove Creek = Bayside; **DC-O** = Dove Creek - Oceanside; **LSP** = Lake San Pedro; **LIT** = Little Torch; **LSUG** = Lower Sugarloaf; **MID-A** = Middle Torch-Anderson; **MID-L** = Middle Torch-Lipchak; **MID-3063** = Middle Torch-3063; **MID-3112** = Middle Torch-3112; **RAM** = Ramrod; **SNC** = Snake Creek; **SPO** = Spoonbill Sound; **USUG** = Upper Sugarloaf; **WAH** = Wahoo

N=Native to the Site; E=Exotic to the Site; CE=Exotic Species only cultivated on the Site; CN=Native species only cultivated on the Site

Species	BIGT	BLUE	DC-B	DC-O	LSP	LIT	LSUG	MID-A	MID-L	MID-3063	MID-3112	RAM	SNC	SPO	USUG	WAH
<i>Abildgaardia ovata</i>	N					N	N	N	N	N	N		N	N	N	
<i>Abutilon permolle</i>		N														
<i>Acacia chorophylla</i>						E					E					
<i>Acacia farnesiana</i>						N									N	
<i>Acacia pinetorum</i>	N															N
<i>Acanthocereus tetragonus</i>		N	N	N	N									N	N	
<i>Acrostichum danaeifolium</i>		N				N										
<i>Aechmea bracteata</i>														CE		
<i>Agalinis fasciculata</i>	N						N	N	N	N	N	N		N	N	N
<i>Agalinis maritima</i>	N						N	N	N	N	N	N		N	N	N
<i>Agave americana</i>	CE	E	E													
<i>Agave decipiens</i>	N	N	N											N		
<i>Agave sisalana</i>	E	E	E				CE							E	E	E
<i>Ageratum littorale</i>								N								
<i>Albizia lebbeck</i>	E						E									
<i>Aloe vera</i>			CE		CE											
<i>Alternanthera flavescens</i>	N	N	N	N	N									N		N
<i>Alysicarpus vaginalis</i>				E										E		
<i>Amaranthus viridis</i>	E			E												
<i>Ambrosia artemisiifolia</i>				N												
<i>Amyris elemifera</i>	N		N	N	N	N	N	N	N	N	N	N		N	N	N
<i>Andropogon glomeratus var. pumilus</i>	N	N	N	N	N	N	N	N	N	N	N	N		N	N	N
<i>Andropogon longiberbis</i>																
<i>Anemone adiantifolia</i>						N										
<i>Angadenia berteroii</i>									N							
<i>Antigonon leptopus</i>		CE														
<i>Aracaria</i>																
<i>Ardisia escallonioides</i>	N	N	N	N	CE	N	N	N		N	N	N		N		N
<i>Argythamnia blodgettii</i>	N	N	N	N		N	N	N		N	N	N		N		
<i>Aristida purpurascens var. tenuispica</i>	N						N	N	N	N	N	N		N		N
<i>Asparagus densiflorus</i>		E		E										E		
<i>Aster bractei</i>	N			N			N	N	N	N	N	N			N	N
<i>Atriplex pentandra</i>	N	N	N	N	N	N	N	N	N	N	N	N		N	N	N
<i>Avicennia germinans</i>	N	N	N	N	N	N	N	N	N	N	N	N		N	N	N
<i>Baccharis angustifolia</i>					N											
<i>Baccharis halimifolia</i>																
<i>Bacopa monnieri</i>	N	N	N	N	N				N	N	N	N		N	N	
<i>Batis maritima</i>	N	N	N	N	N		N		N	N	N	N		N	N	N
<i>Bauhinia</i>													CE			

Species	BIGT	BLUE	DC-B	DC-O	LSP	LIT	LSUG	MID-A	MID-L	MID-3063	MID-3112	RAM	SNC	SPO	USUG	WAH
<i>Ipomoea violacea</i>		N					N				N	N		N	N	N
<i>Jacquinia keyensis</i>	N	N		N	N		N	N	N		N	N		N	N	N
<i>Kalanchoe daigremontiana</i>		E		E	E	CE						E				
<i>Kalanchoe pinnata</i>	E		E			E										
<i>Kalanchoe tubiflora</i>																
<i>Krugiodendron ferreum</i>	N	N	N	N	N	N	N			N	N	N	N	N	N	N
<i>Laguncularia racemosa</i>	N	N	N	N	N	N	E	N	N	N	N	N	N	N	N	N
<i>Lantana camara</i>			E	E		E										
<i>Lantana involucrata</i>	N	N	N	N	N	N						N		N	N	N
<i>Lastacis divaricata</i>	N	N	N	N	N											
<i>Launaea intybacea</i>					E											
<i>Leiphaimos parasitica</i>										N						
<i>Lepidium virginicum</i>	N				N	N						N				
<i>Leptochloa dubia</i>	N	N	N				N								N	
<i>Leucaena leucocephala</i>	E		E		E		E							E	E	N
<i>Limonium carolinianum</i>	N			N	N				N		N	E	N	E	N	N
<i>Linum arenicola</i>							N									
<i>Livistona chinensis</i>	CE															
<i>Lycium carolinianum</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Lysiloma latisiliquum</i>																
<i>Lysiloma sabicu</i>											CE					
<i>Macroptilium lathyroides</i>	E	E			E		E							E		
<i>Malvastrum corchorifolium</i>				N												
<i>Mangifera indica</i>		E														
<i>Manilkara jaimiqui ssp. emarginata</i>	N	N	N		N	N	N	N	N	N	N	N	E	N	N	N
<i>Manilkara zapota</i>	E	E		E		E	E	E					E	E	CE	N
<i>Maytenus phyllanthoides</i>	N			N	N		N		N							
<i>Melaleuca virimialis</i>													CE			
<i>Melanthera nivea</i>		N		N	E		N	N					N	N	N	N
<i>Merremia dissecta</i>																
<i>Metopium toxiferum</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Mikania scandens</i>	N					N										
<i>Monanthochloe littoralis</i>	N	N		N	CE	N	N	N	N	N	N	N	N	N	N	N
<i>Monstera deliciosa</i>																
<i>Morinda royoc</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Muhlenbergia capillaris</i>	N												CE	N	N	N
<i>Musa xparadisiaca</i>							CE									
<i>Myrica cerifera</i>							N	N	N		N	N	N			
<i>Nephrolepis exaltata</i>																N
<i>Nephrolepis falcata f. furcans</i>					E											
<i>Nephrolepis multiflora</i>							CE									
<i>Neptunia pubescens</i>					N						N					
<i>Ochrosia elliptica</i>			E													
<i>Oeceoclades maculata</i>	E	E	E	CE	CE	E	E						CE	E	CE	E
<i>Opuntia cochenillifera</i>							CN						CN	CE	CE	CE
<i>Opuntia corallicola</i>															CN	CN
<i>Opuntia stricta</i>	N	N	N	N	N	N		N						N		
<i>Oxalis corniculata</i>																
<i>Panicum amarum</i>	N		E	E												
<i>Panicum maximum</i>																
<i>Panicum repens</i>						E								E		
<i>Panicum virgatum</i>	N			N					N					N	N	N
<i>Paspalidium chapmanii</i>	N	N	N	N			N	N	N	N	N	N	N	N	N	N
<i>Paspalum caespitosum</i>	N	N	N	N										N	N	N

Species	BIGT	BLUE	DC-B	DC-O E	LSP	LIT	LSUG	MID-A	MID-L	MID-3063	MID-3112	RAM	SNC	SPO	USUG	WAH
<i>Paspalum fimbriatum</i>																
<i>Paspalum laxum</i>	N	N				N	N	N	N	N	N		E	N	N	
<i>Paspalum notatum</i>																
<i>Paspalum pleostachyum</i>													E			
<i>Paspalum setaceum</i>		N		N		N	N				N			N		
<i>Paspalum vaginatum</i>	N	N	N	N	N	N	N						N			N
<i>Passiflora multiflora</i>																
<i>Passiflora suberosa</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Pectis glaucescens</i>	N															
<i>Pedianthus titthymaloides ssp. smallii</i>			E													
<i>Pentalinon luteum</i>	N	N	N	N	CE	N	N	N	N	N	N	N	CE	N	N	N
<i>Petrea volubilis</i>																
<i>Phlebodium aureum</i>																N
<i>Phoenix dactylifera</i>															E	N
<i>Phyla nodiflora</i>	N	N			N		N	N	N	N	N	N	N	N		
<i>Phyllanthus amarus</i>		E														
<i>Phyllanthus carolinensis ssp. saxicola</i>																N
<i>Phyllanthus tenellus</i>	N	N	N	N	E	E	N	N	N	N	N	N	N	N	N	N
<i>Piscidia piscipula</i>																
<i>Pisonia aculeata</i>																
<i>Pisonia rotundata</i>																
<i>Pithecellobium keyense</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Pithecellobium unguis-cati</i>																
<i>Pleopeltis polypodioides</i> var. <i>michauxiana</i>																
<i>Pluchea carolinensis</i>																
<i>Pluchea odorata</i>																
<i>Plumbago auriculata</i>																
<i>Poinsettia cyathophora</i>	N	CE	N	N	N	N	N									N
<i>Poinsettia heterophylla</i>																
<i>Polygala boykinii</i>	N	N														
<i>Polygala grandiflora</i>																
<i>Polypteron procumbens</i>	N	N			N											
<i>Polyscias guilfoylei</i>																
<i>Portulaca oleracea</i>	N	N			N	N	CE	N				N	N	N	N	N
<i>Portulaca pilosa</i>	N	N														
<i>Portulaca rubricaulis</i>	N				N	N										
<i>Priva lappulacea</i>																
<i>Pseudogynoxys chenopodioides</i>																
<i>Psidium longipes</i>	N				CE			N	N	N	N	N	N	N	N	N
<i>Psychotria nervosa</i>					N											
<i>Pteridium aquilinum</i> var. <i>caudatum</i>								N								
<i>Pteris bahamensis</i>																
<i>Randia aculeata</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Rapanea punctata</i>	N															
<i>Rayjacksonia phyllocephala</i>																
<i>Reynosia septentrionalis</i>	N	N			N	N	N	N	N	N	N	N	N	N	N	N
<i>Rhabdadenia biflora</i>	N	N														
<i>Rhizophora mangle</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Rhynchospora repens</i>	E	E			E									E		
<i>Rhynchosia minima</i>	N				N	N	N	N					N	N	N	N
<i>Rhynchosia swartzii</i>																
<i>Rhynchospora colorata</i>	N															
<i>Rhynchospora floridensis</i>																
<i>Ricinus communis</i>								E	N	N	N	N				

Species	BIGT	BLUE	DC-B	DC-O	LSP	LIT	LSUG	MID-A	MID-L	MID-3063	MID-3112	RAM	SNC	SPO	USUG	WAH
<i>Sporobolus virginicus</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Stachytarpheta jamaicensis</i>	N	N	N	E	N	E	N	N	N	N	N	E	N	N	E	N
<i>Stenotaphrum secundatum</i>																
<i>Strumpfia maritima</i>																
<i>Stylosanthes hamata</i>		N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Suaeda linearis</i>		N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Suriana maritima</i>	N	N	N	N	N	E	E	N	N	N	N	N	N	N	N	N
<i>Swietenia mahagoni</i> (native only in upper Keys)																
<i>Syagrus romanzoffiana</i>																
<i>Syngonium podophyllum</i>																
<i>Syringodium filiforme</i>																N
<i>Tamarindus indica</i>	CE															
<i>Tecoma stans</i>						E										
<i>Terminalia catappa</i>						E									E	E
<i>Thalassia testudina</i>															N	
<i>Thespesia populnea</i>															E	E
<i>Thrinax morrisii</i>	N	E			E	E	E	N	N	N	N	N	E	E	N	N
<i>Thrinax radiata</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Thunbergia fragrans</i>					CE											
<i>Tillandsia balbisiana</i>																
<i>Tillandsia fasciculata var. densispica</i>																
<i>Tillandsia flexuosa</i>	N				N	N	N	N	N	N	N	N			N	
<i>Tillandsia paucifolia</i>	N	N			N	N	N	N	N	N	N	N			N	N
<i>Tillandsia recurvata</i>			N		N	N	N	N	N	N	N	N				
<i>Tillandsia usneoides</i>			N		N	N	N	N	N	N	N	N				
<i>Tillandsia utriculata</i>	N				N	N	N	N	N	N	N	N	N		N	N
<i>Tournefortia volubilis</i>					N	N	N	N	N	N	N	N				
<i>Toxicodendron radicans</i>	N		N	N	N	N	N	N	N	N	N	N	CN	N	N	
<i>Tradescantia spathacea</i>		E	E	E	E	CE								E		
<i>Trema micranthum</i>	N					N								N		
<i>Trianthemum portulacastrum</i>	N				N											
<i>Tridax procumbens</i>	E				E									E	E	E
<i>Turnera ulmifolia</i>					E			CE						E		
<i>Typha domingensis</i>								N								N
<i>Urochloa adspersa</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
<i>Urochloa subquadripila</i>	E				E											
<i>Vallesia antillana</i>					N											
<i>Vanilla barbellata</i>																
<i>Veitchia merrillii</i>																
<i>Vernonia cinerea</i>																
<i>Vigna luteola</i>						E										N
<i>Vitex trifolia</i>						N								E		
<i>Vitis rotundifolia</i>						N										
<i>Waltheria indica</i>	N	N	N	N		N	N	N	N	N	N	N	N	N	N	N
<i>Wedelia trilobata</i>															E	
<i>Ximenia americana</i>	N	N	N	N	E	N	N	N	N	N	N	N	N	N	N	N
<i>Yucca aloifolia</i>																
<i>Yucca guatemalensis</i>		CE	CE	CE	CE	CE	CE							CE		
<i>Zanthoxylum fagara</i>			N											N		
<i>Zoysia tenuifolia</i>					E	E	E	E				E	E	E	E	

Table 35:
Rare Plants of
Florida Keys Wildlife & Environmental Area

Species	State	FNAI	IRC
<i>Acacia pinetorum</i>			R2
<i>Acanthocereus tetragonus</i>	T		
<i>Ageratum littorale</i>	E	S2	R1
<i>Argythamnia blodgettii</i>	E	S2	R2
<i>Bletia purpurea</i>	T		
<i>Bourreria succulenta</i>	E		
<i>Byrsonima lucida</i>	T		
<i>Calyptranthes pallens</i>	T		
<i>Canella winteriana</i>	E	S2	R2
<i>Chamaesyce porteriiana</i>	E	S2	
<i>Cissus trifoliata</i>			R2
<i>Coccothrinax argentata</i>	T	S2?	
<i>Colubrina elliptica</i>	E		R2
<i>Cordia globosa</i>	E		R2
<i>Crossopetalum rhacoma</i>	E		
<i>Cynanchum northropiae</i>			R2
<i>Cyperus elegans</i>			R2
<i>Cyperus fuligineus</i>	E		R1
<i>Dodonaea elaeagnoides</i>	E		R2
<i>Drypetes diversifolia</i>	E	S2	R2
<i>Drypetes lateriflora</i>	T		
<i>Eriochloa michauxii</i> var. <i>michauxii</i>			R2
<i>Erithalis fruticosa</i>	T		
<i>Eugenia rhombea</i>	E	S1	R1
<i>Exostema caribaeum</i>	E		R2
<i>Gossypium hirsutum</i>	E		
<i>Gyminda latifolia</i>	E	S2	R2
<i>Harrisia simpsonii</i>	E	S2	R2
<i>Hibiscus poeppigii</i>	E		R2
<i>Hippomane mancinella</i>	E	S2	R2
<i>Hypelate trifoliata</i>	E	S1	R2
<i>Indigofera mucronata</i> var. <i>keyensis</i>	E	S1	R1
<i>Ipomoea imperati</i>			R2
<i>Jacquinia keyensis</i>	T		
<i>Leiphaimos parasitica</i>	E	S2	R2
<i>Leptochloa dubia</i>			R2
<i>Linum arenicola</i>	E	S1S2	R2
<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	T		

Species	State	FNAI	IRC
<i>Maytenus phyllanthoides</i>	T		
<i>Opuntia stricta</i>	T		
<i>Paspalidium chapmanii</i>	E		R2
<i>Paspalidium geminatum</i>			R2
<i>Paspalum laxum</i>			R2
<i>Paspalum pleostachyum</i>			R1
<i>Passiflora multiflora</i>	E	S1	R2
<i>Pisonia rotundata</i>	E		R1
<i>Pithecellobium keyense</i>	T		
<i>Polygala boykinii</i>			R2
<i>Portulaca rubricaulis</i>			R2
<i>Psidium longipes</i>	T		
<i>Pteris bahamensis</i>	T		
<i>Rayjacksonia phyllocephala</i>			R2
<i>Reynosia septentrionalis</i>	T		
<i>Rhynchosia swartzii</i>	E		R1
<i>Rhynchospora floridensis</i>		S2	
<i>Ruppia maritima</i>			R2
<i>Savia bahamensis</i>	E	S2	R1
<i>Schaefferia frutescens</i>	E	S2	R2
<i>Senna mexicana</i> var. <i>chapmanii</i>	T		
<i>Sida abutifolia</i>			R1
<i>Smilax havanensis</i>	T		
<i>Solanum verbascifolium</i>	T		
<i>Sporobolus pyramidatus</i>			R1
<i>Strumpfia maritima</i>	E	S1	R1
<i>Swietenia mahagoni</i>	E	S2	
<i>Thrinax morrisii</i>	E		R2
<i>Thrinax radiata</i>	E	S2	
<i>Tillandsia balbisiana</i>	T		
<i>Tillandsia fasciculata</i> var. <i>densisppica</i>	E		
<i>Tillandsia flexuosa</i>	E		
<i>Tillandsia utricularata</i>	E		
<i>Trianthema portulacastrum</i>			R2
<i>Vallesia antillana</i>	E	S1	R1
<i>Vanilla barbellata</i>	E	S2	R2